



Annual Summary of Infectious Diseases Ohio 1999

Reported incidence of officially-notifiable diseases.
Includes state and county totals and distribution
by month and by age group

(March 2002)

Prepared and distributed by:

Bureau of Health Surveillance, Information and Operational Support
and the
Bureau of Infectious Disease Control
Division of prevention

OHIO DEPARTMENT OF HEALTH

Annual Summary of Infectious Diseases, Ohio 1999

CONTENTS

Tables

Reported cases of notifiable diseases by year of report, except as noted, Ohio, 1995-1999

Reported cases of notifiable diseases by age in years, Ohio, 1999

Reported cases of notifiable diseases by month of report, Ohio, 1999

Reported cases of notifiable diseases by county of residence, Ohio, 1999

Salmonella serotypes by year of report, Ohio, 1995-1999

Meningococcal Disease serogroups by year of report, Ohio, 1995-1999

Technical Notes

Explanation of tables

Case criteria

Notes on specific diseases

Diseases not included in tables

Special note on *Salmonella* serotypes and Meningococcal Disease serogroups

Ohio county outline map

**REPORTED CASES OF NOTIFIABLE DISEASES
BY YEAR OF REPORT, EXCEPT AS NOTED,
OHIO, 1995 - 1999**

	1999	1998	1997	1996	1995	MEDIAN	MEAN
AMEBIASIS	6	8	20	21	13	13	14
BOTULISM, INFANT*	1	4	3	1	2	2	2
BRUCELLOSIS	-	1	2	2	-	1	1
CAMPYLOBACTERIOSIS	1021	1062	1102	1332	1363	1102	1176
CHICKENPOX*	1307	1782	3323	2474	6242	2474	3026
CREUTZFELDT-JAKOB DISEASE (CJD)*	4	-	n/a	n/a	n/a	n/a	n/a
CRYPTOSPORIDIOSIS*	67	75	38	45	116	67	68
CYCLOSPORIASIS*	1	-	n/a	n/a	n/a	n/a	n/a
CYTOMEGALOVIRUS (CMV), CONGENITAL	7	9	7	7	7	7	7
DENGUE	-	5	4	-	4	4	3
E COLI O157:H7	262	128	108	155	107	128	152
ENCEPHALITIS, LA CROSSE	15	23	24	26	7	23	19
ENCEPHALITIS, POST CHICKENPOX	2	-	1	-	8	1	2
ENCEPHALITIS, POST OTHER VIRAL*	4	1	3	-	-	1	2
ENCEPHALITIS, PRIMARY	28	44	61	43	50	44	45
GIARDIASIS	1110	1093	1247	1333	1292	1247	1215
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	63	48	86	95	99	86	78
HEMOLYTIC UREMIC SYNDROME (HUS)	11	9	7	19	14	11	12
HEPATITIS A	655	398	332	785	1760	655	786
HEPATITIS B	95	77	94	120	116	95	100
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	4	8	20	35	15	15	16
HERPES, CONGENITAL	4	2	7	8	5	5	5
KAWASAKI DISEASE*	33	28	36	37	27	33	32
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	85	133	120	116	151	120	121
LEPROSY (HANSEN'S DISEASE)	2	-	-	-	1	-	1
LEPTOSPIROSIS	-	1	-	2	2	1	1
LISTERIOSIS	55	56	21	35	27	35	39
LYME DISEASE	47	47	40	32	30	40	39
MALARIA	18	15	19	15	13	15	16
MEASLES, IMPORTED	-	1	-	4	1	1	1
MEASLES, INDIGENOUS	-	-	-	2	1	-	1
MENINGITIS, ASEPTIC	508	853	829	462	900	829	710
MENINGITIS, E COLI	4	4	3	9	3	4	5
MENINGITIS, OTHER BACTERIAL	47	69	66	106	119	69	81
MENINGITIS, PNEUMONIA*	n/a	n/a	n/a	115	118	n/a	n/a
MENINGITIS, STREPTOCOCCAL (GROUP B)	7	8	8	14	13	8	10
MENINGOCOCCAL DISEASE	134	143	164	159	115	143	143
MUMPS	21	29	35	52	54	35	38
OUTBREAKS, FOODBORNE*	158	107	100	108	111	108	117
OUTBREAKS, UNSPECIFIED*	6	8	7	11	11	8	9
OUTBREAKS, WATERBORNE*	-	1	-	1	1	1	1
PERTUSSIS	322	299	165	289	175	289	250
PSITTACOSIS	1	-	-	5	1	1	1
RABIES, ANIMAL*	36	59	116	13	12	36	47
REYE SYNDROME	-	-	-	1	-	-	-
RHEUMATIC FEVER	4	3	6	2	8	4	5
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	8	12	12	17	17	12	13
SALMONELLOSIS	1313	1491	1545	1632	1545	1545	1505
SHIGELLOSIS	422	566	835	559	598	566	596
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE*	149	150	129	33	n/a	n/a	n/a
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	70	54	79	99	171	79	95
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)*	14	25	22	5	n/a	n/a	n/a
TETANUS	2	3	-	-	2	2	1

(Continued on next page)

(-) indicates zero cases reported

**REPORTED CASES OF NOTIFIABLE DISEASES
BY YEAR OF REPORT, EXCEPT AS NOTED,
OHIO, 1995 - 1999**

	1999	1998	1997	1996	1995	MEDIAN	MEAN
TOXIC SHOCK SYNDROME (TSS)	4	1	2	4	6	4	3
TOXOPLASMOSIS, CONGENITAL	-	1	1	-	-	-	-
TRICHINOSIS	-	7	1	-	-	-	2
TULAREMIA	-	-	1	-	1	-	-
TYPHOID FEVER	4	9	5	4	5	5	5
TYPHUS FEVER, MURINE*	1	-	-	1	-	-	-
VIBRIOSIS	1	2	2	2	2	2	2
YERSINIOSIS	53	61	48	54	72	54	58
SUB-TOTAL	8196	9023	10906	10501	15533	10501	10832

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	1650	1509	1384	326	n/a	n/a	n/a
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	2421	2330	1612	252	n/a	n/a	na/
SUB-TOTAL	4071	3839	2996	578	n/a	n/a	n/a

HIV/AIDS*

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	491	543	605	857	980	605	695
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	605	685	640	621	817	640	674
SUB-TOTAL	1096	1228	1245	1478	1797	1245	1369

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	29629	27078	23269	20651	29124	27078	25950
GONORRHEA, TOTAL	18138	17992	14993	15012	23176	17992	17862
SYPHILIS, CONGENITAL	6	4	10	20	44	10	17
SYPHILIS, PRIMARY AND SECONDARY	86	130	223	509	896	223	369
SYPHILIS, TOTAL	344	454	770	1329	1944	770	968
SUB-TOTAL	48203	45658	39265	37521	55184	45658	45166

TUBERCULOSIS*

TUBERCULOSIS	317	230	286	301	280	286	283
TOTAL	61883	59978	54698	50379	72794	59978	59947

* See Technical notes for explanation
(-) indicates zero cases reported

REPORTED CASES OF NOTIFIABLE DISEASES BY AGE IN YEARS, OHIO, 1999

	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	UNK	TOTAL
AMEBIASIS	-	-	1	-	2	1	-	-	2	-	6
BOTULISM, INFANT	1	-	-	-	-	-	-	-	-	-	1
CAMPYLOBACTERIOSIS	117	38	30	43	153	170	150	132	160	28	1021
CHICKENPOX*	-	-	-	-	-	-	-	-	-	1307	1307
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-	-	4	-	4
CRYPTOSPORIDIOSIS	28	9	7	-	3	7	4	3	6	-	67
CYCLOSPORIASIS	-	-	-	-	1	-	-	-	-	-	1
CYTOMEGALOVIRUS (CMV), CONGENITAL	7	-	-	-	-	-	-	-	-	-	7
E COLI O157:H7	49	29	21	28	25	17	17	20	52	4	262
ENCEPHALITIS, LACROSSE	2	5	8	-	-	-	-	-	-	-	15
ENCEPHALITIS, POST CHICKEPOX	-	1	-	1	-	-	-	-	-	-	2
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	-	1	-	2	1	4
ENCEPHALITIS, PRIMARY	7	5	3	1	2	2	4	1	3	-	28
GIARDIASIS	243	106	43	21	95	231	134	100	92	45	1110
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	11	1	1	1	2	2	4	9	31	1	63
HEMOLYTIC UREMIC SYNDROME (HUS)	3	2	-	1	-	1	-	-	4	-	11
HEPATITIS A	14	22	16	42	134	167	118	67	70	5	655
HEPATITIS B	-	-	1	6	26	30	20	7	5	-	95
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	2	1	-	1	-	4
HERPES, CONGENITAL	3	-	-	-	-	-	-	-	-	1	4
KAWASAKI DISEASE	22	5	2	2	-	-	-	-	1	1	33
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	2	1	4	12	17	48	1	85
LEPROSY (HANSEN'S DISEASE)	-	-	-	1	-	-	1	-	-	-	2
LISTERIOSIS	3	-	-	-	3	5	4	3	36	1	55
LYME DISEASE	2	6	4	5	7	6	7	4	4	2	47
MALARIA	-	-	1	2	4	4	2	1	2	2	18
MENINGITIS, ASEPTIC	171	53	33	32	79	67	40	15	16	2	508
MENINGITIS, E COLI	4	-	-	-	-	-	-	-	-	-	4
MENINGITIS, OTHER BACTERIAL	13	1	1	2	4	5	7	4	10	-	47
MENINGITIS, STREPTOCOCCAL (GROUP B)	2	-	-	-	-	-	2	1	2	-	7
MENINGOCOCCAL DISEASE	41	11	9	11	7	5	12	8	29	1	134
MUMPS	2	11	2	2	2	2	-	-	-	-	21
OUTBREAKS, FOODBORNE	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	158
OUTBREAKS, UNSPECIFIED	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	6
PERTUSSIS	165	30	95	11	2	6	6	4	3	-	322
PSITTACOSIS	-	-	-	-	-	-	-	1	-	-	1
RABIES, ANIMAL*	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	36
RHEUMATIC FEVER	-	1	1	-	1	1	-	-	-	-	4
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	1	-	-	1	-	2	2	1	1	-	8
SALMONELLOSIS	327	151	70	63	134	140	126	86	180	36	1313
SHIGELLOSIS	126	107	20	13	55	36	22	17	14	12	422
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	9	8	1	3	9	8	21	24	65	1	149
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	68	-	-	-	-	-	-	-	-	2	70
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	1	-	1	2	3	3	4	-	14
TETANUS	-	-	-	-	-	1	1	-	-	-	2
TOXIC SHOCK SYNDROME (TSS)	1	-	-	1	-	-	1	1	-	-	4
TYPHOID FEVER	2	-	-	-	1	-	1	-	-	-	4
TYPHUS FEVER, MURINE	-	-	-	-	-	-	1	-	-	-	1
VIBRIOSIS	-	-	-	-	-	-	-	-	1	-	1
YERSINIOSIS	30	5	1	2	4	2	1	2	5	1	53
SUB-TOTAL	1474	607	372	297	757	926	725	531	853	1454	8196

Continued

REPORTED CASES OF NOTIFIABLE DISEASES BY AGE IN YEARS, OHIO, 1999

(continued)

HIV/AIDS*	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	UNK	TOTAL
AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	2	-	1	3	71	232	136	35	11	-	491
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	1	2	1	19	167	241	133	30	11	-	605
SUB-TOTAL	3	2	2	22	238	473	269	65	22	0	1096

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	46	9	704	11969	13295	1972	494	111	106	923	29629
GONORRHEA, TOTAL	17	8	314	5668	8107	2388	910	180	108	438	18138
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	5	31	28	11	9	2	-	86
SYPHILIS, TOTAL	6	-	1	22	120	106	58	22	9	-	344
SUB-TOTAL	69	17	1019	17664	21553	4494	1473	322	225	1361	48197

TUBERCULOSIS*

TUBERCULOSIS	6	2	-	8	37	31	56	41	136	-	317
--------------	---	---	---	---	----	----	----	----	-----	---	-----

TOTAL	1552	628	1393	17991	22585	5924	2523	959	1236	2815	57806
--------------	-------------	------------	-------------	--------------	--------------	-------------	-------------	------------	-------------	-------------	--------------

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH OF REPORT, OHIO, 1999

	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	TOTAL
AMEBIASIS	1	-	-	-	1	1	-	-	1	-	-	2	6
BOTULISM, INFANT	-	-	-	-	-	-	-	-	1	-	-	-	1
CAMPYLOBACTERIOSIS	73	52	47	49	60	105	149	108	145	72	65	96	1021
CHICKENPOX	133	95	140	191	209	120	38	13	44	35	49	240	1307
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-	-	-	-	-	4	4
CRYPTOSPORIDIOSIS	3	3	2	4	4	3	6	5	13	13	7	4	67
CYCLOSPORIDIOSIS	-	-	-	-	-	-	1	-	-	-	-	-	1
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	2	-	1	1	-	1	-	1	1	-	7
E COLI O157:H7	13	7	2	6	5	18	20	53	39	33	37	29	262
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-	2	5	7	1	-	15
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-	-	1	-	-	1	2
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	1	-	-	1	1	-	-	1	4
ENCEPHALITIS, PRIMARY	1	3	4	3	-	2	1	1	1	4	6	2	28
GIARDIASIS	81	56	75	61	60	75	72	107	196	124	99	104	1110
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	6	7	6	5	3	10	3	7	4	1	3	8	63
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	2	1	1	1	1	3	2	11
HEPATITIS A	45	65	99	66	47	47	44	35	65	48	46	48	655
HEPATITIS B	9	9	12	3	10	4	7	12	8	7	3	11	95
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	1	-	-	1	1	-	1	4
HERPES, CONGENITAL	1	-	1	-	-	-	-	-	1	1	-	-	4
KAWASAKI DISEASE	3	4	3	-	2	3	5	1	3	4	1	4	33
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	5	9	4	9	2	13	4	8	5	6	8	12	85
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-	1	-	-	-	1	2
LISTERIOSIS	4	7	4	-	1	2	5	4	5	3	3	17	55
LYME DISEASE	3	3	2	4	2	4	9	4	6	4	2	4	47
MALARIA	1	1	2	1	3	1	5	3	1	-	-	-	18
MENINGITIS, ASEPTIC	33	29	27	13	7	33	29	69	100	75	47	46	508
MENINGITIS, E COLI	-	-	-	-	-	1	-	2	1	-	-	-	4
MENINGITIS, OTHER BACTERIAL	3	7	7	4	2	6	3	3	1	2	3	6	47
MENINGITIS, STREPTOCOCCAL (GROUP B)	3	-	-	-	-	1	-	1	-	1	1	-	7
MENINGOCOCCAL DISEASE	10	12	22	15	16	18	9	5	7	7	5	8	134
MUMPS	-	1	5	-	-	1	1	3	-	3	4	3	21
OUTBREAKS, FOODBORNE	14	9	12	13	12	18	17	10	12	4	8	29	158
OUTBREAKS, UNSPECIFIED	-	-	-	-	-	-	-	1	-	1	-	4	6
PERTUSSIS	36	14	39	4	5	16	15	20	7	28	11	127	322
PSITTACOSIS	-	-	-	1	-	-	-	-	-	-	-	-	1
RABIES, ANIMAL	-	-	2	3	3	3	9	7	4	2	2	1	36
RHEUMATIC FEVER	-	-	-	1	-	3	-	-	-	-	-	-	4
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	4	3	1	-	-	-	-	8
SALMONELLOSIS	79	57	66	55	52	120	185	141	206	165	84	103	1313
SHIGELLOSIS	82	57	24	38	32	26	20	31	29	26	30	27	422
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	14	19	20	16	20	13	9	7	5	3	11	12	149
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	6	4	5	5	4	12	1	9	9	5	3	7	70
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	1	2	4	-	3	1	1	-	-	1	-	1	14
TETANUS	-	-	-	-	-	-	-	1	1	-	-	-	2
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-	-	-	-	-	4	4
TYPHOID FEVER	-	1	-	-	-	3	-	-	-	-	-	-	4
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-	-	-	-	-	1	1
VIBRIOSIS	-	-	-	-	-	-	-	-	-	1	-	-	1
YERSINIOSIS	12	8	5	3	5	-	-	10	6	2	2	-	53
SUB-TOTAL	675	541	643	574	572	691	672	688	935	691	545	970	8196

Continued

REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH OF REPORT, OHIO, 1999

(continued)

HIV/AIDS*	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	TOTAL
AIDS	47	44	50	41	27	43	41	46	44	37	32	38	490
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	57	47	61	47	51	60	52	52	39	51	52	36	605
SUB-TOTAL	104	91	111	88	78	103	93	98	83	88	84	74	1095

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	2308	2350	2470	2435	2462	2603	2600	2816	2696	2556	2337	1996	29629
GONORRHEA, TOTAL	1516	1342	1436	1270	1405	1631	1694	1745	1709	1654	1457	1279	18138
SYPHILIS, CONGENITAL	-	1	-	-	1	1	-	3	-	-	-	-	6
SYPHILIS, PRIMARY AND SECONDARY	5	9	7	4	10	8	9	6	9	4	10	5	86
SUB-TOTAL	3829	3702	3913	3709	3878	4243	4303	4570	4414	4214	3804	3280	47859

TUBERCULOSIS*

TUBERCULOSIS	20	29	20	14	9	35	13	24	26	22	22	83	317
TOTAL	4628	4363	4687	4385	4537	5072	5081	5380	5458	5015	4455	4407	57467

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	ADAMS	ALLEN	ASHLAND	ASHTABULA	ATHENS	AUGLAIZE	BELMONT
AMEBIASIS	-	-	-	-	1	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	2	15	2	5	-	7	4
CHICKENPOX	17	-	-	6	17	-	1
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	-	-	-	-	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	1	-	-	-
E COLI O157:H7	2	-	-	-	1	-	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	1	-	-
ENCEPHALITIS, PRIMARY	-	-	-	-	-	1	-
GIARDIASIS	1	13	-	5	6	2	4
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	1	-	-	1	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	-	1	2	2	3	-	12
HEPATITIS B	-	-	-	-	-	-	-
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	1	1	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	1	-	-	-	-	1
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	-	-
LYME DISEASE	-	-	-	-	2	-	1
MALARIA	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	-	11	1	-	4	1	3
MENINGITIS, E COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	2	-	-	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	-	1	-	-	1	1	-
MUMPS	-	-	-	-	-	-	1
OUTBREAKS, FOODBORNE	-	1	2	-	2	-	-
OUTBREAKS, UNSPECIFIED	-	-	-	-	-	-	-
PERTUSSIS	-	-	-	-	1	1	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	-	-	1	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	1	-	-	-	-
SALMONELLOSIS	-	4	8	8	7	3	10
SHIGELLOSIS	-	4	-	-	1	-	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	4	-	1	1	3	1
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	-	2	2	-	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	1	-	-
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	-	-
SUB-TOTAL	22	60	18	30	52	19	38

HIV/AIDS*

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	1	3	-	4	1	-	1
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	2	9	-	1	3	-	-
SUB-TOTAL	3	12	0	5	4	0	1

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	12	458	26	118	98	58	48
GONORRHEA, TOTAL	1	170	2	19	20	14	12
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	2	-	-	-	-
SUB-TOTAL	13	628	30	137	118	72	60

TUBERCULOSIS*

TUBERCULOSIS	2	3	-	2	-	-	2
--------------	---	---	---	---	---	---	---

TOTAL	40	703	48	174	174	91	101
--------------	-----------	------------	-----------	------------	------------	-----------	------------

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	BROWN	BUTLER	CARROLL	CHAMPAIGN	CLARK	CLERMONT	CLINTON
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	3	44	1	1	9	24	6
CHICKENPOX	55	22	-	-	1	16	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	1	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	1	-	-	-	1	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	1	15	-	-	2	15	1
ENCEPHALITIS, LACROSSE	-	1	-	-	-	-	-
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	2	-	-	-	1	-
GIARDIASIS	5	29	11	1	4	34	4
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	2	-	-	1	-	1
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	3	-
HEPATITIS A	1	8	3	-	5	4	1
HEPATITIS B	-	1	1	-	2	-	-
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	2	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	-	1	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	-	2	1	-	1	-	-
LYME DISEASE	-	-	-	3	-	-	-
MALARIA	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	2	27	1	-	1	12	1
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	1	-	-	1	1	1
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	-	5	1	1	6	2	1
MUMPS	-	-	-	-	-	1	-
OUTBREAKS, FOODBORNE	-	4	-	-	3	3	1
OUTBREAKS, UNSPECIFIED	-	-	-	-	-	1	1
PERTUSSIS	-	10	-	-	1	10	3
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	3	-	-	-	1	-
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
SALMONELLOSIS	5	21	3	1	14	13	7
SHIGELLOSIS	-	1	-	-	7	-	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	3	-	-	4	3	-
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	1	4	-	-	-	3	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	1	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	2	-	-	-	-	-
SUB-TOTAL	73	209	22	7	64	150	28

HIV/AIDS*

AIDS	-	7	-	-	4	1	-
HIV	-	3	-	3	3	-	1
SUB-TOTAL	0	10	0	3	7	1	1

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	50	486	21	20	310	128	60
GONORRHEA, TOTAL	29	207	2	2	327	19	10
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	11	-	-
SUB-TOTAL	79	693	23	22	648	147	70

TUBERCULOSIS*

TUBERCULOSIS	2	10	-	-	-	3	1
TOTAL	154	922	45	32	719	301	100

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	COLUMBIANA	COSHOCTON	CRAWFORD	CUYAHOGA	DARKE	DEFIANCE	DELAWARE
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	14	3	4	159	12	4	9
CHICKENPOX	7	-	13	4	13	16	137
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	-	7	1	-	1
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	2	-	-	-
E COLI O157:H7	-	-	-	16	1	1	2
ENCEPHALITIS, LACROSSE	1	1	-	1	-	-	2
ENCEPHALITIS, POST CHICKENPOX	-	1	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	3	-	1	1
GIARDIASIS	12	16	1	140	4	2	17
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	3	-	-	15	-	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	2	-	-	-
HEPATITIS A	2	1	20	93	1	-	9
HEPATITIS B	-	-	-	25	-	3	2
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	1	-	-	-
KAWASAKI DISEASE	-	-	-	2	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	17	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	-	1	2	13	-	-	-
LYME DISEASE	2	-	-	6	-	-	1
MALARIA	-	-	-	3	-	-	-
MENINGITIS, ASEPTIC	3	-	-	24	3	1	10
MENINGITIS, E COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	2	-	-	6	-	-	2
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	3	-	-	-
MENINGOCOCCAL DISEASE	-	1	-	13	2	-	-
MUMPS	-	-	-	-	-	-	-
OUTBREAKS, FOODBORNE	1	2	1	15	1	1	1
OUTBREAKS, UNSPECIFIED	-	-	-	-	-	-	-
PERTUSSIS	1	1	-	8	1	-	18
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	1	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	1	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	1	-	-	-
SALMONELLOSIS	11	8	3	218	10	2	11
SHIGELLOSIS	1	-	-	61	1	-	1
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	-	1	16	1	-	3
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	-	1	-	4	1	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	1	-	-	-
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	2	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	17	-	-	2
SUB-TOTAL	61	36	45	899	52	31	229

HIV/AIDS*

AIDS	1	-	1	144	1	2	-
HIV	1	1	3	112	-	1	3
SUB-TOTAL	2	1	4	256	1	3	3

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	60	24	37	5025	45	65	87
GONORRHEA, TOTAL	12	9	5	4480	4	19	27
SYPHILIS, CONGENITAL	-	-	-	2	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	15	-	-	-
SUB-TOTAL	72	33	42	9522	49	84	114

TUBERCULOSIS*

TUBERCULOSIS	1	-	1	100	1	-	-
TOTAL	4	2	8	468	2	4	6

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	ERIE	FAIRFIELD	FAYETTE	FRANKLIN	FULTON	GALLIA	GEAUGA
AMEBIASIS	-	1	-	3	-	-	-
BOTULISM, INFANT	-	-	-	1	-	-	-
CAMPYLOBACTERIOSIS	13	11	-	64	1	4	11
CHICKENPOX	-	-	-	4	-	-	1
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	-	20	-	-	1
CYCLOSPORIASIS	-	-	-	-	1	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	1	-	-	1
E COLI O157:H7	1	3	1	36	1	-	1
ENCEPHALITIS, LACROSSE	-	1	-	1	-	-	1
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	1	-	-	1	-	-
GIARDIASIS	3	7	1	122	2	1	11
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	3	-	-	2	1	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	2	8	3	170	-	1	3
HEPATITIS B	-	2	-	2	-	1	-
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	1	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	2	-	15	1	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	2	-	-	-
LISTERIOSIS	-	-	-	6	-	-	1
LYME DISEASE	-	1	-	4	-	-	-
MALARIA	-	-	-	3	-	-	-
MENINGITIS, ASEPTIC	4	12	1	72	1	1	1
MENINGITIS, E COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	1	-	8	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	1	2	-	14	-	-	1
MUMPS	-	-	-	-	-	-	3
OUTBREAKS, FOODBORNE	2	1	1	23	1	2	2
OUTBREAKS, UNSPECIFIED	-	-	-	1	-	1	-
PERTUSSIS	-	40	-	120	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	-	-	-	1	-	1
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
SALMONELLOSIS	14	23	2	126	4	2	9
SHIGELLOSIS	8	1	-	9	-	-	2
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	-	-	23	1	-	-
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	1	-	-	11	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	1	-	-	-
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	1	-	5	1	-	1
SUB-TOTAL	53	118	9	870	17	13	51

HIV/AIDS*

AIDS	2	1	1	71	1	-	1
HIV	4	3	1	107	1	-	-
SUB-TOTAL	6	4	2	178	2	0	1

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	193	138	59	4457	49	42	29
GONORRHEA, TOTAL	98	27	9	3351	4	6	11
SYPHILIS, CONGENITAL	-	-	-	2	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	42	-	-	-
SUB-TOTAL	291	165	68	7852	53	48	40

TUBERCULOSIS*

TUBERCULOSIS	2	2	1	57	2	1	-
TOTAL	352	289	80	8957	74	62	92

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	GREENE	GUERNSEY	HAMILTON	HANCOCK	HARDIN	HARRISON	HENRY
AMEBIASIS	-	-	1	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	7	9	98	6	1	1	1
CHICKENPOX	128	-	-	55	11	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	1	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	9	-	1	-	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	2	1	42	1	1	-	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	3	-	-	-	1
GIARDIASIS	4	3	103	6	3	-	4
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	1	6	-	1	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	6	-	29	1	-	-	-
HEPATITIS B	1	-	14	-	-	-	1
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	1	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	8	1	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	3	2	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	-	-	1	-	-	-	-
LYME DISEASE	1	-	1	-	-	-	-
MALARIA	2	-	5	-	-	-	-
MENINGITIS, ASEPTIC	4	2	62	2	3	-	2
MENINGITIS, E COLI	-	-	-	1	-	-	-
MENINGITIS, OTHER BACTERIAL	-	-	5	1	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	1	2	6	2	1	-	1
MUMPS	-	-	-	-	-	-	-
OUTBREAKS, FOODBORNE	3	1	6	-	-	-	1
OUTBREAKS, UNSPECIFIED	-	-	-	-	-	-	-
PERTUSSIS	-	-	40	2	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	1	1	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	1	-	-	-	-
SALMONELLOSIS	7	2	106	5	3	1	3
SHIGELLOSIS	2	1	10	1	-	-	1
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	1	16	1	-	-	-
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	1	-	13	-	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	2	-	2	-	-	-	-
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	1	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	1	-	3	-	-	-	-
SUB-TOTAL	173	24	596	87	25	2	15

HIV/AIDS*

AIDS	6	-	55	1	-	-	-
HIV	3	-	41	1	-	-	-
SUB-TOTAL	9	0	96	2	0	0	0

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	213	103	3837	101	46	12	24
GONORRHEA, TOTAL	55	12	2807	30	6	2	1
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	1	-	-	-	-
SUB-TOTAL	268	115	6645	131	52	14	25

TUBERCULOSIS*

TUBERCULOSIS	1	-	29	1	-	-	1
TOTAL	451	139	7366	221	77	16	41

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	HIGHLAND	HOCKING	HOLMES	HURON	JACKSON	JEFFERSON	KNOX
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	3	-	6	3	2	7	7
CHICKENPOX	42	-	19	3	3	1	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	-	-	-	-	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	-	-	-	2	-	1	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	1	-	-	-
GIARDIASIS	2	1	6	10	1	5	6
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	-	-	-	1	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	-	-	2	2	1	5	2
HEPATITIS B	-	-	-	-	-	2	-
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	-	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	-	-
LYME DISEASE	1	-	-	-	1	-	-
MALARIA	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	2	2	3	-	2	1	-
MENINGITIS, E COLI	-	-	-	-	1	-	-
MENINGITIS, OTHER BACTERIAL	-	-	-	-	-	1	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	1	-
MENINGOCOCCAL DISEASE	1	1	-	-	-	-	-
MUMPS	-	-	-	-	-	-	-
OUTBREAKS, FOODBORNE	-	-	1	-	-	-	3
OUTBREAKS, UNSPECIFIED	-	-	-	-	-	-	-
PERTUSSIS	-	1	-	-	-	-	1
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	-	-	-	1	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
SALMONELLOSIS	-	1	6	3	4	13	13
SHIGELLOSIS	-	-	-	2	-	3	1
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	-	-	-	-	-	-
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	-	-	-	-	-	1	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	1	-	-	-	1	-
SUB-TOTAL	51	7	43	26	16	43	33

HIV/AIDS*

AIDS	-	1	-	-	-	-	1
HIV	-	-	-	1	-	-	-
SUB-TOTAL	0	1	0	1	0	0	1

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	31	19	10	96	53	85	41
GONORRHEA, TOTAL	8	4	2	17	2	65	8
SYPHILIS, CONGENITAL	-	-	-	1	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	-
SUB-TOTAL	39	23	12	114	55	150	49

TUBERCULOSIS*

TUBERCULOSIS	-	-	-	1	-	-	1
TOTAL	90	31	55	142	71	193	84

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	LAKE	LAWRENCE	LICKING	LOGAN	LORAIN	LUCAS	MADISON
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	32	4	16	4	22	21	2
CHICKENPOX	-	-	-	-	178	18	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	1	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	4	-	1	-	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	1	-	-
E COLI O157:H7	10	-	-	2	9	6	2
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	1	-	-	2	-
GIARDIASIS	53	3	16	7	22	29	-
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	6	-	1	1	1	4	-
HEMOLYTIC UREMIC SYNDROME (HUS)	1	-	-	-	-	-	-
HEPATITIS A	10	1	6	-	8	20	1
HEPATITIS B	2	-	1	-	1	-	-
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	1	-	3	1	3	3	2
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	3	-	2	-	2	2	-
LYME DISEASE	2	1	3	1	1	-	-
MALARIA	-	-	-	-	-	-	1
MENINGITIS, ASEPTIC	4	3	6	-	1	8	-
MENINGITIS, E COLI	-	1	-	-	-	1	-
MENINGITIS, OTHER BACTERIAL	-	-	-	-	-	-	1
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	1	1	3	-	1	1	-
MUMPS	3	1	-	-	1	-	-
OUTBREAKS, FOODBORNE	4	-	2	2	4	8	-
OUTBREAKS, UNSPECIFIED	-	-	-	-	1	-	-
PERTUSSIS	-	-	4	1	-	-	2
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	1	-	2	-	-	3	-
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	2	-
SALMONELLOSIS	31	5	20	6	64	36	3
SHIGELLOSIS	3	-	3	-	149	15	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	4	-	2	1	2	3	1
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	1	-	2	1	-	2	1
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	1
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TYPHOID FEVER	1	-	-	-	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	2	-	3	-	-	2	-
SUB-TOTAL	175	20	101	27	472	186	17

HIV/AIDS*

AIDS	3	1	1	-	10	17	2
HIV	6	2	1	1	10	27	1
SUB-TOTAL	9	3	2	1	20	44	3

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	215	83	275	62	1064	1368	31
GONORRHEA, TOTAL	67	16	55	19	486	739	8
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	5	-
SUB-TOTAL	282	99	330	81	1550	2112	39

TUBERCULOSIS*

TUBERCULOSIS	3	3	3	-	2	8	-
TOTAL	469	125	436	109	2044	2350	59

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	MAHONING	MARION	MEDINA	MEIGS	MERCER	MIAMI	MONROE
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	7	5	19	2	19	7	-
CHICKENPOX	-	-	7	-	-	144	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	1	-	-	5	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	1	1	4	-	6	15	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	-	-	1	-
GIARDIASIS	5	4	13	1	28	15	1
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	-	-	-	-	1
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	2	-
HEPATITIS A	11	30	5	-	4	1	1
HEPATITIS B	4	1	2	-	-	-	-
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	1	-	1	-	-	1	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	4	-	-	-	-	-	-
LYME DISEASE	1	-	-	-	-	-	2
MALARIA	-	-	-	-	-	1	-
MENINGITIS, ASEPTIC	1	1	1	-	-	4	-
MENINGITIS, E COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	-	-	-	-	2	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	2	1	-	1	1	-	1
MUMPS	-	-	-	-	-	-	-
OUTBREAKS, FOODBORNE	1	4	8	-	1	1	-
OUTBREAKS, UNSPECIFIED	1	-	-	-	-	-	-
PERTUSSIS	1	-	1	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	1	-	-	-	-	-	2
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
SALMONELLOSIS	15	15	24	1	6	12	2
SHIGELLOSIS	1	13	3	-	1	5	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	2	1	2	-	-	-	-
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	-	-	-	-	-	3	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	1	-	-	-	-	-	-
SUB-TOTAL	60	76	91	5	66	219	10

HIV/AIDS*

AIDS	5	3	1	-	1	1	-
HIV	12	1	1	1	-	1	-
SUB-TOTAL	17	4	2	1	1	2	0

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	527	96	65	24	26	102	2
GONORRHEA, TOTAL	337	38	25	-	-	13	-
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	-
SUB-TOTAL	864	134	90	24	26	115	2

TUBERCULOSIS*

TUBERCULOSIS	7	-	2	-	-	1	-
--------------	---	---	---	---	---	---	---

TOTAL	948	214	185	30	93	337	12
--------------	------------	------------	------------	-----------	-----------	------------	-----------

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	MONTGOMERY	MORGAN	MORROW	MUSKINGUM	NOBLE	OTTAWA	PAULDING
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	31	2	-	10	-	3	2
CHICKENPOX	49	-	-	46	-	1	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	-	-	-	-	-
CYCLOSPORIASIS*	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	9	-	-	-	-	-	1
ENCEPHALITIS, LACROSSE	-	-	1	-	-	-	-
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	1	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	1	-	-	-
GIARDIASIS	52	-	1	15	-	1	1
HAEMOPHILUS INFLUENZA (INVASIVE DISEASE)	-	-	-	-	1	1	-
HEMOLYTIC UREMIC SYNDROME (HUS)	1	-	-	-	-	-	-
HEPATITIS A	13	-	2	-	-	4	-
HEPATITIS B	9	-	1	1	-	2	-
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	1	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	2	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	4	-	-	1	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	2	-	-	-	-	-	-
LYME DISEASE	3	-	-	-	-	-	-
MALARIA	1	-	-	-	-	-	-
MENINGITIS, ASEPTIC	35	-	-	6	1	2	-
MENINGITIS, E COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	3	-	-	-	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	1	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	4	-	-	2	-	2	1
MUMPS	1	-	-	-	-	-	-
OUTBREAKS, FOODBORNE	1	-	-	1	-	1	-
OUTBREAKS, UNSPECIFIED	-	-	-	-	-	-	-
PERTUSSIS	6	-	-	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	-	-	-	-	-	-
RHEUMATIC FEVER	1	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	1	-	-	-	-	-	-
SALMONELLOSIS	37	1	1	19	-	5	1
SHIGELLOSIS	23	-	-	3	-	4	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	19	-	1	1	-	-	-
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	2	-	-	-	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	4	-	-	-	-	-	-
TETANUS	-	-	1	1	-	-	-
TOXIC SHOCK SYNDROME (TSS)	1	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	3	-	-	-	-	-	-
SUB-TOTAL	320	3	8	107	2	26	6

HIV/AIDS*

AIDS	31	-	-	1	-	-	1
HIV	58	-	1	3	-	-	2
SUB-TOTAL	89	0	1	4	0	0	3

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	2569	3	19	171	3	28	14
GONORRHEA, TOTAL	1518	2	2	64	-	4	2
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	2	-	-	1	-	-	-
SUB-TOTAL	4089	5	21	236	3	32	16

TUBERCULOSIS*

TUBERCULOSIS	14	-	-	1	-	1	-
TOTAL	4512	8	30	348	5	59	25

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	PERRY	PICKAWAY	PIKE	PORTAGE	PREBLE	PUTNAM	RICHLAND
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	6	1	-	9	3	4	11
CHICKENPOX	-	3	-	-	-	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	1	-	-	-
CRYPTOSPORIDIOSIS	-	1	1	-	-	-	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	1	2	-	2	1	4	3
ENCEPHALITIS, LACROSSE	-	-	-	-	2	-	1
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	-	1
ENCEPHALITIS, PRIMARY	-	-	-	1	-	-	-
GIARDIASIS	6	1	4	22	-	5	3
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	-	1	-	-	1
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	1	-	-
HEPATITIS A	1	-	-	7	1	-	11
HEPATITIS B	-	-	1	1	-	-	1
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	3	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	1	-	1	4	-	1	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	-	2
LYME DISEASE	-	-	-	1	-	-	1
MALARIA	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	7	3	1	17	-	2	3
MENINGITIS, E COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	1	-	-	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	1	1	2	5	-	2	5
MUMPS	1	-	-	2	-	-	2
OUTBREAKS, FOODBORNE	-	2	-	2	-	-	7
OUTBREAKS, UNSPECIFIED	-	-	-	-	-	-	-
PERTUSSIS	5	1	1	11	1	-	4
PSITTACOSIS	-	-	-	-	-	-	1
RABIES, ANIMAL	-	-	-	2	-	-	1
RHEUMATIC FEVER	-	-	-	-	-	-	1
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
SALMONELLOSIS	5	2	4	18	4	4	3
SHIGELLOSIS	-	4	-	3	-	1	3
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	-	1	-	-	1	1
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	-	-	-	1	-	1	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	1
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	-	-
SUB-TOTAL	35	22	16	113	13	25	67

HIV/AIDS*

AIDS	1	-	-	3	-	-	2
HIV	1	-	1	2	1	-	3
SUB-TOTAL	2	0	1	5	1	0	5

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	35	126	39	145	26	21	220
GONORRHEA, TOTAL	2	36	2	41	4	3	113
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	6	-	-	1
SUB-TOTAL	37	162	41	192	30	24	334

TUBERCULOSIS*

TUBERCULOSIS	-	-	-	2	2	2	3
--------------	---	---	---	---	---	---	---

TOTAL	74	184	58	312	46	51	409
--------------	-----------	------------	-----------	------------	-----------	-----------	------------

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	ROSS	SANDUSKY	SCIOTO	SENECA	SHELBY	STARK	SUMMIT
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	6	9	4	8	1	53	50
CHICKENPOX	6	-	-	5	-	-	200
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	6	-	-	-	-	1	4
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	1	-	-	-	-	-	-
E COLI O157:H7	2	-	-	1	2	4	8
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	1
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	1	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	1	-
ENCEPHALITIS, PRIMARY	-	-	1	-	-	3	1
GIARDIASIS	4	1	3	1	5	45	68
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	-	-	-	1	1
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	-	-	2	2	1	40	26
HEPATITIS B	-	-	-	1	-	1	4
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	1	-
KAWASAKI DISEASE	-	-	-	-	-	2	9
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	2	-	5	-	-	3	2
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	1	2
LYME DISEASE	-	-	-	-	1	1	-
MALARIA	-	-	-	-	-	2	-
MENINGITIS, ASEPTIC	6	6	8	-	1	21	52
MENINGITIS, E COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	1	1	-	-	1	3
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	1
MENINGOCOCCAL DISEASE	-	1	3	2	-	6	9
MUMPS	-	1	-	-	-	3	-
OUTBREAKS, FOODBORNE	-	1	-	1	-	2	4
OUTBREAKS, UNSPECIFIED	-	-	-	-	-	-	-
PERTUSSIS	-	-	-	1	-	3	15
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	-	1	-	-	1	1
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	2	-	-	-	-	-	-
SALMONELLOSIS	6	7	9	7	4	48	56
SHIGELLOSIS	11	5	-	1	1	16	18
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	2	-	1	1	4	6
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	-	-	1	-	1	2	1
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	1	1
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	1
TYPHUS FEVER, MURINE	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	1
YERSINIOSIS	-	-	-	-	-	3	1
SUB-TOTAL	52	34	38	31	18	271	546

HIV/AIDS*

AIDS	3	1	4	1	1	11	36
HIV	-	-	-	-	5	19	26
SUB-TOTAL	3	1	4	1	6	30	62

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	150	130	135	60	65	993	1024
GONORRHEA, TOTAL	26	19	59	29	15	545	933
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	-
SUB-TOTAL	176	149	194	89	80	1538	1957

TUBERCULOSIS*

TUBERCULOSIS	1	-	5	-	-	6	12
--------------	---	---	---	---	---	---	----

TOTAL	232	184	241	121	104	1845	2577
--------------	------------	------------	------------	------------	------------	-------------	-------------

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	TRUMBULL	TUSCARAWAS	UNION	VAN WERT	VINTON	WARREN	WASHINGTON
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	15	7	7	1	-	7	5
CHICKENPOX	32	-	-	-	-	-	17
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	1	-	-	-	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	2	-	1	-	-	3	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	-	-	-	-
GIARDIASIS	12	8	5	2	-	18	3
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	1	-	-	-	1	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	11	3	2	1	-	5	4
HEPATITIS B	3	-	-	-	-	1	-
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	3	-	-	-	-	1	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	-	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LISTERIOSIS	2	1	-	1	-	-	-
LYME DISEASE	2	-	-	-	-	1	-
MALARIA	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	2	-	3	3	-	6	1
MENINGITIS, E COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	-	-	-	-	2	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	1	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	-	1	-	-	-	1	2
MUMPS	1	-	-	-	-	-	-
OUTBREAKS, FOODBORNE	3	-	2	-	-	-	-
OUTBREAKS, UNSPECIFIED	-	-	-	-	-	-	-
PERTUSSIS	-	-	5	-	-	1	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	5	-	-	1	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
SALMONELLOSIS	26	20	3	2	-	15	17
SHIGELLOSIS	3	5	-	-	-	4	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	3	-	-	1	-	3	-
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	-	1	-	-	-	4	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TETANUS	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE	-	1	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	3	-	-	-	-	-
SUB-TOTAL	126	51	29	12	0	73	49

HIV/AIDS*

AIDS	7	2	1	-	-	2	2
HIV	3	2	1	-	-	-	1
SUB-TOTAL	10	4	2	0	0	2	3

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	311	126	51	34	9	96	53
GONORRHEA, TOTAL	151	32	18	4	1	17	9
SYPHILIS, CONGENITAL	-	1	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	-
SUB-TOTAL	462	159	69	38	10	113	62

TUBERCULOSIS*

TUBERCULOSIS	2	7	-	-	-	1	1
TOTAL	600	221	100	50	10	189	115

(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE , OHIO, 1999

	WAYNE	WILLIAMS	WOOD	WYANDOT
AMEBIASIS	-	-	-	-
BOTULISM, INFANT	-	-	-	-
CAMPYLOBACTERIOSIS	10	2	9	2
CHICKENPOX	-	-	9	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	-	-
CYCLOSPORIASIS	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-
E COLI O157:H7	3	-	6	1
ENCEPHALITIS, LACROSSE	1	-	-	-
ENCEPHALITIS, POST CHICKENPOX	-	-	-	-
ENCEPHALITIS, POST OTHER VIRAL	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	-
GIARDIASIS	6	4	3	2
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	1	1
HEMOLYTIC UREMIC SYNDROME (HUS)	1	-	-	-
HEPATITIS A	6	1	10	1
HEPATITIS B	1	-	-	-
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	-	-	-	-
HERPES, CONGENITAL	-	-	1	-
KAWASAKI DISEASE	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	2	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-
LISTERIOSIS	2	-	1	-
LYME DISEASE	2	-	-	-
MALARIA	-	-	-	-
MENINGITIS, ASEPTIC	3	-	7	1
MENINGITIS, E COLI	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-
MENINGOCOCCAL DISEASE	2	-	1	-
MUMPS	-	-	-	-
OUTBREAKS, FOODBORNE	3	1	5	2
OUTBREAKS, UNSPECIFIED	-	-	-	-
PERTUSSIS	-	-	-	-
PSITTACOSIS	-	-	-	-
RABIES, ANIMAL	2	1	1	-
RHEUMATIC FEVER	-	-	1	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-
SALMONELLOSIS	20	-	15	-
SHIGELLOSIS	1	1	4	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	-	1	-
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	-	-	-	1
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-
TETANUS	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-
TYPHOID FEVER	-	-	-	-
TYPHUS FEVER, MURINE	-	-	-	-
VIBRIOSIS	-	-	-	-
YERSINIOSIS	-	-	-	-
SUB-TOTAL	65	10	75	11

HIV/AIDS*

AIDS	-	2	-	-
HIV	1	-	1	-
SUB-TOTAL	1	2	1	0

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	127	13	142	18
GONORRHEA, TOTAL	17	-	16	4
SYPHILIS, CONGENITAL	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-
SUB-TOTAL	144	13	158	22

TUBERCULOSIS*

TUBERCULOSIS	-	-	-	1
--------------	---	---	---	---

TOTAL	210	25	234	34
--------------	------------	-----------	------------	-----------

(-) indicates zero cases reported.

**SALMONELLA SEROTYPES, BY YEAR OF REPORT
OHIO, 1995 - 1999**

SEROTYPE NAME	1999	1998	1997	1996	1995
ABAETETUBA	2	-	-	-	1
ADELAIDE	17	2	3	4	1
AGBENI	-	-	-	-	1
AGONA	9	64	11	11	10
ALACHUA	-	-	-	-	2
ALBANY	1	1	-	-	-
AMSTERDAM	-	1	-	-	-
ANATUM	6	4	13	12	5
ANECHO	-	-	1	-	-
ANK	-	-	-	1	-
ARIZONA	1	1	-	-	-
ARKANSAS	-	1	-	-	-
AUGUSTENBORG	-	1	-	-	-
BAILDON	-	2	-	-	-
BAREILLY	1	-	2	2	4
BERTA	2	3	5	7	6
BLOCKLEY	1	2	1	-	-
BOVIS-MORBIFICANS	1	-	3	2	2
BRAENDERUP	14	6	10	17	18
BRANDENBURG	4	4	4	8	4
BREDENY	-	1	-	1	1
BUZU	-	-	-	-	1
CARRAU	1	-	-	1	1
CERRO	2	2	-	1	3
CHAMELEON	-	1	-	-	-
CHESTER	1	3	-	2	2
CHICAGO	-	-	-	-	1
CHOLERAE-SUIS	1	-	-	-	-
COELN	-	-	-	1	-
CUBANA	1	3	3	2	3
DERBY	5	5	2	3	5
DJUGU	-	-	1	-	-
DUBLIN	2	1	-	1	-
DUESSELDORF	-	-	-	-	2
DURBAN	-	-	1	-	1
DURHAM	-	-	-	1	-
EALING	-	-	-	2	1
ELMRANE	1	-	-	-	-
ENTERITIDIS	127	249	349	332	324
ENUGU	-	-	-	1	-
ERLANGEN	1	-	-	-	-
FARMSEN	1	-	-	-	-
FLINT	1	-	1	1	2
GEORGIA	-	-	-	-	1
GIVE	1	1	4	-	2
GLOSTRUP	1	-	-	-	-
GOLDCOAST	1	-	-	-	-
HADAR	12	8	9	34	16
HAGENBECK	1	-	-	-	-
HARTFORD	10	13	1	3	4
HAVANA	-	-	-	6	2
HEIDELBERG	60	57	25	49	50
HEILBRON	1	1	-	-	-
HOLCOMB	-	-	1	-	-
HVITTINGFOSS	4	-	2	1	1
IBADAN	-	1	-	-	-
IDIKAN	-	-	-	2	-
INDIANA	-	-	-	-	1

**SALMONELLA SEROTYPES, BY YEAR OF REPORT
OHIO, 1995 - 1999**

(Continued)

SEROTYPE NAME	1999	1998	1997	1996	1995
INFANTIS	21	7	2	7	8
IPSWICH	-	-	-	-	1
IRUMU	-	-	-	-	1
ISANGI	-	1	-	-	1
JANWANI	1	-	-	-	-
JAVA*	n/a	n/a	n/a	n/a	23
JAVIANA	12	34	31	16	27
JOHANNESBURG	2	-	1	3	3
KENTUCKY	4	1	1	3	1
KINTAMBO	-	-	2	-	-
KOTTBUS	1	-	-	-	-
KRALENDYK	1	-	-	-	2
KUA	1	-	-	-	-
LAGOS	-	-	-	1	-
LIMBE	-	-	-	-	1
LITCHFIELD	4	4	-	1	-
LONDON	1	-	1	-	-
LOMA-LINDA	-	1	-	-	-
LUCIANA	-	1	-	-	-
MAGWA	-	1	-	-	-
MANHATTAN	2	1	1	4	3
MARINA	3	9	2	4	5
MATADI	-	-	-	5	1
MBANDAKA	4	5	4	4	3
MELEAGRIDIS	-	-	-	-	1
MIAMI	-	1	22	1	2
MISSISSIPPI	1	-	-	1	4
MONSCHAUI	1	1	-	-	-
MONTEVIDEO	24	17	8	21	17
MOREHEAD	-	-	-	-	1
MUENCHEN	14	12	5	10	11
MUENSTER	1	3	1	5	4
NEWHAW	-	-	-	-	1
NEWINGTON	-	-	-	-	2
NEWPORT	61	37	13	41	40
NEWYORK	-	-	1	-	-
NORWICH	-	1	-	1	-
OHIO	3	1	5	2	1
ORANIENBURG	20	52	21	25	21
ORIENTALIS	-	-	-	5	-
ORION	-	-	-	1	-
OSLO	-	-	1	-	1
OTHMARSCHEN	-	1	-	-	-
OVERCHIE	-	-	1	-	-
PAKISTAN	-	-	-	1	-
PANAMA	3	1	1	4	2
PARERA	-	-	-	1	1
PARATYPHI A	-	1	1	1	3
PARATYPHI B	22	5	-	26	3
PARATYPHI B VAR JAVA*	22	21	22	11	n/a
POANA	-	-	1	1	1
POMONA	-	-	-	1	1
POONA	5	11	8	22	23
POTSDAM	-	-	-	-	1
RAUS	4	-	-	-	-

**SALMONELLA SEROTYPES, BY YEAR OF REPORT
OHIO, 1995 - 1999**

(Continued)

SEROTYPE NAME	1999	1998	1997	1996	1995
READING	2	2	1	1	-
REMO	-	-	-	1	-
RISSEN	-	-	-	1	-
RUBISLAW	2	2	4	-	1
SAINT PAUL	14	12	9	11	7
SAN DIEGO	1	2	4	-	6
SAN-JUAN	1	-	-	-	-
SCHWARTZENGRUND	4	5	-	1	4
SENFTEMBERG	1	1	3	-	1
SHUBRA	1	-	-	-	-
SINGAPORE	-	-	-	1	-
SINSTORF	-	-	1	1	-
STANLEY	12	6	4	4	17
STELLINGEN	-	-	1	-	-
SUNDSVALL	-	-	1	1	1
TELELKEBIR	1	-	-	1	-
TENNESSEE	1	-	1	4	1
THOMPSON	13	10	8	20	18
TYPHIMURIUM	323	319	231	362	339
UGANDA	-	1	-	-	1
URBANA	1	4	3	2	5
UZARAMO	-	-	-	-	1
VIRCHOW	-	6	2	4	-
WASSENAAR	1	1	2	1	2
WANDSWORTH	1	-	-	-	2
WELTEVRENDEN	1	-	-	1	-
WORTHINGTON	1	-	2	2	-

SUB-TOTAL	913	1039	885	1156	1105
------------------	------------	-------------	------------	-------------	-------------

SEROGROUP (UNKNOWN SEROTYPE)	1999	1998	1997	1996	1995
GROUP A	-	1	-	-	-
GROUP B	81	105	143	88	75
GROUP C	39	50	46	34	39
GROUP D	33	50	110	57	65
GROUP E	2	2	3	5	-
GROUP F	-	2	1	-	1
GROUP G	-	1	1	1	4
GROUP H	-	-	-	-	-
GROUP I	-	1	-	-	-
GROUP J	-	-	-	1	-
GROUP R	-	-	-	-	1
GROUP W	-	-	-	3	-
GROUP Z	-	-	-	-	2

SUB-TOTAL	155	212	304	189	187
------------------	------------	------------	------------	------------	------------

UNGROUPED, UNTYPED SALMONELLA	245	255	356	287	253
--	------------	------------	------------	------------	------------

GRAND TOTAL	1,313	1,506	1,545	1,632	1,545
--------------------	--------------	--------------	--------------	--------------	--------------

*In 1996, the serotype "java" was changed to "paratyphi B variant java"

**MENINGOCOCCAL DISEASE SEROGROUPS
BY YEAR OF REPORT
OHIO, 1995-1999**

SEROGROUP	1999	1998	1997	1996	1995
GROUP A	1	-	2	1	-
GROUP B	24	24	12	7	10
GROUP C	29	29	32	21	17
GROUP Y	36	29	18	14	4
GROUP W135	-	2	1	1	2
NOT GROUPABLE	2	1	-	1	-
OTHER	3	1	1	2	-
UNKNOWN	39	57	98	112	82
TOTAL	134	143	164	159	115

(-) indicates zero cases reported.

TECHNICAL NOTES: 1995 - 1999 OHIO REPORTABLE DISEASES

1) Explanation of tables:

Data reflect disease incidence for Ohio residents only, but include diseases (malaria, for example) acquired by Ohio residents while traveling out-of-state or overseas.

With the exception of AIDS, HIV infection, STDs, and TB, data are by date of report; AIDS, HIV infection, and STD data are by date of diagnosis. TB is by date of verification. Verification date is defined as the date the case is determined to meet the CDC Surveillance Case Definition for TB. STD data include cases by year of diagnosis reported through September 6, 2001. AIDS data include cases by year of AIDS diagnosis reported through August 31, 2001. HIV infection data include cases by year of HIV (non-AIDS) diagnosis reported through August 31, 2001. Because the Ohio Department of Health continues to receive late reports of AIDS, HIV infection, and STD cases diagnosed in 2000, the totals listed for these diseases are subject to change. Annual summaries of 1992-1997 differ from pre-1992 summaries, in which most infectious diseases were reported by date of disease diagnosis or onset.

“Age” refers to the patients age at the earliest known date associated with the disease. “Month” refers to the month the report was received at the Ohio Department of Health, except as noted above for AIDS, STD and TB. “County” refers to the patient’s county of residence. If county of residence is unknown, then county in which the hospital, physician or local health department is located is used.

In the “By Year of Report” table the mean and median are calculated only when five years of data are available.

2) Case Criteria:

For AIDS and HIV cases, the case criteria are those provided in: “1993 Revised Classification System for HIV Infection and Expanded Surveillance Case Definition for AIDS Among Adolescents and Adults,” MMWR (Morbidity and Mortality Weekly Report) 1992; 41 (No. RR-17).

For all other diseases, the case criteria used are those provided in: “Case Definitions for Infectious Conditions Under Public Health Surveillance,” MMWR (Morbidity and Mortality Weekly Report) 1997; 46 (No. RR-10), and the Ohio Department of Health Infectious Disease Control Manual.

3) Notes on specific diseases:

AIDS: Cases whose residence at diagnosis was a correctional facility are excluded from the county statistics, but are included in Ohio totals.

Chickenpox (a Class B disease): Only the number of cases by month and county are reported.

Creutzfeldt-Jakob Disease: became a reportable disease in Ohio in July 1998.

Cyclosporiasis: became a reportable disease in Ohio in July 1998.

Encephalitis, post-other viral: includes encephalitis following a non-central nervous system viral illness, or after vaccine is administered.

E. Coli Shiga Toxin Producing (Not O157:H7): became a reportable disease in Ohio
HIV infection: Cases whose residence at diagnosis was a correctional facility are excluded from the county statistics, but are included in Ohio totals.

Kawasaki disease: also known as mucocutaneous lymph node syndrome.

Meningitis, other bacterial: cases of bacterial meningitis for which the agent was specified (excluding *Escherichia coli*, Group A and B streptococcus and *Neisseria meningitidis*).

Meningitis, pneumonia: as of July 11, 1996, *Streptococcus pneumoniae* meningitis is reported as *S.pneumoniae*, invasive disease (ISP)

Outbreaks (foodborne, unspecified and water): numbers in tables indicate the number of outbreaks reported and do not reflect the number of cases involved.

Rabies, animal: refers only to cases among animal species. The last reported case of human rabies in Ohio occurred in 1971.

Streptococcal disease, invasive, Group A: became a reportable disease in Ohio on July 11, 1996.

Streptococcal toxic shock syndrome (STSS): became reportable in Ohio on July 11, 1996.

***Streptococcus pneumoniae*, invasive disease (ISP):** became reportable in Ohio on July 11, 1996. *Streptococcus pneumoniae* meningitis was previously reported as "meningitis, pneumonia."

Typhus, murine: a form of typhus fever.

Vancomycin-resistant enterococcal disease (VRE): became reportable in Ohio on July 11, 1996.

4) Diseases Not Included in Tables:

There were no known cases in Ohio of the following Class A reportable diseases during at least the past five years. Therefore, they are not included in the 1995-1999 disease tables: anthrax, botulism-other, chancroid, cholera, diphtheria, encephalitis (post mumps and St. Louis), granuloma inguinale, hantavirus, human rabies, plague, poliomyelitis, Q fever, rubella (not congenital), typhus fever (louse-borne), and yellow fever.

Diseases not included in the County of Residence, Age in Years, and Month of Report tables had no known cases reported in 1999.

5) Special Note on *Salmonella* serotypes and Meningococcal Disease serogroups:

The Bacteriology Laboratory of the Ohio Department of Health performs serotyping of *Salmonella* isolates and serogrouping of *Neisseria meningitidis* isolates. Hospital laboratories and other clinical labs are encouraged to send *Salmonella* isolates and *Neisseria meningitidis* isolates to the ODH Lab for serotyping and serogrouping. For further information on the submission of isolates, please contact the Bacteriology Laboratory at (614) 466-2278.

Questions or comments regarding this summary may be directed to the Ohio Department of Health Infectious Disease Surveillance Section at (614) 466-1388.

Ohio County Outline Map

