

**Annual Summary  
of  
Infectious Diseases  
Ohio  
2000**

Reported incidence of officially-notifiable diseases.  
Includes state and county totals and distribution  
by month and by age group

(December 2002)

Prepared and distributed by:

Bureau of Health Surveillance, Information and Operational Support  
and the  
Bureau of Infectious Disease Control  
Division of Prevention

OHIO DEPARTMENT OF HEALTH

# Annual Summary of Infectious Diseases, Ohio 2000

---

## CONTENTS

### Tables

Reported cases of notifiable diseases by year of report, except as noted, Ohio, 1996-2000

Reported cases of notifiable diseases by age in years, Ohio, 2000

Reported cases of notifiable diseases by gender, Ohio, 2000

Reported cases of notifiable diseases by month of report, Ohio, 2000

Reported cases of notifiable diseases by county of residence, Ohio, 2000

*Salmonella* serotypes by year of report, Ohio, 1996-2000

Meningococcal Disease serogroups by year of report, Ohio, 1996-2000

### Technical Notes

Explanation of tables

Case criteria

Notes on specific diseases

Diseases not included in tables

Special note on *Salmonella* serotypes and Meningococcal Disease serogroups

**Ohio county outline map**

**REPORTED CASES OF NOTIFIABLE DISEASES  
BY YEAR OF REPORT, EXCEPT AS NOTED,  
OHIO, 1996 - 2000**

	2000	1999	1998	1997	1996	MEDIAN	MEAN
AMEBIASIS	11	6	8	20	21	11	13
BOTULISM, FOODBORNE	4	-	-	-	-	0	1
BOTULISM, INFANT	5	1	4	3	1	3	3
BRUCELLOSIS	1	-	1	2	2	1	1
CAMPYLOBACTERIOSIS	1102	1021	1062	1102	1332	1102	1124
CHICKENPOX*	1193	1307	1782	3323	2474	1782	2016
CREUTZFELDT-JAKOB DISEASE (CJD)*	3	4	-	n/a	n/a	n/a	n/a
CRYPTOSPORIDIOSIS	260	67	75	38	45	67	97
CYCLOSPORIASIS*	1	1	-	n/a	n/a	n/a	n/a
CYTOMEGALOVIRUS (CMV), CONGENITAL	5	7	9	7	7	7	7
DENGUE	1	-	5	4	-	1	2
E COLI O157:H7	275	262	128	108	155	155	186
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)*	3	n/a	n/a	n/a	n/a	n/a	n/a
ENCEPHALITIS, LA CROSSE	26	15	23	24	26	24	23
ENCEPHALITIS, POST CHICKENPOX	1	2	-	1	-	1	1
ENCEPHALITIS, POST OTHER VIRAL*	-	4	1	3	-	1	2
ENCEPHALITIS, PRIMARY	34	28	44	61	43	43	42
GIARDIASIS	1058	1110	1093	1247	1333	1110	1168
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	55	63	48	86	95	63	69
HEMOLYTIC UREMIC SYNDROME (HUS)	14	11	9	7	19	11	12
HEPATITIS A	267	655	398	332	785	398	487
HEPATITIS B	107	95	77	94	120	95	99
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)	12	4	8	20	35	12	16
HERPES, CONGENITAL	13	4	2	7	8	7	7
KAWASAKI DISEASE*	31	33	28	36	37	33	33
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	121	85	133	120	116	120	115
LEPROSY (HANSEN'S DISEASE)	2	2	-	-	-	0	1
LEPTOSPIROSIS	4	-	1	-	2	1	1
LISTERIOSIS	59	55	56	21	35	55	45
LYME DISEASE	61	47	47	40	32	47	45
MALARIA	23	18	15	19	15	18	18
MEASLES, IMPORTED	3	-	1	-	4	1	2
MEASLES, INDIGENOUS	-	-	-	-	2	0	0
MENINGITIS, ASEPTIC	594	508	853	829	462	594	649
MENINGITIS, ESCHERICHIA COLI	3	4	4	3	9	4	5
MENINGITIS, OTHER BACTERIAL	59	47	69	66	106	66	69
MENINGITIS, S. PNEUMONIAE*	n/a	n/a	n/a	n/a	115	n/a	n/a
MENINGITIS, STREPTOCOCCAL (GROUP B)	4	7	8	8	14	8	8
MENINGOCOCCAL DISEASE	94	134	143	164	159	143	139
MUMPS	9	21	29	35	52	29	29
OUTBREAKS, FOODBORNE*	77	158	107	100	108	107	110
OUTBREAKS, UNSPECIFIED*	9	6	8	7	11	8	8
OUTBREAKS, WATERBORNE*	1	-	1	-	1	1	1
PERTUSSIS	389	322	299	165	289	299	293
PSITTACOSIS	1	1	-	-	5	1	1
RABIES, ANIMAL*	52	36	59	116	13	52	55
REYE SYNDROME	-	-	-	-	1	0	0
RHEUMATIC FEVER	-	4	3	6	2	3	3
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	18	8	12	12	17	12	13
SALMONELLOSIS	1602	1313	1491	1545	1632	1545	1517
SHIGELLOSIS	437	422	566	835	559	559	564
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE*	255	149	150	129	33	149	143
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	67	70	54	79	99	70	74
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)*	31	14	25	22	5	22	19
TETANUS	-	2	3	-	-	0	1

(Continued on next page)

\* Please see Technical Notes for explanation

(-) indicates zero cases reported

**REPORTED CASES OF NOTIFIABLE DISEASES  
BY YEAR OF REPORT, EXCEPT AS NOTED,  
OHIO, 1996 - 2000**

	2000	1999	1998	1997	1996	MEDIAN	MEAN
TOXIC SHOCK SYNDROME (TSS)	3	4	1	2	4	3	3
TOXOPLASMOSIS, CONGENITAL	-	-	1	1	-	0	0
TRICHINOSIS	1	-	7	1	-	1	2
TULAREMIA	1	-	-	1	-	0	0
TYPHOID FEVER	8	4	9	5	4	5	6
TYPHUS FEVER, MURINE*	-	1	-	-	1	0	0
VIBRIOSIS	2	1	2	2	2	2	2
YERSINIOSIS	53	53	61	48	54	53	54
<b>SUB-TOTAL</b>	<b>8525</b>	<b>8196</b>	<b>9023</b>	<b>10906</b>	<b>10501</b>	<b>9023</b>	<b>9430</b>

**LABORATORY-BASED SURVEILLANCE\***

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	1632	1650	1509	1384	326	1509	1300
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	2229	2421	2330	1612	252	2321	1787
<b>SUB-TOTAL</b>	<b>3861</b>	<b>4071</b>	<b>3839</b>	<b>2996</b>	<b>578</b>	<b>3839</b>	<b>3087</b>

**HIV/AIDS\***

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	465	491	543	605	857	543	592
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	542	605	685	640	621	621	619
<b>SUB-TOTAL</b>	<b>1007</b>	<b>1096</b>	<b>1228</b>	<b>1245</b>	<b>1478</b>	<b>1228</b>	<b>1211</b>

**SEXUALLY TRANSMITTED DISEASES\***

CHLAMYDIA, TOTAL	32091	29629	27078	23269	20651	27078	26544
GONORRHEA, TOTAL	19877	18138	17992	14993	15012	17992	17202
SYPHILIS, CONGENITAL	5	6	4	10	20	6	9
SYPHILIS, PRIMARY AND SECONDARY	69	86	130	223	509	130	203
SYPHILIS, TOTAL	285	344	454	770	1329	454	636
<b>SUB-TOTAL</b>	<b>52327</b>	<b>48203</b>	<b>45658</b>	<b>39265</b>	<b>37521</b>	<b>45658</b>	<b>44595</b>

**TUBERCULOSIS\***

TUBERCULOSIS	338	317	230	286	301	301	294
<b>TOTAL</b>	<b>66150</b>	<b>61883</b>	<b>59978</b>	<b>54698</b>	<b>50379</b>	<b>59978</b>	<b>58618</b>

\* Please see Technical Notes for explanation

(-) indicates zero cases reported

## REPORTED CASES OF NOTIFIABLE DISEASES BY AGE IN YEARS, OHIO, 2000

	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	UNK	TOTAL
AMEBIASIS	-	-	-	-	5	3	1	1	-	1	11
BOTULISM, FOODBORN	-	-	-	-	-	2	1	-	1	-	4
BOTULISM, INFANT	5	-	-	-	-	-	-	-	-	-	5
BRUCELLOSIS	-	-	-	-	-	-	-	-	1	-	1
CAMPYLOBACTERIOSIS	149	62	35	68	138	170	170	113	174	23	1102
CHICKENPOX*	-	-	-	-	-	-	-	-	-	1193	1193
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	1	1	1	-	3
CRYPTOSPORIDIOSIS	111	60	18	9	11	24	11	5	2	9	260
CYCLOSPORIASIS*	-	-	-	-	1	-	-	-	-	-	1
CYTOMEGALOVIRUS (CMV), CONGENITAL	4	-	-	-	-	-	-	-	-	1	5
DENGUE	-	1	-	-	-	-	-	-	-	-	1
E COLI O157:H7	59	36	32	37	28	7	11	23	37	5	275
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	1	1	-	1	-	-	-	-	-	3
ENCEPHALITIS, LACROSSE	3	10	10	1	-	-	-	-	1	1	26
ENCEPHALITIS, POST CHICKEPOX	-	1	-	-	-	-	-	-	-	-	1
ENCEPHALITIS, PRIMARY	6	5	2	3	5	5	1	2	4	1	34
GIARDIASIS	252	107	42	27	95	180	150	77	89	39	1058
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	8	1	1	2	6	1	3	1	32	-	55
HEMOLYTIC UREMIC SYNDROME (HUS)	7	3	-	-	-	-	1	1	2	-	14
HEPATITIS A	8	24	19	11	45	39	44	25	49	3	267
HEPATITIS B	-	-	1	5	27	38	19	11	6	-	107
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	2	4	4	2	-	-	12
HERPES, CONGENITAL	13	-	-	-	-	-	-	-	-	-	13
KAWASAKI DISEASE	23	7	-	-	-	-	1	-	-	-	31
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	-	2	10	24	30	55	-	121
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	1	1	-	-	-	-	2
LEPTOSPIROSIS	-	1	-	-	-	1	-	-	1	1	4
LISTERIOSIS	3	2	1	-	4	3	3	5	36	2	59
LYME DISEASE	7	6	1	2	8	8	11	14	4	-	61
MALARIA	1	1	1	3	6	3	1	3	-	4	23
MEASLES	-	-	-	-	3	-	-	-	-	-	3
MENINGITIS, ASEPTIC	220	62	60	39	77	64	37	20	11	4	594
MENINGITIS, ESCHERICHIA COLI	2	-	-	-	-	1	-	-	-	-	3
MENINGITIS, OTHER BACTERIAL	14	2	2	1	1	7	11	9	11	1	59
MENINGITIS, STREPTOCOCCAL (GROUP B)	3	-	-	-	-	-	1	-	-	-	4
MENINGOCOCCAL DISEASE	23	4	6	11	13	9	10	3	14	1	94
MUMPS	2	2	1	1	1	-	-	-	2	-	9
OUTBREAK, FOODBORNE	-	-	-	-	-	-	-	-	-	77	77
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-	-	-	9	9
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-	-	-	1	1
PERTUSSIS	191	42	101	13	10	11	8	3	1	9	389
PSITTACOSIS	-	-	-	-	-	-	-	-	1	-	1
RABIES, ANIMAL*	-	-	-	-	-	-	-	-	-	52	52
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	1	1	2	-	3	3	1	5	2	-	18
SALMONELLOSIS	333	153	81	78	181	182	207	119	227	41	1602
SHIGELLOSIS	96	75	27	15	74	52	33	13	14	38	437
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	23	7	5	2	13	24	35	29	116	1	255
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	62	-	-	-	-	-	-	-	-	5	67
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	1	-	1	1	4	5	9	10	-	31
TOXIC SHOCK SYNDROME (TSS)	-	-	-	2	-	1	-	-	-	-	3
TRICHINOSIS	-	-	-	-	-	-	1	-	-	-	1
TULAREMIA	-	-	-	-	-	-	-	-	1	-	1
TYPHOID FEVER	1	-	-	-	2	4	-	-	1	-	8
VIBRIOSIS	-	-	-	-	-	-	-	2	-	-	2
YERSINIOSIS	25	2	1	2	5	4	1	10	2	53	53
<b>SUB-TOTAL</b>	<b>1655</b>	<b>679</b>	<b>450</b>	<b>333</b>	<b>769</b>	<b>865</b>	<b>807</b>	<b>527</b>	<b>916</b>	<b>1524</b>	<b>8525</b>

(-) indicates zero cases reported

\* Please see Technical Notes for explanation

(continued)

# REPORTED CASES OF NOTIFIABLE DISEASES BY AGE IN YEARS, OHIO, 2000

(continued)

LABORATORY-BASED SURVEILLANCE	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	UNK	TOTAL
STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	442	31	9	15	33	106	152	179	654	11	1632
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	36	3	1	8	39	73	187	235	1632	15	2229
<b>SUB-TOTAL</b>	<b>478</b>	<b>34</b>	<b>10</b>	<b>23</b>	<b>72</b>	<b>179</b>	<b>339</b>	<b>414</b>	<b>2286</b>	<b>26</b>	<b>3861</b>

HIV/AIDS	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	UNK	TOTAL
AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	-	-	2	-	62	206	144	38	13	-	465
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	2	-	1	14	138	230	113	41	3	-	542
<b>SUB-TOTAL</b>	<b>2</b>	<b>0</b>	<b>3</b>	<b>14</b>	<b>200</b>	<b>436</b>	<b>257</b>	<b>79</b>	<b>16</b>	<b>0</b>	<b>1007</b>

SEXUALLY TRANSMITTED DISEASES	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	UNK	TOTAL
CHLAMYDIA, TOTAL	42	709	12516	15094	2275	515	110	14	103	713	32091
GONORRHEA, TOTAL	18	337	5805	9352	2667	1013	238	17	92	338	19877
SYPHILIS, CONGENITAL	5	-	-	-	-	-	-	-	-	-	5
SYPHILIS, PRIMARY AND SECONDARY	-	1	9	21	18	13	6	-	1	-	69
SYPHILIS, TOTAL	5	1	17	88	106	45	16	-	7	-	285
<b>SUB-TOTAL</b>	<b>70</b>	<b>1048</b>	<b>18347</b>	<b>24555</b>	<b>5066</b>	<b>1586</b>	<b>370</b>	<b>31</b>	<b>203</b>	<b>1051</b>	<b>52327</b>

TUBERCULOSIS	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	UNK	TOTAL
TUBERCULOSIS	8	4	2	15	47	44	58	56	104	-	338

<b>TOTAL</b>	<b>2213</b>	<b>1765</b>	<b>18812</b>	<b>24940</b>	<b>6154</b>	<b>3110</b>	<b>1831</b>	<b>1107</b>	<b>3525</b>	<b>2601</b>	<b>66058</b>
--------------	-------------	-------------	--------------	--------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------

(-) indicates zero cases reported.

\* Please see Technical Notes for explanation

**REPORTED CASES OF NOTIFIABLE DISEASES BY GENDER, OHIO, 2000**

	Female	Male	Unspecified
AMEBIASIS	4	7	-
BOTULISM, FOODBORN	2	2	-
BOTULISM, INFANT	2	3	-
BRUCELLOSIS	-	1	-
CAMPYLOBACTERIOSIS	517	581	4
CHICKENPOX**	n/a	n/a	n/a
CREUTZFELDT-JAKOB DISEASE (CJD)	1	2	-
CRYPTOSPORIDIOSIS	123	135	2
CYCLOSPORIASIS	1	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	5	-	-
DENGUE	-	1	-
E COLI O157:H7	145	129	1
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	3	-	-
ENCEPHALITIS, LACROSSE	14	12	-
ENCEPHALITIS, POST CHICKEPOX	1	-	-
ENCEPHALITIS, PRIMARY	16	18	-
GIARDIASIS	482	571	5
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	29	26	-
HEMOLYTIC UREMIC SYNDROME (HUS)	8	6	-
HEPATITIS A	123	143	1
HEPATITIS B	40	67	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	3	9	-
HERPES, CONGENITAL	4	9	-
KAWASAKI DISEASE	13	18	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	52	69	-
LEPROSY (HANSEN'S DISEASE)	-	2	-
LEPTOSPIROSIS	1	3	-
LISTERIOSIS	36	21	2
LYME DISEASE	32	29	-
MALARIA	6	15	2
MEASLES	1	2	-
MENINGITIS, ASEPTIC	263	328	3
MENINGITIS, ESCHERICHIA COLI	1	2	-
MENINGITIS, OTHER BACTERIAL	28	31	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	2	2	-
MENINGOCOCCAL DISEASE	44	50	-
MUMPS	2	7	-
OUTBREAK, FOODBORNE**	n/a	n/a	n/a
OUTBREAK, UNSPECIFIED**	n/a	n/a	n/a
OUTBREAK, WATERBORNE**	n/a	n/a	n/a
PERTUSSIS	206	182	1
PSITTACOSIS	-	1	-
RABIES, ANIMAL**	n/a	n/a	n/a
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	5	13	-
SALMONELLOSIS	834	751	17
SHIGELLOSIS	228	205	4
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	116	138	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	36	31	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	18	13	-
TOXIC SHOCK SYNDROME (TSS)	3	-	-
TRICHINOSIS	-	1	-
TULAREMIA	-	1	-
TYPHOID FEVER	1	7	-
VIBRIOSIS	1	1	-
YERSINIOSIS	29	22	2
<b>SUB-TOTAL**</b>	<b>3481</b>	<b>3667</b>	<b>45</b>

(Continued)

\*\*Does not include reportable conditions collected as aggregate data, such as Chickenpox.

(-) indicates zero cases reported

**REPORTED CASES OF NOTIFIABLE DISEASES BY GENDER, OHIO, 2000**  
(continued)

LABORATORY-BASED SURVEILLANCE	Female	Male	Unspecified
STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	798	824	18
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	1369	815	45
<b>SUB-TOTAL</b>	<b>2167</b>	<b>1639</b>	<b>63</b>

HIV/AIDS			
AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	123	419	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	82	383	-
<b>SUB-TOTAL</b>	<b>205</b>	<b>802</b>	<b>0</b>

SEXUALLY TRANSMITTED DISEASES			
CHLAMYDIA, TOTAL	25720	6110	261
GONORRHEA, TOTAL	10488	9238	151
SYPHILIS, CONGENITAL	1	4	-
SYPHILIS, PRIMARY AND SECONDARY	26	43	-
SYPHILIS, TOTAL	129	156	-
<b>SUB-TOTAL</b>	<b>36364</b>	<b>15551</b>	<b>412</b>

TUBERCULOSIS			
TUBERCULOSIS	133	205	-
<b>TOTAL</b>	<b>42350</b>	<b>21864</b>	<b>520</b>

(-) indicates zero cases reported.



## REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH OF REPORT, OHIO, 2000

	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	TOTAL
AMEBIASIS	1	-	-	-	2	1	-	1	3	-	3	-	11
BOTULISM, FOODBORN	-	-	1	-	-	-	3	-	-	-	-	-	4
BOTULISM, INFANT	-	-	-	1	-	-	-	2	-	1	1	-	5
BRUCELLOSIS	-	-	-	-	-	-	-	-	1	-	-	-	1
CAMPYLOBACTERIOSIS	50	37	59	86	64	137	134	169	132	87	92	55	1102
CHICKENPOX	106	134	206	174	179	109	53	48	12	19	41	112	1193
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	1	1	-	-	-	-	-	-	-	1	3
CRYPTOSPORIDIOSIS	4	2	7	4	4	2	4	41	122	49	14	7	260
CYCLOSPORIASIS	-	-	-	-	-	-	-	1	-	-	-	-	1
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	1	1	1	-	-	-	1	-	-	1	5
DENGUE	-	-	-	-	-	1	-	-	-	-	-	-	1
E COLI O157:H7	3	2	7	5	6	15	32	74	63	33	15	20	275
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-	1	1	1	-	-	3
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	1	10	10	4	-	1	26
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	1	-	-	-	-	-	-	-	1
ENCEPHALITIS, PRIMARY	1	3	4	3	3	1	3	3	3	1	2	7	34
GIARDIASIS	61	49	74	73	70	74	67	130	126	127	128	79	1058
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	6	3	7	8	4	5	5	3	3	3	4	4	55
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	1	-	-	-	2	3	4	-	2	2	14
HEPATITIS A	40	20	39	15	16	11	18	29	27	12	18	22	267
HEPATITIS B	8	9	11	8	12	15	8	6	11	5	5	9	107
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	2	1	-	2	3	1	2	1	-	12
HERPES, CONGENITAL	-	-	3	1	2	1	-	1	2	-	2	1	13
KAWASAKI DISEASE	1	4	-	6	6	5	-	1	2	1	4	1	31
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	7	8	8	4	6	4	9	23	18	12	7	15	121
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	1	-	-	-	-	-	1	-	2
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	-	-	2	2	4
LISTERIOSIS	5	3	5	3	-	4	9	5	8	7	5	5	59
LYME DISEASE	-	2	-	3	8	4	13	16	3	7	2	3	61
MALARIA	1	1	-	1	2	6	1	1	2	2	3	3	23
MEASLES	-	2	-	-	-	-	-	-	-	-	-	1	3
MENINGITIS, ASEPTIC	21	10	13	22	19	31	60	123	120	85	54	36	594
MENINGITIS, ESCHERICHIA COLI	-	1	1	-	-	-	-	-	-	-	1	-	3
MENINGITIS, OTHER BACTERIAL	1	1	8	6	5	4	6	8	10	3	5	2	59
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	1	1	1	-	-	-	1	4
MENINGOCOCCAL DISEASE	6	5	8	8	14	7	7	8	9	6	9	7	94
MUMPS	3	1	-	2	1	-	-	-	-	-	-	2	9
OUTBREAK, FOODBORNE	2	15	10	6	7	-	6	7	2	4	8	10	77
OUTBREAK, UNSPECIFIED	-	-	-	-	1	-	-	2	2	3	-	1	9
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-	1	-	-	-	-	1
PERTUSSIS	72	30	6	23	27	7	27	36	35	25	30	71	389
PSITTACOSIS	-	-	-	-	-	-	-	-	-	-	1	-	1
RABIES, ANIMAL	-	1	1	-	2	5	4	20	13	2	2	2	52
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	1	7	1	6	2	-	-	1	18
SALMONELLOSIS	68	68	50	81	130	128	77	197	266	185	209	143	1602
SHIGELLOSIS	13	5	15	25	42	39	25	68	54	39	57	55	437
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	23	28	43	27	33	25	18	20	9	12	7	10	255
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	2	12	4	5	4	9	7	7	6	4	6	1	67
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	4	9	7	1	1	2	2	2	-	-	1	2	31
TRICHINOSIS	-	1	-	-	-	-	-	-	-	-	-	-	1
TOXIC SHOCK SYNDROME (TSS)	1	-	1	-	-	1	-	-	-	-	-	-	3
TULAREMIA	-	-	-	-	-	-	-	-	-	-	1	-	1
TYPHOID FEVER	1	-	1	-	-	-	1	5	-	-	-	-	8
VIBRIOSIS	1	-	-	-	-	-	1	-	-	-	-	-	2
YERSINIOSIS	8	4	1	7	5	12	2	2	1	4	3	4	53
<b>SUB-TOTAL</b>	<b>520</b>	<b>470</b>	<b>603</b>	<b>612</b>	<b>680</b>	<b>673</b>	<b>609</b>	<b>1084</b>	<b>1084</b>	<b>745</b>	<b>746</b>	<b>699</b>	<b>8525</b>

\* Please see Technical Notes for explanation

(-) indicates zero cases reported.

(continued)

# REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH OF REPORT, OHIO, 2000

(continued)

HIV/AIDS*	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	TOTAL
AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	43	42	43	45	47	43	31	37	36	39	28	31	465
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	39	42	50	53	45	42	42	50	54	44	40	41	542
<b>SUB-TOTAL</b>	<b>82</b>	<b>84</b>	<b>93</b>	<b>98</b>	<b>92</b>	<b>85</b>	<b>73</b>	<b>87</b>	<b>90</b>	<b>83</b>	<b>68</b>	<b>72</b>	<b>1007</b>

SEXUALLY TRANSMITTED DISEASES*													
CHLAMYDIA, TOTAL	4019	2487	2789	2444	2710	2620	2539	3160	3072	2769	2516	966	32091
GONORRHEA, TOTAL	2338	1297	1440	1383	1718	1700	1740	2108	1732	1873	1831	717	19877
SYPHILIS, CONGENITAL	-	-	-	2	-	-	-	1	-	2	-	-	5
SYPHILIS, PRIMARY AND SECONDARY	12	-	10	5	4	6	10	8	7	2	3	2	69
SYPHILIS, TOTAL	28	26	31	26	25	28	28	24	24	24	14	7	285
<b>SUB-TOTAL</b>	<b>6397</b>	<b>3810</b>	<b>4270</b>	<b>3860</b>	<b>4457</b>	<b>4354</b>	<b>4317</b>	<b>5301</b>	<b>4835</b>	<b>4670</b>	<b>4364</b>	<b>1692</b>	<b>52327</b>

TUBERCULOSIS*													
TUBERCULOSIS	4	18	22	36	35	26	27	28	16	25	15	86	338

<b>TOTAL</b>	<b>7003</b>	<b>4382</b>	<b>4988</b>	<b>4606</b>	<b>5264</b>	<b>5138</b>	<b>5026</b>	<b>6500</b>	<b>6025</b>	<b>5523</b>	<b>5193</b>	<b>2549</b>	<b>62197</b>
--------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------

\* Please see Technical Notes for explanation

(-) indicates zero cases reported.

## REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000

	ADAMS	ALLEN	ASHLAND	ASHTABULA	ATHENS	AUGLAIZE	BELMONT
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, FOODBORN	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	-	12	2	4	-	14	5
CHICKENPOX	-	-	-	85	7	-	12
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	1	-	2	-	1	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	-	3	-	-	-	2	1
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	1	1	-	-	-	-	2
GIARDIASIS	3	15	1	10	3	3	2
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	1	-	-	-	2	1
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	1	-
HEPATITIS A	-	1	1	1	-	11	10
HEPATITIS B	-	-	-	1	1	1	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	1
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	1	2	1	-	-	-	1
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	1	-	-	-
LYME DISEASE	1	1	-	4	-	-	1
MALARIA	-	-	-	-	-	-	-
MEASLES	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	-	9	-	2	6	1	2
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	-	1	-	-	1	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	-	3	1	2	2	-	-
MUMPS	-	-	1	1	-	-	-
OUTBREAK, FOODBORNE	-	-	-	1	-	1	-
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	-	3	1	-	-	1	1
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	1	-	-	-	1	1
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
SALMONELLOSIS	2	19	1	8	10	7	12
SHIGELLOSIS	-	2	2	12	-	-	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	2	-	3	-	2	3
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	2	-	-	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	1	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	-	1
<b>SUB-TOTAL</b>	<b>8</b>	<b>78</b>	<b>12</b>	<b>138</b>	<b>29</b>	<b>49</b>	<b>56</b>

### LABORATORY-BASED SURVEILLANCE

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	4	34	-	7	5	9	3
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	3	12	-	26	8	1	4
<b>SUB-TOTAL</b>	<b>7</b>	<b>46</b>	<b>0</b>	<b>33</b>	<b>13</b>	<b>10</b>	<b>7</b>

### HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	-	4	-	1	-	-	2
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	-	4	1	3	1	-	-
<b>SUB-TOTAL</b>	<b>0</b>	<b>8</b>	<b>1</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>2</b>

### SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	10	363	43	129	158	51	53
GONORRHEA, TOTAL	1	201	5	33	15	2	24
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	1	-	-	1	-	-
SYPHILIS, TOTAL	-	1	-	1	2	-	-
<b>SUB-TOTAL</b>	<b>11</b>	<b>566</b>	<b>48</b>	<b>163</b>	<b>176</b>	<b>53</b>	<b>77</b>

### TUBERCULOSIS

TUBERCULOSIS	-	1	-	5	3	1	-
--------------	---	---	---	---	---	---	---

<b>TOTAL</b>	<b>26</b>	<b>699</b>	<b>61</b>	<b>343</b>	<b>222</b>	<b>113</b>	<b>142</b>
--------------	-----------	------------	-----------	------------	------------	------------	------------

(-) indicates zero cases reported.

## REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000

	BROWN	BUTLER	CARROLL	CHAMPAIGN	CLARK	CLERMONT	CLINTON
AMEBIASIS	1	2	-	-	-	-	-
BOTULISM, FOODBORN	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	3	34	3	-	7	14	2
CHICKENPOX	52	42	-	-	-	6	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	1	-	-	-	-	1	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	-	5	-	-	1	3	-
ENCEPHALITIS, LACROSSE	-	1	-	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	1	-	-	-	-	-
GIARDIASIS	3	22	4	-	7	17	4
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	2	-	-	-	1	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	-	13	1	-	1	3	-
HEPATITIS B	-	5	-	-	-	1	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	1
KAWASAKI DISEASE	-	-	-	-	-	1	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	-	2	1	1
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	-	-
LYME DISEASE	-	6	-	-	-	1	-
MALARIA	-	2	-	-	-	-	-
MEASLES	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	5	39	1	-	4	28	1
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	7	-	-	4	1	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	1	-	-	-	-	-
MENINGOCOCCAL DISEASE	-	3	-	-	2	1	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	-	4	-	-	1	-	-
OUTBREAK, UNSPECIFIED	-	2	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	-	16	-	-	1	11	27
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	-	-	-	-	1	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	1	2	-	-	-	1	-
SALMONELLOSIS	3	35	3	-	7	24	8
SHIGELLOSIS	1	2	-	-	1	1	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	2	4	1	-	3	6	2
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	1	4	-	-	1	3	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	2	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	1	-
TYPHOID FEVER	-	-	-	-	-	-	-
VIBRIOSIS	1	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	-	-
<b>SUB-TOTAL</b>	<b>74</b>	<b>256</b>	<b>13</b>	<b>0</b>	<b>42</b>	<b>127</b>	<b>46</b>

### LABORATORY-BASED SURVEILLANCE

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	3	65	2	2	33	35	9
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	4	31	8	1	11	10	5
<b>SUB-TOTAL</b>	<b>7</b>	<b>96</b>	<b>10</b>	<b>3</b>	<b>44</b>	<b>45</b>	<b>14</b>

### HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	-	7	-	-	5	2	1
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	1	8	2	1	5	1	1
<b>SUB-TOTAL</b>	<b>1</b>	<b>15</b>	<b>2</b>	<b>1</b>	<b>10</b>	<b>3</b>	<b>2</b>

### SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	57	633	26	30	293	161	83
GONORRHEA, TOTAL	13	187	4	8	215	14	12
SYPHILIS, CONGENITAL	-	-	-	-	2	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	1	-	-
SYPHILIS, TOTAL	-	2	-	-	15	1	-
<b>SUB-TOTAL</b>	<b>70</b>	<b>822</b>	<b>30</b>	<b>38</b>	<b>526</b>	<b>176</b>	<b>95</b>

### TUBERCULOSIS

TUBERCULOSIS	-	5	-	-	1	2	1
--------------	---	---	---	---	---	---	---

<b>TOTAL</b>	<b>152</b>	<b>1194</b>	<b>55</b>	<b>42</b>	<b>623</b>	<b>353</b>	<b>158</b>
--------------	------------	-------------	-----------	-----------	------------	------------	------------

(-) indicates zero cases reported.

**REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000**

	COLUMBIANA	COSHOCTON	CRAWFORD	CUYAHOGA	DARKE	DEFIANCE	DELAWARE
AMEBIASIS	-	-	-	-	1	-	-
BOTULISM, FOODBORN	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	1	-	-	-
CAMPYLOBACTERIOSIS	13	5	2	163	10	6	10
CHICKENPOX	69	-	8	43	49	88	52
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	-	8	4	-	94
CYCLOSPORIASIS	-	-	-	1	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
DENGUE	-	-	-	1	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	5	-	-	31	-	1	1
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	1
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	3	-	-	2
GIARDIASIS	22	4	4	113	6	2	27
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	-	-	-	-	-	1
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	2	1	-	-
HEPATITIS A	1	1	24	37	1	-	1
HEPATITIS B	-	-	-	13	-	-	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	1	2	-	-	-
HERPES, CONGENITAL	-	-	-	1	-	-	-
KAWASAKI DISEASE	-	-	-	2	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	6	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	1
LISTERIOSIS	-	-	-	22	-	-	-
LYME DISEASE	-	-	1	8	-	-	2
MALARIA	-	-	-	3	-	-	-
MEASLES	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	3	1	1	29	1	1	7
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	-	-	8	-	-	1
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	-	1	-	13	-	-	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	-	1	1	4	1	1	1
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	1
PERTUSSIS	-	1	-	9	-	-	13
PSITTACOSIS	-	-	-	1	-	-	-
RABIES, ANIMAL	-	-	-	2	-	-	1
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	1	-	-	3	-	-	-
SALMONELLOSIS	11	1	2	210	11	3	12
SHIGELLOSIS	-	-	1	32	-	1	2
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	1	-	40	-	-	4
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	9	-	-	1
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	6	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	1	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	13	-	-	2
<b>SUB-TOTAL</b>	<b>127</b>	<b>16</b>	<b>45</b>	<b>840</b>	<b>85</b>	<b>103</b>	<b>237</b>

**LABORATORY-BASED SURVEILLANCE**

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	32	-	3	136	4	-	9
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	16	2	2	601	5	2	7
<b>SUB-TOTAL</b>	<b>48</b>	<b>2</b>	<b>5</b>	<b>737</b>	<b>9</b>	<b>2</b>	<b>16</b>

**HIV/AIDS**

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	1	1	-	137	2	1	3
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	1	-	-	107	1	2	1
<b>SUB-TOTAL</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>244</b>	<b>3</b>	<b>3</b>	<b>4</b>

**SEXUALLY TRANSMITTED DISEASES**

CHLAMYDIA, TOTAL	77	46	53	5507	41	77	121
GONORRHEA, TOTAL	21	11	16	4673	6	10	35
SYPHILIS, CONGENITAL	-	-	-	2	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	4	-	-	1
SYPHILIS, TOTAL	2	1	1	56	1	1	1
<b>SUB-TOTAL</b>	<b>100</b>	<b>58</b>	<b>70</b>	<b>10242</b>	<b>48</b>	<b>88</b>	<b>158</b>

**TUBERCULOSIS**

TUBERCULOSIS	-	2	-	86	3	3	-
--------------	---	---	---	----	---	---	---

<b>TOTAL</b>	<b>277</b>	<b>79</b>	<b>120</b>	<b>12149</b>	<b>148</b>	<b>199</b>	<b>415</b>
--------------	------------	-----------	------------	--------------	------------	------------	------------

(-) indicates zero cases reported.

## REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000

	ERIE	FAIRFIELD	FAYETTE	FRANKLIN	FULTON	GALLIA	GEAUGA
AMEBIASIS	-	-	-	2	-	-	-
BOTULISM, FOODBORN	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	6	14	6	84	4	3	13
CHICKENPOX	-	-	-	8	-	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	1	-	-	-
CRYPTOSPORIDIOSIS	-	-	-	84	-	-	3
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	3	-	-	-
E COLI O157:H7	1	1	-	24	1	1	1
ENCEPHALITIS, LACROSSE	-	1	-	4	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	1	-	-	-
GIARDIASIS	8	10	4	135	5	3	4
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	1	4	-	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	1	-	-	-
HEPATITIS A	2	-	-	28	-	-	2
HEPATITIS B	1	2	-	15	-	-	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	1	-	1	-	-	-
KAWASAKI DISEASE	-	-	-	1	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	2	3	-	40	-	-	1
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	1	-	-	-
LISTERIOSIS	1	1	-	1	-	1	2
LYME DISEASE	-	-	-	4	-	-	1
MALARIA	-	1	-	4	-	-	-
MEASLES	-	-	-	2	-	-	-
MENINGITIS, ASEPTIC	-	12	-	39	-	-	1
MENINGITIS, ESCHERICHIA COLI	-	1	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	1	-	5	-	1	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	2	-	-	-
MENINGOCOCCAL DISEASE	2	-	-	11	-	-	-
MUMPS	-	-	-	3	-	-	-
OUTBREAK, FOODBORNE	-	-	-	14	-	-	-
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	-	13	2	141	-	1	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	1	1	1	2	-	-	2
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
SALMONELLOSIS	11	24	1	156	4	9	5
SHIGELLOSIS	125	-	-	35	-	1	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	1	-	28	-	-	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	11	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	1	-	-	13	-	-	-
<b>SUB-TOTAL</b>	<b>162</b>	<b>87</b>	<b>15</b>	<b>908</b>	<b>14</b>	<b>20</b>	<b>36</b>

### LABORATORY-BASED SURVEILLANCE

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	16	5	3	159	3	-	11
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	18	22	4	211	6	-	20
<b>SUB-TOTAL</b>	<b>34</b>	<b>27</b>	<b>7</b>	<b>370</b>	<b>9</b>	<b>0</b>	<b>31</b>

### HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	3	2	1	71	-	1	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	4	3	2	107	-	-	1
<b>SUB-TOTAL</b>	<b>7</b>	<b>5</b>	<b>3</b>	<b>178</b>	<b>0</b>	<b>1</b>	<b>1</b>

### SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	268	99	53	4870	46	35	10
GONORRHEA, TOTAL	193	27	8	3596	6	4	6
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	1	-	-	41	-	-	-
SYPHILIS, TOTAL	3	1	1	100	-	-	-
<b>SUB-TOTAL</b>	<b>465</b>	<b>127</b>	<b>62</b>	<b>8607</b>	<b>52</b>	<b>39</b>	<b>16</b>

### TUBERCULOSIS

TUBERCULOSIS	1	1	-	79	2	-	-
--------------	---	---	---	----	---	---	---

<b>TOTAL</b>	<b>669</b>	<b>247</b>	<b>87</b>	<b>10142</b>	<b>77</b>	<b>60</b>	<b>84</b>
--------------	------------	------------	-----------	--------------	-----------	-----------	-----------

(-) indicates zero cases reported.

## REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000

	GREENE	GUERNSEY	HAMILTON	HANCOCK	HARDIN	HARRISON	HENRY
AMEBIASIS	-	-	3	-	-	-	-
BOTULISM, FOODBORN	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	2	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	7	10	95	2	4	3	3
CHICKENPOX	101	20	1	3	-	15	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	6	-	-	-	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	5	-	30	2	-	-	1
ENCEPHALITIS, LACROSSE	1	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	1	-	-	-	-
ENCEPHALITIS, PRIMARY	1	-	1	-	-	-	-
GIARDIASIS	13	5	81	14	1	2	-
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	-	6	-	-	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	1	-	-	1	-	-	-
HEPATITIS A	1	-	12	2	-	-	-
HEPATITIS B	2	1	13	-	-	-	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	1	-	-	-	-
HERPES, CONGENITAL	-	-	5	-	-	-	-
KAWASAKI DISEASE	-	1	7	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	2	3	-	1	1	-
LEPROSY (HANSEN'S DISEASE)	-	-	1	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	-	-
LYME DISEASE	-	-	5	1	1	-	-
MALARIA	-	-	4	-	-	-	-
MEASLES	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	8	3	125	-	2	1	1
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	1	4	1	1	-	1
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	1	-	-	-	-
MENINGOCOCCAL DISEASE	-	-	8	-	-	-	-
MUMPS	-	-	-	-	-	-	1
OUTBREAK, FOODBORNE	1	-	2	-	-	-	-
OUTBREAK, UNSPECIFIED	-	-	2	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	-	1	58	-	-	1	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	1	4	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	1	-	-	-	-
SALMONELLOSIS	19	4	135	3	2	3	4
SHIGELLOSIS	1	-	12	1	-	-	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	1	28	-	-	1	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	1	-	9	-	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	1	-	10	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	1	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	5	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	1	1	7	-	-	-	-
<b>SUB-TOTAL</b>	<b>167</b>	<b>51</b>	<b>688</b>	<b>30</b>	<b>12</b>	<b>27</b>	<b>11</b>

### LABORATORY-BASED SURVEILLANCE

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	12	11	193	15	3	1	-
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	24	5	102	3	1	3	4
<b>SUB-TOTAL</b>	<b>36</b>	<b>16</b>	<b>295</b>	<b>18</b>	<b>4</b>	<b>4</b>	<b>4</b>

### HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	2	-	28	3	-	-	2
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	5	2	28	2	-	-	-
<b>SUB-TOTAL</b>	<b>7</b>	<b>2</b>	<b>56</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>2</b>

### SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	230	87	4685	118	51	17	33
GONORRHEA, TOTAL	73	10	3192	36	7	7	5
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	-
SYPHILIS, TOTAL	2	2	14	1	-	-	-
<b>SUB-TOTAL</b>	<b>305</b>	<b>99</b>	<b>7891</b>	<b>155</b>	<b>58</b>	<b>24</b>	<b>38</b>

### TUBERCULOSIS

TUBERCULOSIS	1	1	28	-	-	1	-
--------------	---	---	----	---	---	---	---

<b>TOTAL</b>	<b>516</b>	<b>169</b>	<b>8958</b>	<b>208</b>	<b>74</b>	<b>56</b>	<b>55</b>
--------------	------------	------------	-------------	------------	-----------	-----------	-----------

(-) indicates zero cases reported.

## REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000

	HIGHLAND	HOCKING	HOLMES	HURON	JACKSON	JEFFERSON	KNOX
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, FOODBORN	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	2	3	11	2	2	5	2
CHICKENPOX	14	-	-	13	-	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	1	1	-	-	2
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	2	-	2	2	-	3	3
ENCEPHALITIS, LACROSSE	-	-	1	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	1	-	-	-	1	1
GIARDIASIS	4	4	8	15	3	3	10
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	-	-	-	1	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	-	-	-	1	1	-	-
HEPATITIS B	-	-	-	-	-	-	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	1	-	-	-	-	2	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	1	-	1	-	-
LYME DISEASE	-	-	1	1	-	-	-
MALARIA	-	-	1	-	-	1	-
MEASLES	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	2	1	3	-	2	-	-
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	-	-	-	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	-	-	-	-	-	1	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	-	-	-	-	-	-	1
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	4	-	1	-	1	2	1
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	-	-	1	2	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	1	-	1
SALMONELLOSIS	4	4	4	6	2	12	20
SHIGELLOSIS	-	-	-	5	-	-	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	-	-	-	2	-	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	-	1	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	1	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	-	-
<b>SUB-TOTAL</b>	<b>34</b>	<b>13</b>	<b>34</b>	<b>47</b>	<b>18</b>	<b>31</b>	<b>42</b>

### LABORATORY-BASED SURVEILLANCE

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	5	2	1	1	-	24	1
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	4	2	3	3	5	58	1
<b>SUB-TOTAL</b>	<b>9</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>5</b>	<b>82</b>	<b>2</b>

### HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	1	1	-	-	-	-	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	3	-	-	2	1	-	1
<b>SUB-TOTAL</b>	<b>4</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>1</b>

### SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	40	36	12	116	55	88	48
GONORRHEA, TOTAL	9	7	2	25	8	72	4
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	-
SYPHILIS, TOTAL	-	-	-	-	-	-	-
<b>SUB-TOTAL</b>	<b>49</b>	<b>43</b>	<b>14</b>	<b>141</b>	<b>63</b>	<b>160</b>	<b>52</b>

### TUBERCULOSIS

TUBERCULOSIS	-	1	1	-	-	-	2
--------------	---	---	---	---	---	---	---

<b>TOTAL</b>	<b>96</b>	<b>62</b>	<b>53</b>	<b>194</b>	<b>87</b>	<b>273</b>	<b>99</b>
--------------	-----------	-----------	-----------	------------	-----------	------------	-----------

(-) indicates zero cases reported.



## REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000

	LAKE	LAWRENCE	LICKING	LOGAN	LORAIN	LUCAS	MADISON
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, FOODBORNE	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	32	2	15	6	17	40	1
CHICKENPOX	4	-	20	10	180	4	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	1	-
CRYPTOSPORIDIOSIS	-	-	10	4	5	5	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	1	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	4	1	2	1	18	5	-
ENCEPHALITIS, LACROSSE	-	-	4	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	1	-	1	-	-	-	-
GIARDIASIS	18	8	11	1	23	38	-
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	4	-	2	-	-	4	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	2	4	3	-	3	5	-
HEPATITIS B	1	-	-	1	1	4	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	2	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	3	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	1	-	2	-	5	7	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	3	-	1	-	3	2	-
LYME DISEASE	-	-	2	-	2	-	-
MALARIA	-	-	-	-	-	1	-
MEASLES	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	6	2	12	-	2	9	-
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	2	1	-	-	1	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	3	-	2	-	1	2	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	5	-	1	-	3	4	-
OUTBREAK, UNSPECIFIED	-	-	-	-	1	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	1	2	4	1	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	3	-	1	-	1	4	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	1	-	-	-	-	2	-
SALMONELLOSIS	33	7	106	6	40	42	3
SHIGELLOSIS	3	1	-	1	10	63	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	9	-	-	-	6	7	2
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	-	-	1	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	1	1	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	1	-	1	-	-	1	-
<b>SUB-TOTAL</b>	<b>135</b>	<b>29</b>	<b>201</b>	<b>31</b>	<b>324</b>	<b>257</b>	<b>6</b>

### LABORATORY-BASED SURVEILLANCE

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	37	1	24	9	19	68	1
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	71	2	19	5	19	140	4
<b>SUB-TOTAL</b>	<b>108</b>	<b>3</b>	<b>43</b>	<b>14</b>	<b>38</b>	<b>208</b>	<b>5</b>

### HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	3	1	1	2	21	22	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	5	1	4	-	33	37	1
<b>SUB-TOTAL</b>	<b>8</b>	<b>2</b>	<b>5</b>	<b>2</b>	<b>54</b>	<b>59</b>	<b>1</b>

### SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	198	86	267	60	772	1818	31
GONORRHEA, TOTAL	81	8	96	14	454	948	5
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	2	-
SYPHILIS, TOTAL	-	-	1	1	3	18	1
<b>SUB-TOTAL</b>	<b>279</b>	<b>94</b>	<b>364</b>	<b>75</b>	<b>1229</b>	<b>2786</b>	<b>37</b>

### TUBERCULOSIS

TUBERCULOSIS	3	3	1	3	10	7	-
--------------	---	---	---	---	----	---	---

<b>TOTAL</b>	<b>533</b>	<b>131</b>	<b>614</b>	<b>125</b>	<b>1655</b>	<b>3317</b>	<b>49</b>
--------------	------------	------------	------------	------------	-------------	-------------	-----------

(-) indicates zero cases reported.

## REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000

	MAHONING	MARION	MEDINA	MEIGS	MERCER	MIAMI	MONROE
AMEBIASIS	-	1	-	-	-	-	-
BOTULISM, FOODBORN	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	10	4	10	1	20	13	1
CHICKENPOX	20	-	1	-	-	78	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	3	3	1	-	-	-	-
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	2	-	27	-	1	1	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	1	-	-	-	-	-	-
GIARDIASIS	11	5	12	3	21	14	-
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	2	-	1	-	-	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	1	-	-
HEPATITIS A	1	30	-	-	4	1	2
HEPATITIS B	3	2	1	-	-	1	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	1	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	2	-	2	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	1	-	1	-	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	1	-	-	-	-
LISTERIOSIS	4	-	1	1	-	-	-
LYME DISEASE	1	-	1	-	-	-	-
MALARIA	-	-	-	-	-	-	-
MEASLES	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	2	2	4	1	2	8	-
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	1	-	1	-	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	4	2	-	-	1	-	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	1	-	-	-	-	-	-
OUTBREAK, UNSPECIFIED	1	-	1	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	-	3	3	-	-	-	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	1	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	1	-	-	-
SALMONELLOSIS	17	9	15	2	4	12	3
SHIGELLOSIS	-	4	-	-	2	4	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	2	-	3	-	-	7	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	2	-	1	-	-	4	1
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	1	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	-	-
<b>SUB-TOTAL</b>	<b>92</b>	<b>67</b>	<b>87</b>	<b>9</b>	<b>56</b>	<b>143</b>	<b>8</b>

### LABORATORY-BASED SURVEILLANCE

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	49	6	6	-	2	26	-
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	86	-	15	3	3	2	-
<b>SUB-TOTAL</b>	<b>135</b>	<b>6</b>	<b>21</b>	<b>3</b>	<b>5</b>	<b>28</b>	<b>0</b>

### HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	10	3	1	1	-	1	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	12	2	-	-	1	5	-
<b>SUB-TOTAL</b>	<b>22</b>	<b>5</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>6</b>	<b>0</b>

### SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	484	87	71	21	28	86	8
GONORRHEA, TOTAL	344	19	26	4	2	14	1
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	1	-
SYPHILIS, TOTAL	2	-	-	-	-	1	-
<b>SUB-TOTAL</b>	<b>830</b>	<b>106</b>	<b>97</b>	<b>25</b>	<b>30</b>	<b>102</b>	<b>9</b>

### TUBERCULOSIS

TUBERCULOSIS	8	2	3	-	-	-	-
--------------	---	---	---	---	---	---	---

<b>TOTAL</b>	<b>1087</b>	<b>186</b>	<b>209</b>	<b>38</b>	<b>92</b>	<b>279</b>	<b>17</b>
--------------	-------------	------------	------------	-----------	-----------	------------	-----------

(-) indicates zero cases reported.

**REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000**

	MONTGOMERY	MORGAN	MORROW	MUSKINGUM	NOBLE	OTTAWA	PAULDING
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, FOODBORN	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	26	-	1	3	-	6	1
CHICKENPOX	31	-	-	-	-	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	1	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	1	-	-	-	-	-	1
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	2	-	-	-	-	-	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	12	-	-	4	-	-	1
ENCEPHALITIS, LACROSSE	1	-	1	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	1	-	-	-
GIARDIASIS	48	-	-	9	-	-	8
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	3	-	-	-	-	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	7	-	1	1	1	1	-
HEPATITIS B	13	-	-	-	-	-	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	1	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	10	-	-	2	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	1	-	-	2	-	1	-
LYME DISEASE	2	-	-	1	-	-	-
MALARIA	2	-	-	-	-	-	-
MEASLES	1	-	-	-	-	-	-
MENINGITIS, ASEPTIC	32	-	2	13	-	1	3
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	3	-	-	1	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	6	-	-	-	-	1	1
MUMPS	-	-	1	-	-	-	-
OUTBREAK, FOODBORNE	2	-	-	-	-	-	-
OUTBREAK, UNSPECIFIED	1	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	10	-	1	1	-	-	1
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	-	-	2	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	1	-	-	-	-	-	-
SALMONELLOSIS	66	-	3	33	1	5	3
SHIGELLOSIS	5	-	-	1	-	3	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	16	-	1	2	-	-	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	7	-	-	-	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	3	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	3	-	-	-	-	-	-
<b>SUB-TOTAL</b>	<b>317</b>	<b>0</b>	<b>13</b>	<b>74</b>	<b>2</b>	<b>18</b>	<b>20</b>

**LABORATORY-BASED SURVEILLANCE**

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	101	-	5	19	-	3	-
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	125	-	1	11	-	4	-
<b>SUB-TOTAL</b>	<b>226</b>	<b>0</b>	<b>6</b>	<b>30</b>	<b>0</b>	<b>7</b>	<b>0</b>

**HIV/AIDS**

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	49	-	-	1	1	-	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	34	-	-	1	-	1	-
<b>SUB-TOTAL</b>	<b>83</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>0</b>

**SEXUALLY TRANSMITTED DISEASES**

CHLAMYDIA, TOTAL	2938	2	18	215	5	35	16
GONORRHEA, TOTAL	1906	-	1	174	-	4	2
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	5	-	-	-	-	1	-
SYPHILIS, TOTAL	19	-	-	-	-	1	1
<b>SUB-TOTAL</b>	<b>4868</b>	<b>2</b>	<b>19</b>	<b>389</b>	<b>5</b>	<b>41</b>	<b>19</b>

**TUBERCULOSIS**

TUBERCULOSIS	14	-	2	1	-	1	-
--------------	----	---	---	---	---	---	---

<b>TOTAL</b>	<b>5508</b>	<b>2</b>	<b>40</b>	<b>496</b>	<b>8</b>	<b>68</b>	<b>39</b>
--------------	-------------	----------	-----------	------------	----------	-----------	-----------

(-) indicates zero cases reported.

## REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000

	PERRY	PICKAWAY	PIKE	PORTAGE	PREBLE	PUTNAM	RICHLAND
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, FOODBORN	-	-	-	1	-	-	1
BOTULISM, INFANT	-	-	-	-	-	-	3
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	7	3	1	9	5	2	16
CHICKENPOX	-	23	-	-	-	1	2
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	1	1	4	-	-	-
CYCLOSPORIASIS*	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	1	3	-	4	1	-	7
ENCEPHALITIS, LACROSSE	-	-	-	1	-	-	2
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	1	-	-	2	-	2	-
GIARDIASIS	4	5	3	11	1	7	6
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	1	1	-	1	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	-	-	-	3	-	-	1
HEPATITIS B	-	2	-	1	1	-	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	1	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	1	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	2	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	1	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	-	-
LYME DISEASE	-	-	2	1	-	-	-
MALARIA	-	-	-	1	-	-	-
MEASLES	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	7	2	1	22	-	-	2
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	1	-	-	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	-	-	-	1	-	-	1
MUMPS	1	-	-	-	-	-	-
OUTBREAK, FOODBORNE	-	1	-	2	1	-	1
OUTBREAK, UNSPECIFIED	1	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	4	2	1	4	1	-	2
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	1	2	-	5	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	1	1	-	-
SALMONELLOSIS	14	3	1	46	3	2	15
SHIGELLOSIS	-	-	-	1	-	1	57
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	1	2	1	-	-	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	1	-	-	1
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	1	-	-	-
TRICHINOSIS	-	-	-	-	1	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	2	-	-	-
<b>SUB-TOTAL</b>	<b>42</b>	<b>50</b>	<b>13</b>	<b>129</b>	<b>15</b>	<b>17</b>	<b>117</b>

### LABORATORY-BASED SURVEILLANCE

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	2	2	4	21	1	5	9
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	6	13	5	25	4	4	12
<b>SUB-TOTAL</b>	<b>8</b>	<b>15</b>	<b>9</b>	<b>46</b>	<b>5</b>	<b>9</b>	<b>21</b>

### HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	1	4	-	1	1	-	6
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	1	35	2	2	-	-	4
<b>SUB-TOTAL</b>	<b>2</b>	<b>39</b>	<b>2</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>10</b>

### SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	54	191	57	183	16	15	347
GONORRHEA, TOTAL	7	52	16	37	1	1	116
SYPHILIS, CONGENITAL	-	-	-	-	-	-	1
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	1	-	-	9
SYPHILIS, TOTAL	-	-	-	5	-	-	19
<b>SUB-TOTAL</b>	<b>61</b>	<b>243</b>	<b>73</b>	<b>226</b>	<b>17</b>	<b>16</b>	<b>492</b>

### TUBERCULOSIS

TUBERCULOSIS	-	3	-	1	-	-	1
--------------	---	---	---	---	---	---	---

<b>TOTAL</b>	<b>113</b>	<b>350</b>	<b>97</b>	<b>405</b>	<b>38</b>	<b>42</b>	<b>641</b>
--------------	------------	------------	-----------	------------	-----------	-----------	------------

(-) indicates zero cases reported.

## REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000

	ROSS	SANDUSKY	SCIOTO	SENECA	SHELBY	STARK	SUMMIT
AMEBIASIS	-	-	-	-	-	-	1
BOTULISM, FOODBORN	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	8	6	1	5	4	64	58
CHICKENPOX	3	5	1	1	-	57	24
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	3	-	-	-	-	1	2
CYCLOSPORIASIS	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	1	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	-	-	2	2	2	3	16
ENCEPHALITIS, LACROSSE	-	-	1	-	2	-	1
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	3	-	-	1	3
GIARDIASIS	3	1	2	5	2	63	47
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	1	-	-	-	2	7
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	1	-	1
HEPATITIS A	-	2	-	5	-	7	6
HEPATITIS B	-	-	1	-	-	2	10
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	1	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	1
KAWASAKI DISEASE	-	-	-	-	-	-	5
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	4	1	1	6	3
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	1	6
LYME DISEASE	-	-	-	1	-	1	-
MALARIA	1	-	-	-	-	1	-
MEASLES	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	1	5	5	-	2	20	50
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	1	1
MENINGITIS, OTHER BACTERIAL	-	-	3	-	-	2	2
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	2	-	2	-	-	3	8
MUMPS	-	1	-	-	-	-	-
OUTBREAK, FOODBORNE	-	2	-	-	3	3	5
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	-	-	-	-	-	6	19
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	5	-	-	-	-	1	2
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
SALMONELLOSIS	7	7	9	8	19	33	80
SHIGELLOSIS	-	12	-	1	-	8	8
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	1	3	2	-	8	24
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	1	-	-	3
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	3
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	1
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	1	-	-	-	1
VIBRIOSIS	-	-	-	1	-	-	-
YERSINIOSIS	-	-	-	-	-	-	3
<b>SUB-TOTAL</b>	<b>34</b>	<b>43</b>	<b>39</b>	<b>33</b>	<b>36</b>	<b>295</b>	<b>401</b>

### LABORATORY-BASED SURVEILLANCE

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	14	10	7	12	5	71	130
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	17	15	39	7	2	97	87
<b>SUB-TOTAL</b>	<b>31</b>	<b>25</b>	<b>46</b>	<b>19</b>	<b>7</b>	<b>168</b>	<b>217</b>

### HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	3	2	2	-	1	8	21
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	3	2	-	-	1	11	27
<b>SUB-TOTAL</b>	<b>6</b>	<b>4</b>	<b>2</b>	<b>0</b>	<b>2</b>	<b>19</b>	<b>48</b>

### SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	169	147	220	75	68	886	1174
GONORRHEA, TOTAL	26	73	99	37	9	521	1005
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	-
SYPHILIS, TOTAL	1	-	-	-	-	1	2
<b>SUB-TOTAL</b>	<b>196</b>	<b>220</b>	<b>319</b>	<b>112</b>	<b>77</b>	<b>1408</b>	<b>2181</b>

### TUBERCULOSIS

TUBERCULOSIS	-	-	3	1	2	5	15
--------------	---	---	---	---	---	---	----

<b>TOTAL</b>	<b>267</b>	<b>292</b>	<b>409</b>	<b>165</b>	<b>124</b>	<b>1895</b>	<b>2862</b>
--------------	------------	------------	------------	------------	------------	-------------	-------------

(-) indicates zero cases reported.

**REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000**

	TRUMBULL	TUSCARAWAS	UNION	VAN WERT	VINTON	WARREN	WASHINGTON
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, FOODBORN	2	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
BRUCELLOSIS	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	21	14	3	2	-	21	14
CHICKENPOX	9	-	-	-	-	1	20
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	2	-	-	1	-
CYCLOSPORIASIS*	-	-	-	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	1	-	-	-	-	-	-
DENGUE	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI O157:H7	-	2	-	-	-	1	1
ENCEPHALITIS, LACROSSE	-	-	2	-	-	1	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	1	-	-	-	-	-	-
GIARDIASIS	9	17	3	-	-	14	4
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	-	-	-	-	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	1	-	1	-	-	2	12
HEPATITIS B	-	-	2	-	-	-	2
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	1
HERPES, CONGENITAL	1	-	-	-	-	1	-
KAWASAKI DISEASE	2	-	-	-	-	1	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	-	-	2	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	2	-	-	-	-	-	-
LYME DISEASE	1	1	2	-	-	1	1
MALARIA	-	1	-	-	-	-	-
MEASLES	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	6	1	-	-	-	16	-
MENINGITIS, ESCHERICHIA COLI	-	-	-	-	-	-	-
MENINGITIS, OTHER BACTERIAL	-	1	-	-	-	1	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-	-	-	-
MENINGOCOCCAL DISEASE	1	-	1	-	-	1	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	2	-	-	-	-	1	1
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	5	1	4	-	-	2	-
PSITTACOSIS	-	-	-	-	-	-	-
RABIES, ANIMAL	2	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
SALMONELLOSIS	20	12	4	3	-	16	33
SHIGELLOSIS	2	1	2	1	-	3	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	4	2	3	-	-	2	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	1	-	-	-	-	1	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TRICHINOSIS	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
YERSINIOSIS	-	2	-	-	-	-	-
<b>SUB-TOTAL</b>	<b>94</b>	<b>55</b>	<b>29</b>	<b>6</b>	<b>0</b>	<b>89</b>	<b>89</b>

**LABORATORY-BASED SURVEILLANCE**

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	37	12	1	2	-	29	4
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	71	5	2	-	-	8	6
<b>SUB-TOTAL</b>	<b>108</b>	<b>17</b>	<b>3</b>	<b>2</b>	<b>0</b>	<b>37</b>	<b>10</b>

**HIV/AIDS**

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	6	-	1	1	-	2	3
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	7	-	1	1	-	4	1
<b>SUB-TOTAL</b>	<b>13</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>6</b>	<b>4</b>

**SEXUALLY TRANSMITTED DISEASES**

CHLAMYDIA, TOTAL	267	125	69	24	11	99	64
GONORRHEA, TOTAL	185	27	20	4	5	16	12
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	-
SYPHILIS, TOTAL	-	-	-	-	-	-	-
<b>SUB-TOTAL</b>	<b>452</b>	<b>152</b>	<b>89</b>	<b>28</b>	<b>16</b>	<b>115</b>	<b>76</b>

**TUBERCULOSIS**

TUBERCULOSIS	9	2	1	-	1	1	3
--------------	---	---	---	---	---	---	---

<b>TOTAL</b>	<b>676</b>	<b>226</b>	<b>124</b>	<b>38</b>	<b>17</b>	<b>248</b>	<b>182</b>
--------------	------------	------------	------------	-----------	-----------	------------	------------

(-) indicates zero cases reported.

**REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2000**

	WAYNE	WILLIAMS	WOOD	WYANDOT
AMEBIASIS	-	-	-	-
BOTULISM, FOODBORN	-	-	-	-
BOTULISM, INFANT	-	-	-	-
BRUCELLOSIS	-	-	-	-
CAMPYLOBACTERIOSIS	12	6	19	2
CHICKENPOX	-	-	10	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-
CRYPTOSPORIDIOSIS	1	2	-	-
CYCLOSPORIASIS	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-
DENGUE	-	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-
E COLI O157:H7	14	1	4	-
ENCEPHALITIS, LACROSSE	1	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	1	-
GIARDIASIS	6	4	6	1
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	-	1	1
HEMOLYTIC UREMIC SYNDROME (HUS)	2	-	-	2
HEPATITIS A	3	-	1	1
HEPATITIS B	1	-	1	1
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-
HERPES, CONGENITAL	-	-	-	-
KAWASAKI DISEASE	1	-	2	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	2	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-
LEPTOSPIROSIS	1	-	-	-
LISTERIOSIS	-	-	-	-
LYME DISEASE	2	-	-	-
MALARIA	-	-	-	-
MEASLES	-	-	-	-
MENINGITIS, ASEPTIC	7	1	4	-
MENINGITIS, ESCHERICHIA COLI	-	-	-	-
MENINGITIS, OTHER BACTERIAL	1	-	-	-
MENINGITIS, STREPTOCOCCAL (GROUP B)	-	-	-	-
MENINGOCOCCAL DISEASE	-	1	-	-
MUMPS	-	-	-	-
OUTBREAK, FOODBORNE	-	1	4	-
OUTBREAK, UNSPECIFIED	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-
PERTUSSIS	1	-	-	-
PSITTACOSIS	-	-	-	-
RABIES, ANIMAL	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-
SALMONELLOSIS	10	6	17	3
SHIGELLOSIS	1	1	3	1
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	1	2	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	1	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-
TRICHINOSIS	-	-	-	-
TULAREMIA	-	-	-	-
TYPHOID FEVER	-	-	-	-
VIBRIOSIS	-	-	-	-
YERSINIOSIS	-	-	-	1
<b>SUB-TOTAL</b>	<b>67</b>	<b>24</b>	<b>77</b>	<b>13</b>

**LABORATORY-BASED SURVEILLANCE**

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	2	2	8	4
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	7	2	27	-
<b>SUB-TOTAL</b>	<b>9</b>	<b>4</b>	<b>35</b>	<b>4</b>

**HIV/AIDS**

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	1	-	2	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	1	-	1	-
<b>SUB-TOTAL</b>	<b>2</b>	<b>0</b>	<b>3</b>	<b>0</b>

**SEXUALLY TRANSMITTED DISEASES**

CHLAMYDIA, TOTAL	155	22	132	19
GONORRHEA, TOTAL	27	2	25	3
SYPHILIS, CONGENITAL	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-
SYPHILIS, TOTAL	-	-	-	-
<b>SUB-TOTAL</b>	<b>182</b>	<b>24</b>	<b>157</b>	<b>22</b>

**TUBERCULOSIS**

TUBERCULOSIS	1	-	-	-
--------------	---	---	---	---

<b>TOTAL</b>	<b>261</b>	<b>52</b>	<b>272</b>	<b>39</b>
--------------	------------	-----------	------------	-----------

(-) indicates zero cases reported.

**SALMONELLA SEROTYPES, BY YEAR OF REPORT  
OHIO, 1996 - 2000**

SEROTYPE NAME	2000	1999	1998	1997	1996
ABAETETUBA	1	2	-	-	-
ADELAIDE	1	17	2	3	4
AGBENI	-	-	-	-	-
AGONA	8	9	64	11	11
ALACHUA	3	-	-	-	-
ALBANY	-	1	1	-	-
AMSTERDAM	-	-	1	-	-
ANATUM	2	6	4	13	12
ANECHO	-	-	-	1	-
ANK	-	-	-	-	1
ANTSALOVA	1	-	-	-	-
ARIZONA	3	1	1	-	-
ARKANSAS	-	-	1	-	-
AUGUSTENBORG	-	-	1	-	-
BAILDON	-	-	2	-	-
BAREILLY	1	1	-	2	2
BERTA	9	2	3	5	7
BLOCKLEY	1	1	2	1	-
BOVIS-MORBIFICANS	3	1	-	3	2
BRAENDERUP	29	14	6	10	17
BRANDENBURG	2	4	4	4	8
BREDENY	-	-	1	-	1
BUKAVU	1	-	-	-	-
CARRAU	-	1	-	-	1
CERRO	-	2	2	-	1
CHAMELEON	1	-	1	-	-
CHESTER	-	1	3	-	2
CHOLERAЕ-SUIS	-	1	-	-	-
COELN	-	-	-	-	1
CUBANA	-	1	3	3	2
DERBY	6	5	5	2	3
DJUGU	-	-	-	1	-
DUBLIN	-	2	1	-	1
DURBAN	-	-	-	1	-
DURHAM	-	-	-	-	1
EALING	-	-	-	-	2
EASTBORNE	1	-	-	-	-
ELMRANE	-	1	-	-	-
ENTERITIDIS	240	127	249	349	332
ENUGU	-	-	-	-	1
ERLANGEN	-	1	-	-	-
FARMSEN	-	1	-	-	-
FISCHERSTRASSE	1	-	-	-	-
FLINT	2	1	-	1	1
GIVE	2	1	1	4	-
GLOSTRUP	-	1	-	-	-
GOLDCOAST	-	1	-	-	-
HADAR	8	12	8	9	34
HAGENBECK	-	1	-	-	-
HARTFORD	4	10	13	1	3
HAVANA	1	-	-	-	6
HEIDELBERG	43	60	57	25	49
HEILBRON	-	1	1	-	-

(continued)



**SALMONELLA SEROTYPES, BY YEAR OF REPORT  
OHIO, 1996 - 2000**

(Continued)

SEROTYPE NAME	2000	1999	1998	1997	1996
HIDALGO	1	-	-	-	-
HOLCOMB	-	-	-	1	-
HVITTINGFOSS	5	4	-	2	1
IBADAN	-	-	1	-	-
IDIKAN	-	-	-	-	2
INFANTIS	23	21	7	2	7
ISANGI	-	-	1	-	-
JANWANI	-	1	-	-	-
JAVIANA	10	12	34	31	16
JOHANNESBURG	1	2	-	1	3
KENTUCKY	-	4	1	1	3
KINSHASA	1	-	-	-	-
KINTAMBO	-	-	-	2	-
KOTTBUS	-	1	-	-	-
KRALENDYK	1	1	-	-	-
KUA	-	1	-	-	-
LAGOS	-	-	-	-	1
LITCHFIELD	6	4	4	-	1
LONDON	-	1	-	1	-
LOMA-LINDA	-	-	1	-	-
LUCIANA	-	-	1	-	-
MAGWA	-	-	1	-	-
MANHATTAN	2	2	1	1	4
MARINA	6	3	9	2	4
MATADI	-	-	-	-	5
MBANDAKA	1	4	5	4	4
MELEAGRIDIS	1	-	-	-	-
MIAMI	1	-	1	22	1
MISSISSIPPI	-	1	-	-	1
MONSCHAUI	-	1	1	-	-
MONTEVIDEO	23	24	17	8	21
MUENCHEN	5	14	12	5	10
MUENSTER	2	1	3	1	5
NEWPORT	129	61	37	13	41
NEWYORK	-	-	-	1	-
NORWICH	-	-	1	-	1
OHIO	2	3	1	5	2
ORANIENBURG	-	20	52	21	25
ORIENTALIS	-	-	-	-	5
ORION	-	-	-	-	1
OSLO	-	-	-	1	-
OTHMARSCHEN	-	-	1	-	-
OVERCHIE	-	-	-	1	-
PAKISTAN	-	-	-	-	1
PANAMA	1	3	1	1	4
PARERA	-	-	-	-	1
PARATYPHI A	2	-	1	1	1
PARATYPHI B	12	22	5	-	26
PARATYPHI B VAR JAVA	8	22	21	22	11

(continued)

**SALMONELLA SEROTYPES, BY YEAR OF REPORT  
OHIO, 1996 - 2000**

(Continued)

SEROTYPE NAME	2000	1999	1998	1997	1996
POANA	-	-	-	1	1
POMONA	-	-	-	-	1
POONA	10	5	11	8	22
POTSDAM	-	-	-	-	-
RAUS	-	4	-	-	-
READING	2	2	2	1	1
REMO	-	-	-	-	1
RICHMOND	1	-	-	-	-
RISSEN	1	-	-	-	1
RUBISLAW	-	2	2	4	-
SAINT PAUL	6	14	12	9	11
SAN DIEGO	8	1	2	4	-
SAN-JUAN	-	1	-	-	-
SCHWARTZENGRUND	6	4	5	-	1
SENFTEMBERG	4	1	1	3	-
SHUBRA	1	1	-	-	-
SINGAPORE	-	-	-	-	1
SINSTORF	-	-	-	1	1
STANLEY	13	12	6	4	4
STELLINGEN	-	-	-	1	-
SUNDSVALL	-	-	-	1	1
TELELKEBIR	1	1	-	-	1
TENNESSEE	1	1	-	1	4
THOMPSON	4	13	10	8	20
TYPHIMURIUM	211	323	319	231	362
UGANDA	-	-	1	-	-
URBANA	2	1	4	3	2
VIRCHOW	3	-	6	2	4
WASSENAAR	-	1	1	2	1
WANDSWORTH	-	1	-	-	-
WELTEVRENDEN	-	1	-	-	1
WORTHINGTON	-	1	-	2	2
<b>SUB-TOTAL</b>	<b>891</b>	<b>913</b>	<b>1039</b>	<b>885</b>	<b>1156</b>

SEROGROUP (UNKNOWN SEROTYPE)	2000	1999	1998	1997	1996
GROUP A	3	-	1	-	-
GROUP B	157	81	105	143	88
GROUP C	82	39	50	46	34
GROUP D	223	33	50	110	57
GROUP E	9	2	2	3	5
GROUP F	-	-	2	1	-
GROUP G	-	-	1	1	1
GROUP H	1	-	-	-	-
GROUP I	3	-	1	-	-
GROUP J	-	-	-	-	1
GROUP W	-	-	-	-	3
<b>SUB-TOTAL</b>	<b>478</b>	<b>155</b>	<b>212</b>	<b>304</b>	<b>189</b>

<b>UNGROUPED, UNTYPED SALMONELLA</b>	233	245	255	356	287
--	-----	-----	-----	-----	-----

<b>GRAND TOTAL</b>	<b>1,602</b>	<b>1,313</b>	<b>1,506</b>	<b>1,545</b>	<b>1,632</b>
--------------------	--------------	--------------	--------------	--------------	--------------

**MENINGOCOCCAL DISEASE SEROGROUPS  
BY YEAR OF REPORT  
OHIO, 1996-2000**

<b>SEROGROUP</b>	<b>2000</b>	<b>1999</b>	<b>1998</b>	<b>1997</b>	<b>1996</b>
<b>GROUP A</b>	1	1	-	2	1
<b>GROUP B</b>	12	24	24	12	7
<b>GROUP C</b>	21	29	29	32	21
<b>GROUP Y</b>	23	36	29	18	14
<b>GROUP W135</b>	-	-	2	1	1
<b>NOT GROUPABLE</b>	1	2	1	-	1
<b>OTHER</b>	2	3	1	1	2
<b>UNKNOWN</b>	34	39	57	98	112
<b>TOTAL</b>	<b>94</b>	<b>134</b>	<b>143</b>	<b>164</b>	<b>159</b>

## **TECHNICAL NOTES: 1996 - 2000 OHIO REPORTABLE DISEASES**

### **1) Explanation of tables:**

Data reflect disease incidence for Ohio residents only, but include diseases (malaria, for example) acquired by Ohio residents while traveling out-of-state or overseas.

With the exception of AIDS, HIV infection, STDs, and TB, data are presented by date of report; AIDS, HIV infection, and STD data are by date of diagnosis. TB data are presented by date of verification. For TB, verification date is defined as the date the case is determined to meet the CDC Surveillance Case Definition. STD data include cases by year of diagnosis reported through September 6, 2001. AIDS data include cases by year of AIDS diagnosis reported through August 31, 2001. HIV infection data include cases by year of HIV (non-AIDS) diagnosis reported through August 31, 2001. The totals listed for these diseases are subject to change, as the Ohio Department of Health continues to receive late reports of AIDS, HIV infection, and STD cases diagnosed in 2000. Annual summaries of 1992-2000 differ from pre-1992 summaries, in which most infectious diseases were reported by date of disease diagnosis or onset.

“Age” refers to the patient’s age at the earliest known date associated with the disease. “Month” refers to the month the report was received at the Ohio Department of Health, except as noted above for AIDS, STD and TB. “County” refers to the patient’s county of residence. If county of residence is unknown, then county in which the hospital, physician or local health department is located is used.

In the “By Year of Report” table the mean and median are calculated only when five years of data are available.

### **2) Case criteria:**

For AIDS and HIV cases, the case criteria are those provided in: “1993 Revised Classification System for HIV Infection and Expanded Surveillance Case Definition for AIDS Among Adolescents and Adults,” MMWR (Morbidity and Mortality Weekly Report) 1992; 41 (No. RR-17).

For all other diseases, the case criteria used are those provided in: “Case Definitions for Infectious Conditions Under Public Health Surveillance,” MMWR (Morbidity and Mortality Weekly Report) 1997; 46 (No. RR-10), and the Ohio Department of Health Infectious Disease Control Manual. This report includes confirmed, probable and suspect cases.

### **3) Notes on specific diseases:**

**AIDS:** Cases whose residence at diagnosis was a correctional facility are excluded from the county statistics, but are included in Ohio totals.

**Chickenpox** (a Class B disease): Only the number of cases by month and county are reported.

**Creutzfeldt-Jakob Disease:** became a reportable disease in Ohio in July 1998.

**Cyclosporiasis:** became a reportable disease in Ohio in July 1998.

**Encephalitis, post-other viral:** includes encephalitis following a non-central nervous system viral illness, or after vaccine is administered.

**E. coli Shiga Toxin Producing (Not O157:H7):** became a reportable disease in Ohio in February 2001. Cases listed in the year 2000 Annual Summary were received at ODH prior to becoming a reportable condition in Ohio.

**Hepatitis:** Chronic cases were not reportable in 2000 therefore counts include acute cases only.

**HIV infection:** Cases whose residence at diagnosis was a correctional facility are excluded from the county statistics, but are included in Ohio totals.

**Kawasaki disease:** also known as mucocutaneous lymph node syndrome.

**Meningitis, other bacterial:** cases of bacterial meningitis for which the agent was specified (excluding *Escherichia coli*, Group A and B streptococcus and *Neisseria meningitidis*).

**Meningitis, S. pneumoniae:** as of July 11, 1996, *Streptococcus pneumoniae* meningitis is reported as *S. pneumoniae*, invasive disease (ISP)

**Outbreaks (foodborne, unspecified and water):** numbers in tables indicate the number of outbreaks reported and do not reflect the number of cases involved.

**Rabies, animal:** refers only to cases among animal species. The last reported case of human rabies in Ohio occurred in 1971.

**Streptococcal disease, invasive, Group A:** became reportable in Ohio on July 11, 1996.

**Streptococcal toxic shock syndrome (STSS):** became reportable in Ohio on July 11, 1996.

**Streptococcus pneumoniae, invasive disease (ISP):** became reportable in Ohio on July 11, 1996. *Streptococcus pneumoniae* meningitis was previously reported as "meningitis, S. pneumoniae."

**Typhus, murine:** a form of typhus fever.

**Vancomycin-resistant enterococcal disease (VRE):** became reportable in Ohio on July 11, 1996.

#### **4) Diseases not included in tables:**

There were no known cases in Ohio of the following Class A reportable diseases during at least the past five years. Therefore, they are not included in the 1996-2000 disease tables: anthrax, botulism-other, chancroid, cholera, diphtheria, encephalitis (post mumps and St. Louis), granuloma inguinale, hantavirus, human rabies, plague, poliomyelitis, Q fever, rubella (not congenital), typhus fever (louse-borne), and yellow fever.

Diseases not included in the "County of Residence", "Age in Years", and "Month of Report" tables had no known cases reported in 2000.

#### **5) Special note on Salmonella serotypes and Meningococcal disease serogroups:**

The Bacteriology Laboratory of the Ohio Department of Health performs serotyping of *Salmonella* isolates and serogrouping of *Neisseria meningitidis* isolates. Hospital laboratories and other clinical labs are encouraged to send *Salmonella* isolates and *Neisseria meningitidis* isolates to the ODH Lab for serotyping and serogrouping. For further information on the submission of isolates, please contact the Bacteriology Laboratory at (614) 466-2278.

Questions or comments regarding this summary may be directed to the Ohio Department of Health Infectious Disease Surveillance Section at (614) 466-1388.

