

Annual Summary
of
Infectious Diseases
Ohio
2001

Reported incidence of officially-notifiable diseases.
Includes state and county totals and distribution
by month and by age group

(August 2003)

Prepared and distributed by:

Bureau of Health Surveillance, Information and Operational Support
and the
Bureau of Infectious Disease Control
Division of Prevention

OHIO DEPARTMENT OF HEALTH

Annual Summary of Infectious Diseases, Ohio 2001

CONTENTS

Tables

Reported cases of notifiable diseases by year of report, except as noted, Ohio, 1997-2001

Reported cases of notifiable diseases by age in years, Ohio, 2001

Reported cases of notifiable diseases by gender, Ohio, 2001

Reported cases of notifiable diseases by month of report, Ohio, 2001

Reported cases of notifiable diseases by county of residence, Ohio, 2001

Salmonella serotypes by year of report, Ohio, 1997-2001

Meningococcal Disease serogroups by year of report, Ohio, 1997-2001

Technical Notes

Explanation of tables

Case criteria

Notes on specific diseases

Diseases not included in tables

Special note on *Salmonella* serotypes and Meningococcal Disease serogroups

Ohio county outline map

**REPORTED CASES OF NOTIFIABLE DISEASES
BY YEAR OF REPORT, EXCEPT AS NOTED,
OHIO, 1997 - 2001**

	2001	2000	1999	1998	1997	MEDIAN	MEAN
AMEBIASIS	15	11	6	8	20	11	12
BOTULISM, FOODBORNE	-	4	-	-	-	0	1
BOTULISM, INFANT	3	5	1	4	3	3	3
BRUCELLOSIS	-	1	-	1	2	1	1
CAMPYLOBACTERIOSIS	1152	1102	1021	1062	1102	1102	1088
CHICKENPOX*	1667	1193	1307	1782	3323	1667	1854
CREUTZFELDT-JAKOB DISEASE (CJD)*	7	3	4	-	n/a	n/a	n/a
CRYPTOSPORIDIOSIS	185	260	67	75	38	75	125
CYCLOSPORIASIS*	-	1	1	-	n/a	n/a	n/a
CYTOMEGALOVIRUS (CMV), CONGENITAL	11	5	7	9	7	7	8
DENGUE	-	1	-	5	4	1	2
E COLI O157:H7	227	275	262	128	108	227	200
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)*	10	3	n/a	n/a	n/a	n/a	n/a
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	7	-	n/a	n/a	n/a	n/a	n/a
EHRlichiosis, HUMAN GRANULOCYtic (HGE)*	1	n/a	n/a	n/a	n/a	n/a	n/a
EHRlichiosis, HUMAN MONOCYtic (HME)*	-	n/a	n/a	n/a	n/a	n/a	n/a
EHRlichiosis, OTHER OR UNSPECIFIED*	1	n/a	n/a	n/a	n/a	n/a	n/a
ENCEPHALITIS, LA CROSSE	15	26	15	23	24	23	21
ENCEPHALITIS, POST CHICKENPOX	1	1	2	-	1	1	1
ENCEPHALITIS, POST OTHER VIRAL	2	-	4	1	3	2	2
ENCEPHALITIS, PRIMARY	42	34	28	44	61	42	42
GIARDIASIS	1090	1058	1110	1093	1247	1093	1120
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	75	55	63	48	86	63	65
HEMOLYTIC UREMIC SYNDROME (HUS)	12	14	11	9	7	11	11
HEPATITIS A	261	267	655	398	332	332	383
HEPATITIS B	93	107	95	77	94	94	93
HEPATITIS, NON A - NON B (INCLUDES HEPATITIS C)*	9	12	4	8	20	9	11
HERPES, CONGENITAL	4	13	4	2	7	4	6
KAWASAKI DISEASE*	43	31	33	28	36	33	34
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	143	121	85	133	120	121	120
LEPROSY (HANSEN'S DISEASE)	1	2	2	-	-	1	1
LEPTOSPIROSIS	1	4	-	1	-	1	1
LISTERIOSIS	17	59	55	56	21	55	42
LYME DISEASE	44	61	47	47	40	47	48
MALARIA	27	23	18	15	19	19	20
MEASLES, IMPORTED	3	3	-	1	-	1	1
MENINGITIS, ASEPTIC	1301	594	508	853	829	829	817
MENINGITIS, BACTERIAL	121	66	58	81	77	77	81
MENINGOCOCCAL DISEASE	91	94	134	143	164	134	125
MUMPS	9	9	21	29	35	21	21
OUTBREAKS, FOODBORNE*	91	77	158	107	100	100	107
OUTBREAKS, UNSPECIFIED*	13	9	6	8	7	8	9
OUTBREAKS, WATERBORNE*	1	1	-	1	-	1	1
PERTUSSIS	346	389	322	299	165	322	304
PSITTACOSIS	-	1	1	-	-	0	0
RABIES, ANIMAL*	52	52	36	59	116	52	63
RHEUMATIC FEVER	4	-	4	3	6	4	3
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	2	18	8	12	12	12	10
RUBELLA, CONGENITAL*	1	-	-	-	-	0	0
SALMONELLOSIS	1352	1602	1313	1491	1545	1491	1461
SHIGELLOSIS	2979	437	422	566	835	566	1048
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	199	255	149	150	129	150	176
STREPTOCOCCAL DISEASE, GROUP B IN NEWBORN	62	67	70	54	79	67	66
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	17	31	14	25	22	22	22
TETANUS	-	-	2	3	-	0	1

(Continued on next page)

* Please see technical notes for explanation

(-) indicates zero cases reported

**REPORTED CASES OF NOTIFIABLE DISEASES
BY YEAR OF REPORT, EXCEPT AS NOTED,
OHIO, 1997 - 2001**

	2001	2000	1999	1998	1997	MEDIAN	MEAN
TOXIC SHOCK SYNDROME (TSS)	8	3	4	1	2	3	4
TOXOPLASMOSIS, CONGENITAL	-	-	-	1	1	0	0
TRICHINOSIS	-	1	-	7	1	1	2
TULAREMIA	1	1	-	-	1	1	1
TYPHOID FEVER	5	8	4	9	5	5	6
TYPHUS FEVER, MURINE*	1	-	1	-	-	0	0
VIBRIOSIS	5	2	1	2	2	2	2
VIBRIO PARAHAEMOLYTICUS	1	-	-	-	-	0	0
YERSINIOSIS	68	53	53	61	48	53	57
SUB-TOTAL	11899	8525	8196	9023	10906	9023	9710

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	1169	1632	1650	1509	1384	1509	1469
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	2489	2229	2421	2330	1612	2330	2216
SUB-TOTAL	3658	3861	4071	3839	2996	3839	3685

HIV/AIDS*

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	495	563	581	602	669	581	582
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	691	590	653	711	642	653	657
SUB-TOTAL	1186	1153	1234	1313	1311	1234	1239

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	37207	32091	29629	27078	23269	29629	29855
GONORRHEA, TOTAL	20968	19877	18138	17992	14993	18138	18394
SYPHILIS, CONGENITAL	1	5	6	4	10	5	5
SYPHILIS, PRIMARY AND SECONDARY	88	69	86	130	223	88	119
SYPHILIS, ALL OTHER STAGES*	223	211	252	320	537	344	433
SUB-TOTAL	58487	52253	48111	45524	39032	48111	48681

TUBERCULOSIS*

TUBERCULOSIS	306	338	317	230	286	306	295
TOTAL	75536	66130	61929	59929	54531	61929	63611

* Please see Technical Notes for explanation
(-) indicates zero cases reported

REPORTED CASES OF NOTIFIABLE DISEASES BY AGE IN YEARS, OHIO, 2001

	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	UNK	TOTAL
AMEBIASIS	2	4	1	2	3	-	2	1	-	-	15
BOTULISM, INFANT	3	-	-	-	-	-	-	-	-	-	3
CAMPYLOBACTERIOSIS	145	56	38	79	151	167	175	140	190	11	1152
CHICKENPOX*	-	-	-	-	-	-	-	-	-	1667	1667
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-	-	7	-	7
CRYPTOSPORIDIOSIS	51	30	25	4	12	26	12	7	16	2	185
CYTOMEGALOVIRUS (CMV), CONGENITAL	11	-	-	-	-	-	-	-	-	-	11
E COLI O157:H7	52	32	21	17	28	16	9	18	28	6	227
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	3	-	2	2	-	2	-	-	1	-	10
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	3	-	-	1	-	-	1	-	1	1	7
EHRlichiosis, HUMAN GRANULOCYTIC (HGE)	-	1	-	-	-	-	-	-	-	-	1
EHRlichiosis, OTHER OR UNSPECIFIED	-	-	-	1	-	-	-	-	-	-	1
ENCEPHALITIS, LACROSSE	3	9	3	-	-	-	-	-	-	-	15
ENCEPHALITIS, POST CHICKEPOX	-	-	1	-	-	-	-	-	-	-	1
ENCEPHALITIS, POST OTHER*	1	-	-	1	-	-	-	-	-	-	2
ENCEPHALITIS, PRIMARY	6	11	6	1	3	5	-	4	5	1	42
GIARDIASIS	268	116	48	19	100	200	155	75	89	20	1090
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	14	-	1	2	1	5	4	6	41	1	75
HEMOLYTIC UREMIC SYNDROME (HUS)	5	3	3	-	1	-	-	-	-	-	12
HEPATITIS A	14	9	15	9	37	44	40	27	64	2	261
HEPATITIS B	1	-	1	3	27	26	19	9	7	-	93
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	4	2	1	2	-	9
HERPES, CONGENITAL	4	-	-	-	-	-	-	-	-	-	4
KAWASAKI DISEASE	29	13	1	-	-	-	-	-	-	-	43
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	-	2	5	29	42	65	-	143
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-	-	1	-	1
LEPTOSPIROSIS	-	-	-	-	-	-	1	-	-	-	1
LISTERIOSIS	3	-	-	-	-	-	-	2	11	1	17
LYME DISEASE	1	-	5	3	3	9	8	6	9	-	44
MALARIA	2	-	-	1	10	4	2	6	2	-	27
MEASLES, IMPORTED	2	-	-	-	1	-	-	-	-	-	3
MENINGITIS, ASEPTIC	392	183	162	99	183	136	82	33	16	15	1301
MENINGITIS, OTHER BACTERIAL	24	1	1	3	6	12	16	22	36	-	121
MENINGOCOCCAL DISEASE	24	5	3	15	9	4	4	10	15	2	91
MUMPS	2	3	-	1	-	2	1	-	-	-	9
OUTBREAK, FOODBORNE	-	-	-	-	-	-	-	-	-	91	91
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-	-	-	13	13
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-	-	-	1	1
PERTUSSIS	203	29	59	24	5	9	4	3	2	8	346
RABIES, ANIMAL*	-	-	-	-	-	-	-	-	-	52	52
RHEUMATIC FEVER	-	1	2	-	1	-	-	-	-	-	4
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	1	-	-	1	-	-	-	2
RUBELLA, CONGENITAL*	1	-	-	-	-	-	-	-	-	-	1
SALMONELLOSIS	310	115	66	64	179	149	145	109	179	36	1352
SHIGELLOSIS	1286	760	193	72	235	147	68	31	25	162	2979
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	15	13	10	2	14	19	25	17	83	1	199
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	62	-	-	-	-	-	-	-	-	-	62
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	1	-	-	3	2	4	7	-	17
TOXIC SHOCK SYNDROME (TSS)	-	-	2	2	-	1	2	1	-	-	8
TULAREMIA	-	-	-	-	-	1	-	-	-	-	1
TYPHOID FEVER	-	-	-	1	1	1	1	-	1	-	5
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-	1	-	-	1
VIBRIOSIS	-	-	-	-	2	-	-	1	2	-	5
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-	1	-	-	1
YERSINIOSIS	31	6	2	-	2	4	2	7	14	-	68
SUB-TOTAL	2973	1400	672	429	1016	1001	812	584	919	2093	11899

(-) indicates zero cases reported

* Please see Technical Notes for explanation

(continued)

REPORTED CASES OF NOTIFIABLE DISEASES BY AGE IN YEARS, OHIO, 2001

(continued)

LABORATORY-BASED SURVEILLANCE*	0-4	5-9	10-14	15-19	20-29	30-39	40-49	50-59	60+	UNK	TOTAL
STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	207	38	21	7	36	64	142	125	527	2	1169
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	17	5	2	12	48	99	174	294	1828	10	2489
SUB-TOTAL	224	43	23	19	84	163	316	419	2355	12	3658
HIV/AIDS											
AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	3	-	-	2	65	218	150	46	11	-	495
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	3	2	-	28	162	263	175	47	11	-	691
SUB-TOTAL	6	2	0	30	227	481	325	93	22	0	1186
SEXUALLY TRANSMITTED DISEASES											
CHLAMYDIA, TOTAL	58	10	743	13782	18047	2715	616	148	79	1009	37207
GONORRHEA, TOTAL	15	15	343	6017	10031	2711	1026	269	96	445	20968
SYPHILIS, CONGENITAL	1	-	-	-	-	-	-	-	-	-	1
SYPHILIS, PRIMARY AND SECONDARY	-	-	1	2	30	39	9	7	-	-	88
SYPHILIS, ALL OTHER STAGES*	-	-	-	14	60	82	47	16	4	-	223
SUB-TOTAL	74	25	1087	19815	28168	5547	1698	440	179	1454	58487
TUBERCULOSIS											
TUBERCULOSIS	7	3	6	12	48	32	39	46	113	-	306
TOTAL	3284	1473	1788	20305	29543	7224	3190	1582	3588	3559	75536

(-) indicates zero cases reported.

* Please see Technical Notes for explanation

REPORTED CASES OF NOTIFIABLE DISEASES BY GENDER, OHIO, 2001

	Female	Male	Unspecified
AMEBIASIS	5	10	-
BOTULISM, INFANT	1	2	-
CAMPYLOBACTERIOSIS	528	617	7
CHICKENPOX*	n/a	n/a	n/a
CREUTZFELDT-JAKOB DISEASE (CJD)	3	4	-
CRYPTOSPORIDIOSIS	91	94	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	3	7	1
E COLI O157:H7	114	112	1
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	7	3	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	3	4	-
EHRlichiosis, HUMAN GRANULOCYtic (HGE)	-	1	-
EHRlichiosis, OTHER OR UNSPECIFIED	-	1	-
ENCEPHALITIS, LACROSSE	5	10	-
ENCEPHALITIS, POST CHICKEPOX	-	1	-
ENCEPHALITIS, POST OTHER	1	1	-
ENCEPHALITIS, PRIMARY	16	26	-
GIARDIASIS	497	583	10
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	40	35	-
HEMOLYTIC UREMIC SYNDROME (HUS)	8	4	-
HEPATITIS A	112	149	-
HEPATITIS B	39	54	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	1	8	-
HERPES, CONGENITAL	1	3	-
KAWASAKI DISEASE	15	28	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	44	98	1
LEPROSY (HANSEN'S DISEASE)	-	1	-
LEPTOSPIROSIS	1	-	-
LISTERIOSIS	10	6	1
LYME DISEASE	30	13	1
MALARIA	8	19	-
MEASLES, IMPORTED	3	-	-
MENINGITIS, ASEPTIC	633	664	4
MENINGITIS, OTHER BACTERIAL	60	61	-
MENINGOCOCCAL DISEASE	50	38	3
MUMPS	4	5	-
OUTBREAK, FOODBORNE	n/a	n/a	n/a
OUTBREAK, WATERBORNE	n/a	n/a	n/a
OUTBREAK, UNSPECIFIED	n/a	n/a	n/a
PERTUSSIS	167	176	3
RABIES, ANIMAL*	-	-	52
RHEUMATIC FEVER	2	2	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	2	-
RUBELLA, CONGENITAL	1	-	-
SALMONELLOSIS	762	572	18
SHIGELLOSIS	1517	1270	192
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	92	106	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	34	28	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	9	8	-
TOXIC SHOCK SYNDROME (TSS)	5	3	-
TULAREMIA	1	-	-
TYPHOID FEVER	1	4	-
TYPHUS FEVER, MURINE*	1	-	-
VIBRIOSIS	2	3	-
VIBRIOSIS, PARAHAEMOLYTIC	-	1	-
YERSINIOSIS	38	30	-
SUB-TOTAL**	4965	4867	356

(Continued)

*Please see Technical Notes for explanation

**Does not include reportable conditions collected as aggregate data, such as Chickenpox.

(-) indicates zero cases reported

REPORTED CASES OF NOTIFIABLE DISEASES BY GENDER, OHIO, 2001
(continued)

LABORATORY-BASED SURVEILLANCE*	Female	Male	Unspecified
STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	567	585	17
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	1581	874	34
SUB-TOTAL	2148	1459	51

HIV/AIDS			
AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	91	404	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	171	520	-
SUB-TOTAL	262	924	0

SEXUALLY TRANSMITTED DISEASES			
CHLAMYDIA, TOTAL	29125	7578	504
GONORRHEA, TOTAL	11178	9569	221
SYPHILIS, CONGENITAL	-	1	-
SYPHILIS, PRIMARY AND SECONDARY	26	62	-
SYPHILIS, ALL OTHER STAGES*	79	144	-
SUB-TOTAL	40408	17354	725

TUBERCULOSIS			
TUBERCULOSIS	113	193	-

TOTAL	47896	24797	1132
--------------	--------------	--------------	-------------

*Please see Technical Notes for explanation
(-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH OF REPORT, OHIO, 2001

	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	TOTAL
AMEBIASIS	-	-	1	2	-	1	1	3	3	1	2	1	15
BOTULISM, INFANT	-	1	-	-	1	-	-	-	-	-	-	1	3
CAMPYLOBACTERIOSIS	81	53	43	43	58	116	162	190	77	133	94	102	1152
CHICKENPOX*	69	158	291	455	182	115	35	16	46	28	70	202	1667
CREUTZFELDT-JAKOB DISEASE (CJD)	1	1	1	2	-	-	-	-	-	-	-	2	7
CRYPTOSPORIDIOSIS	8	11	7	9	11	6	20	30	35	20	14	14	185
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	1	-	-	2	1	2	3	-	2	-	11
E COLI O157:H7	9	3	5	5	14	16	18	27	35	48	38	9	227
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	1	-	-	1	2	-	4	2	-	10
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	2	-	-	-	-	-	3	-	2	-	7
EHRlichiosis, HUMAN GRANULOCYtic (HGE)	-	-	-	-	-	-	-	1	-	-	-	-	1
EHRlichiosis, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-	-	1	-	-	-	1
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	2	2	7	2	-	2	15
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	1	-	-	-	-	-	-	-	1
ENCEPHALITIS, POST OTHER	-	-	-	-	1	1	-	-	-	-	-	-	2
ENCEPHALITIS, PRIMARY	2	2	2	2	2	1	5	7	6	8	3	2	42
GIARDIASIS	82	66	74	67	58	58	71	138	129	145	117	85	1090
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	8	8	8	3	11	8	3	4	1	7	6	8	75
HEMOLYTIC UREMIC SYNDROME (HUS)	2	1	-	1	-	1	-	1	-	5	1	-	12
HEPATITIS A	24	21	25	20	16	20	17	19	17	20	32	30	261
HEPATITIS B	13	5	13	10	13	4	11	9	7	3	-	5	93
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	3	1	1	-	2	-	1	-	-	-	1	9
HERPES, CONGENITAL	-	1	1	-	-	1	-	-	-	1	-	-	4
KAWASAKI DISEASE	9	5	1	4	8	-	1	4	2	2	3	4	43
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	12	3	6	10	9	12	12	16	12	24	12	15	143
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	1	-	-	-	-	-	-	-	1
LEPTOSPIROSIS	-	-	-	-	-	-	-	-	1	-	-	-	1
LISTERIOSIS	-	1	-	2	1	2	3	1	2	1	2	2	17
LYME DISEASE	3	-	-	2	-	3	3	9	13	4	3	4	44
MALARIA	2	2	1	-	4	1	5	5	1	1	2	3	27
MEASLES, IMPORTED	-	-	2	-	1	-	-	-	-	-	-	-	3
MENINGITIS, ASEPTIC	57	22	19	15	23	44	83	242	260	157	167	212	1301
MENINGITIS, OTHER BACTERIAL	14	15	8	7	15	7	7	14	8	5	10	11	121
MENINGOCOCCAL DISEASE	10	10	8	14	11	4	4	8	6	4	7	5	91
MUMPS	1	-	-	-	-	-	-	-	-	-	7	1	9
OUTBREAK, FOODBORNE	15	2	9	13	9	9	6	4	4	2	6	12	91
OUTBREAK, UNSPECIFIED	2	-	1	-	1	-	2	3	-	-	2	2	13
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-	-	1	-	-	-	1
PERTUSSIS	50	27	23	15	17	23	32	28	32	28	25	46	346
RABIES, ANIMAL*	-	-	-	1	2	11	2	17	9	-	9	1	52
RHEUMATIC FEVER	-	-	1	1	1	-	-	-	1	-	-	-	4
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	1	-	-	-	-	1	-	-	2
RUBELLA, CONGENITAL	-	-	-	-	-	-	-	-	-	-	-	1	1
SALMONELLOSIS	92	72	84	139	104	124	127	190	123	108	97	92	1352
SHIGELLOSIS	42	31	32	45	101	229	545	910	317	256	244	227	2979
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	18	23	26	27	23	18	13	14	6	9	11	11	199
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	7	6	9	3	8	1	6	7	2	3	4	6	62
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	2	5	1	3	3	3	-	-	-	-	-	-	17
TOXIC SHOCK SYNDROME (TSS)	-	-	2	1	-	1	-	-	1	-	1	2	8
TULAREMIA	-	-	-	-	-	1	-	-	-	-	-	-	1
TYPHOID FEVER	-	1	-	-	1	-	1	-	-	1	1	-	5
TYPHUS FEVER, MURINE*	1	-	-	-	-	-	-	-	-	-	-	-	1
VIBRIOSIS	-	-	-	-	1	-	-	-	2	-	1	1	5
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-	-	1	-	-	-	1
YERSINIOSIS	7	8	5	10	7	4	7	5	6	1	4	4	68
SUB-TOTAL	643	567	713	933	720	849	1206	1929	1180	1032	1001	1126	11899

* Please see Technical Notes for explanation

(-) indicates zero cases reported.

(continued)

REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH OF REPORT, OHIO, 2001

(continued)

HIV/AIDS*	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC	TOTAL
AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	34	41	37	36	42	54	46	44	42	34	43	42	495
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	56	71	60	55	68	54	55	59	66	56	50	41	691
SUB-TOTAL	90	112	97	91	110	108	101	103	108	90	93	83	1186

SEXUALLY TRANSMITTED DISEASES*

CHLAMYDIA, TOTAL	3522	2951	3142	2784	2986	2716	3029	3306	2880	3586	3312	2993	37207
GONORRHEA, TOTAL	1781	1569	1693	1447	1641	1607	1836	1969	1760	1991	1851	1823	20968
SYPHILIS, CONGENITAL	-	1	-	-	-	-	-	-	-	-	-	-	1
SYPHILIS, PRIMARY AND SECONDARY	5	7	12	8	8	8	10	3	4	5	3	15	88
SYPHILIS, ALL OTHER STAGES*	21	29	24	20	24	17	19	11	18	14	9	17	223
SUB-TOTAL	5329	4557	4871	4259	4659	4348	4894	5289	4662	5596	5175	4848	58487

TUBERCULOSIS*

TUBERCULOSIS	8	20	21	22	18	34	30	26	22	27	28	50	306
--------------	---	----	----	----	----	----	----	----	----	----	----	----	-----

TOTAL	6070	5256	5702	5305	5507	5339	6231	7347	5972	6745	6297	6107	71878
--------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------

* Please see Technical Notes for explanation
 (-) indicates zero cases reported.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	ADAMS	ALLEN	ASHLAND	ASHTABULA	ATHENS	AUGLAIZE	BELMONT
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	1	10	3	11	-	3	10
CHICKENPOX*	-	-	-	-	2	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	1
CRYPTOSPORIDIOSIS	1	-	3	-	-	1	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	2	-	1	-	-	-
E COLI O157:H7	-	2	-	1	-	1	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	2	-	-	-	-	-
EHRlichiosis, HUMAN GRANULOCYtic (HGE)	-	-	-	-	-	-	-
EHRlichiosis, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	1	-	1	-	2	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	3	-	-	1	-	-
GIARDIASIS	3	16	-	7	2	5	4
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	-	-	-	-	1
HEMOLYTIC UREMIC SYNDROME (HUS)	-	1	-	-	-	-	-
HEPATITIS A	-	3	-	-	-	-	1
HEPATITIS B	-	1	-	-	1	-	1
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	1	-	-	1
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	1	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	1	-	-
LYME DISEASE	-	-	-	-	-	-	1
MALARIA	-	-	-	-	-	-	-
MEASLES, IMPORTED	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	2	36	-	1	9	5	6
MENINGITIS, OTHER BACTERIAL	-	4	-	-	-	-	3
MENINGOCOCCAL DISEASE	-	1	-	-	1	1	2
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	-	2	-	-	1	1	1
OUTBREAK, UNSPECIFIED	-	-	-	1	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	-	-	-	1	1	1	-
RABIES, ANIMAL*	-	2	-	-	-	-	2
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	-	21	8	15	3	8	11
SHIGELLOSIS	-	3	1	7	2	1	1
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	4	-	1	-	-	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	1	-	-	1	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	1	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	1	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	-	-
SUB-TOTAL	7	115	15	50	26	29	47

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	-	23	-	1	4	7	1
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	2	48	2	13	6	13	1
SUB-TOTAL	2	71	2	14	10	20	2

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	2	4	-	3	-	1	2
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	-	4	1	-	1	1	-
SUB-TOTAL	2	8	1	3	1	2	2

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	27	384	53	142	148	75	123
GONORRHEA, TOTAL	2	136	14	26	19	9	23
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	1	-	-	-	-	-
SYPHILIS, ALL OTHER STAGES*	-	2	-	-	-	-	-
SUB-TOTAL	29	523	67	168	167	84	146

TUBERCULOSIS

TUBERCULOSIS	1	5	-	1	1	-	-
--------------	---	---	---	---	---	---	---

TOTAL	41	722	85	236	205	135	197
--------------	-----------	------------	-----------	------------	------------	------------	------------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	BROWN	BUTLER	CARROLL	CHAMPAIGN	CLARK	CLERMONT	CLINTON
AMEBIASIS	-	-	-	-	-	2	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	3	43	4	4	6	17	5
CHICKENPOX*	-	18	-	-	-	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	3	-	1	2	2	1
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	1	-	-	-	-	-
E COLI O157:H7	-	2	1	1	-	2	1
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	1	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	-	-	-	-	-
EHRlichIOSIS, HUMAN GRANULOCYtic (HGE)	-	-	-	-	-	-	-
EHRlichIOSIS, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	-	-	-	-
GIARDIASIS	6	34	4	1	12	35	4
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	3	-	-	1	-	2
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	1	-
HEPATITIS A	-	12	1	-	4	3	1
HEPATITIS B	-	1	-	-	-	3	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	1	-
KAWASAKI DISEASE	-	3	-	-	2	3	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	-	1	1	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	1	-	-
LYME DISEASE	-	3	-	-	-	-	-
MALARIA	-	1	-	-	-	-	-
MEASLES, IMPORTED	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	7	54	1	2	3	41	1
MENINGITIS, OTHER BACTERIAL	1	2	-	-	-	-	-
MENINGOCOCCAL DISEASE	-	5	-	-	-	2	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	-	-	-	1	2	2	-
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	-	16	1	-	6	12	1
RABIES, ANIMAL*	1	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	4	30	2	3	8	22	3
SHIGELLOSIS	-	122	-	1	1	36	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	5	-	-	7	3	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	3	-	-	1	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	1	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	2	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	1	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	1	-	-	-	-	1
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	-	-
SUB-TOTAL	22	366	14	14	58	188	20

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	1	42	5	5	19	25	8
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	-	23	10	1	10	11	1
SUB-TOTAL	1	65	15	6	29	36	9

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	1	10	-	1	2	2	1
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	1	8	-	1	3	3	1
SUB-TOTAL	2	18	0	2	5	5	2

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	146	725	33	35	367	166	63
GONORRHEA, TOTAL	47	306	7	7	244	22	13
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	1	-	-	-	1	-
SYPHILIS, ALL OTHER STAGES*	3	2	-	-	3	-	1
SUB-TOTAL	196	1034	40	42	614	189	77

TUBERCULOSIS

TUBERCULOSIS	-	13	2	-	3	1	2
--------------	---	----	---	---	---	---	---

TOTAL	221	1496	71	64	709	419	110
--------------	------------	-------------	-----------	-----------	------------	------------	------------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	COLUMBIANA	COSHOCTON	CRAWFORD	CUYAHOGA	DARKE	DEFIANCE	DELAWARE
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	9	4	2	197	7	2	12
CHICKENPOX*	12	-	49	8	-	-	57
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	2	-	-	-
CRYPTOSPORIDIOSIS	-	-	-	25	-	-	8
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	1	-	-	-
E COLI O157:H7	3	1	-	13	-	-	1
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	2	-	1	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	-	2	-	-	-
EHRlichiosis, HUMAN GRANULOCYTTIC (HGE)	-	-	-	-	-	-	-
EHRlichiosis, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	-	-	1	-	-	1
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	1	4	-	2	1
GIARDIASIS	10	8	4	122	7	2	21
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	-	-	9	1	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	4	-	1	31	-	-	1
HEPATITIS B	-	-	-	18	-	-	2
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	1	1	-	-	-	-
HERPES, CONGENITAL	-	-	1	-	-	-	-
KAWASAKI DISEASE	1	1	1	3	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	1	-	-	38	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	1	-	-	-
LISTERIOSIS	-	-	-	2	-	-	-
LYME DISEASE	1	-	-	4	-	-	3
MALARIA	1	-	-	3	-	-	-
MEASLES, IMPORTED	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	7	1	-	178	3	6	9
MENINGITIS, OTHER BACTERIAL	-	-	-	11	-	1	1
MENINGOCOCCAL DISEASE	3	-	-	13	-	1	-
MUMPS	-	1	-	2	-	-	-
OUTBREAK, FOODBORNE	-	-	1	6	-	-	-
OUTBREAK, UNSPECIFIED	1	-	-	1	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	1	2	-	22	2	-	8
RABIES, ANIMAL*	-	-	-	2	-	-	1
RHEUMATIC FEVER	-	-	1	1	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	8	2	4	178	10	3	12
SHIGELLOSIS	2	-	2	268	-	-	11
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	3	-	1	34	5	-	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	2	-	-	2
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	1	-	-	1	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	1	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	1	-	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	2	-	-	14	-	-	2
SUB-TOTAL	71	21	69	1221	35	18	154

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	18	-	10	131	3	1	6
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	26	2	3	746	6	4	5
SUB-TOTAL	44	2	13	877	9	5	11

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	-	-	-	128	1	2	3
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	1	1	1	145	-	1	3
SUB-TOTAL	1	1	1	273	1	3	6

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	106	49	49	6349	40	49	141
GONORRHEA, TOTAL	18	19	18	4752	8	3	43
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	3	-	-	1
SYPHILIS, ALL OTHER STAGES*	8	-	-	42	-	-	1
SUB-TOTAL	132	68	67	11146	48	52	186

TUBERCULOSIS

TUBERCULOSIS	2	-	-	67	-	4	4
--------------	---	---	---	----	---	---	---

TOTAL	250	92	150	13584	93	82	361
--------------	------------	-----------	------------	--------------	-----------	-----------	------------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	ERIE	FAIRFIELD	FAYETTE	FRANKLIN	FULTON	GALLIA	GEAUGA
AMEBIASIS	-	-	-	6	-	-	-
BOTULISM, INFANT	-	-	-	1	-	-	-
CAMPYLOBACTERIOSIS	10	8	3	84	6	2	13
CHICKENPOX*	-	-	-	-	-	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	2	-	44	-	-	3
CYTOMEGALOVIRUS (CMV), CONGENITAL	1	-	-	-	-	-	1
E COLI O157:H7	1	4	-	13	-	2	2
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	1
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	-	-	-	-	-
EHRlichiosis, HUMAN GRANULOCYtic (HGE)	-	-	-	-	-	-	-
EHRlichiosis, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	2	-	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	1	-	-	-	-	1
GIARDIASIS	9	6	4	168	4	2	11
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	-	-	10	-	-	2
HEMOLYTIC UREMIC SYNDROME (HUS)	-	1	-	-	-	-	1
HEPATITIS A	2	2	-	38	1	-	-
HEPATITIS B	2	-	-	2	-	-	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	1	-	-	-	-	1	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	1	-	24	-	-	2
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	1	-	-	-
LYME DISEASE	-	-	-	2	-	-	-
MALARIA	-	-	-	2	-	-	-
MEASLES, IMPORTED	-	-	-	1	-	-	-
MENINGITIS, ASEPTIC	3	13	-	117	1	1	3
MENINGITIS, OTHER BACTERIAL	1	5	-	33	1	2	-
MENINGOCOCCAL DISEASE	1	2	-	5	-	-	1
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	-	3	-	12	-	1	-
OUTBREAK, UNSPECIFIED	-	-	-	1	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	-	3	-	75	-	1	3
RABIES, ANIMAL*	-	-	-	2	1	-	3
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	12	15	1	133	4	7	14
SHIGELLOSIS	22	3	-	239	-	-	2
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	1	-	22	-	1	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	24	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	1	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	1	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	1	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	8	1	-	-
SUB-TOTAL	66	72	8	1069	20	20	63

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	14	1	4	92	-	-	7
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	14	13	5	200	6	-	36
SUB-TOTAL	28	14	9	292	6	0	43

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	2	4	-	90	-	-	1
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	4	3	-	116	-	1	-
SUB-TOTAL	6	7	0	206	0	1	1

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	369	154	39	5375	34	55	20
GONORRHEA, TOTAL	218	34	7	3563	3	11	12
SYPHILIS, CONGENITAL	-	-	-	1	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	2	-	66	-	-	-
SYPHILIS, ALL OTHER STAGES*	2	-	1	87	1	-	-
SUB-TOTAL	589	190	47	9092	38	66	32

TUBERCULOSIS

TUBERCULOSIS	3	-	-	75	-	1	-
--------------	---	---	---	----	---	---	---

TOTAL	692	283	64	10734	64	88	139
--------------	------------	------------	-----------	--------------	-----------	-----------	------------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	GREENE	GUERNSEY	HAMILTON	HANCOCK	HARDIN	HARRISON	HENRY
AMEBIASIS	-	-	1	-	1	-	-
BOTULISM, INFANT	-	-	1	-	-	-	-
CAMPYLOBACTERIOSIS	6	5	99	1	2	3	2
CHICKENPOX*	5	1	-	-	-	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	4	-	-	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	1	-	-	-	-
E COLI O157:H7	4	-	30	-	2	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	1	-	-	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	1	1	-	-	-
EHRlichIOSIS, HUMAN GRANULOCYtic (HGE)	-	-	-	-	-	-	-
EHRlichIOSIS, OTHER OR UNSPECIFIED	-	-	1	-	-	-	-
ENCEPHALITIS, LACROSSE	-	-	-	-	1	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	4	1	-	-	-
GIARDIASIS	3	3	84	6	1	1	2
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	5	-	-	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	1	1	-	-	-
HEPATITIS A	5	1	22	2	1	-	2
HEPATITIS B	-	-	19	-	-	-	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	2	-	13	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	2	4	-	1	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	-	-
LYME DISEASE	-	-	-	-	-	-	1
MALARIA	1	-	3	-	-	-	-
MEASLES, IMPORTED	-	-	1	-	-	-	-
MENINGITIS, ASEPTIC	25	16	141	2	5	-	5
MENINGITIS, OTHER BACTERIAL	1	-	8	1	1	-	-
MENINGOCOCCAL DISEASE	1	-	8	-	-	-	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	3	-	6	1	-	-	1
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	1	-	91	-	2	-	-
RABIES, ANIMAL*	-	4	-	2	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	1	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	5	6	102	7	2	1	4
SHIGELLOSIS	8	-	1904	7	-	-	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	-	24	2	3	-	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	5	1	1	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	2	-	1	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	1	-	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	-	1	8	-	-	2	-
SUB-TOTAL	72	39	2594	36	24	7	18

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	9	7	115	10	5	-	-
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	18	2	57	3	9	18	4
SUB-TOTAL	27	9	172	13	14	18	4

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	2	1	51	1	1	-	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	-	2	90	-	1	-	-
SUB-TOTAL	2	3	141	1	2	0	0

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	351	79	4691	141	57	21	40
GONORRHEA, TOTAL	108	15	3237	17	4	5	2
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	2	-	-	-	-
SYPHILIS, ALL OTHER STAGES*	4	1	19	2	-	-	-
SUB-TOTAL	463	95	7949	160	61	26	42

TUBERCULOSIS

TUBERCULOSIS	6	-	24	-	-	-	1
--------------	---	---	----	---	---	---	---

TOTAL	570	146	10880	210	101	51	65
--------------	------------	------------	--------------	------------	------------	-----------	-----------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	HIGHLAND	HOCKING	HOLMES	HURON	JACKSON	JEFFERSON	KNOX
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	4	-	8	4	2	9	3
CHICKENPOX*	2	-	-	20	-	-	72
CREUTZFELDT-JAKOB DISEASE (CJD)	1	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	1	-	-	-	1	1	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	-	-	-	1	-	2	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	-	-	-	-	-
EHRlichiosis, HUMAN GRANULOCYTTIC (HGE)	-	-	-	-	-	-	-
EHRlichiosis, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	-	-	1	2
GIARDIASIS	1	2	3	6	-	7	1
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	1	-	-	-	3	1
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	-	1	1	3	1	1	1
HEPATITIS B	-	-	-	-	-	1	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	1	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	1	2	-	1
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	-	-
LYME DISEASE	3	-	-	-	-	-	1
MALARIA	-	-	-	-	-	-	-
MEASLES, IMPORTED	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	5	5	3	-	6	-	6
MENINGITIS, OTHER BACTERIAL	-	-	-	-	2	2	4
MENINGOCOCCAL DISEASE	-	-	-	-	-	-	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	-	-	1	-	-	-	2
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	4	-	7	-	3	1	3
RABIES, ANIMAL*	-	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	4	-	1	5	5	11	9
SHIGELLOSIS	-	-	-	4	-	-	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	1	-	-	1	-	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	-	-	-	1
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	1	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	-	-	1	-	-	1	2
SUB-TOTAL	26	10	26	45	23	40	109

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	2	-	-	1	2	13	5
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	5	7	1	6	1	85	12
SUB-TOTAL	7	7	1	7	3	98	17

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	1	-	-	1	-	-	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	2	-	-	1	1	-	-
SUB-TOTAL	3	0	0	2	1	0	0

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	30	44	10	148	53	95	60
GONORRHEA, TOTAL	3	2	5	25	3	53	6
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	2	2
SYPHILIS, ALL OTHER STAGES*	-	-	-	-	-	-	-
SUB-TOTAL	33	46	15	173	56	150	68

TUBERCULOSIS

TUBERCULOSIS	-	1	-	2	-	1	1
--------------	---	---	---	---	---	---	---

TOTAL	69	64	42	229	83	289	195
--------------	-----------	-----------	-----------	------------	-----------	------------	------------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	LAKE	LAWRENCE	LICKING	LOGAN	LORAIN	LUCAS	MADISON
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	24	4	19	5	23	35	2
CHICKENPOX*	-	-	3	2	3	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	2	-	6	1	2	15	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	2	-	6	1	24	2	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	1	-	-	-	1	-	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	-	-	-	-	-
EHRlichIOSIS, HUMAN GRANULOCYTTIC (HGE)	-	-	-	-	-	-	-
EHRlichIOSIS, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	-	1	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	-	-	-	-
GIARDIASIS	19	7	14	8	25	49	2
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	2	1	-	-	1	3	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	2	-	-
HEPATITIS A	4	-	2	-	6	11	-
HEPATITIS B	2	-	-	-	-	3	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	1	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	1	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	2	1	2	3	3	6	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	1	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	-	-	1	-
LYME DISEASE	1	1	2	-	-	2	-
MALARIA	3	-	-	-	-	-	-
MEASLES, IMPORTED	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	15	5	40	4	10	5	5
MENINGITIS, OTHER BACTERIAL	-	-	-	2	1	1	1
MENINGOCOCCAL DISEASE	-	-	3	-	1	6	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	5	-	2	1	4	5	-
OUTBREAK, UNSPECIFIED	-	-	-	-	1	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	1	-	5	1	-	-	2
RABIES, ANIMAL*	5	-	-	-	-	-	-
RHEUMATIC FEVER	-	-	-	-	1	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	21	3	17	4	30	56	3
SHIGELLOSIS	8	-	5	-	11	14	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	1	3	-	1	4	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	2	-	1	2	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	2	-
TOXIC SHOCK SYNDROME (TSS)	1	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE*	1	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	3	-	2	-	-	1	-
SUB-TOTAL	124	23	134	32	152	224	16

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	31	1	17	7	8	46	3
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	59	1	47	17	20	108	6
SUB-TOTAL	90	2	64	24	28	154	9

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	4	-	3	2	15	31	2
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	4	2	5	1	10	29	-
SUB-TOTAL	8	2	8	3	25	60	2

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	293	57	257	79	670	2409	40
GONORRHEA, TOTAL	74	11	92	15	327	1249	11
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	1	-
SYPHILIS, ALL OTHER STAGES*	2	-	1	-	5	1	3
SUB-TOTAL	369	68	350	94	1002	3660	54

TUBERCULOSIS

TUBERCULOSIS	3	1	3	-	6	10	-
--------------	---	---	---	---	---	----	---

TOTAL	594	96	559	153	1213	4108	81
--------------	------------	-----------	------------	------------	-------------	-------------	-----------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	MAHONING	MARION	MEDINA	MEIGS	MERCER	MIAMI	MONROE
AMEBIASIS	-	1	1	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	9	4	15	1	17	12	-
CHICKENPOX*	11	-	-	-	-	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	1	-
CRYPTOSPORIDIOSIS	1	-	1	-	6	1	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	1	5	4	-	1	2	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	1	-	-	-	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	1	-	-	-	-
EHRlichiosis, HUMAN GRANULOCYTTIC (HGE)	-	-	-	-	-	1	-
EHRlichiosis, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	1	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	-	1	-	1	-
GIARDIASIS	4	4	8	-	10	7	1
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	-	2	-	-	1	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	1	-	-	-	-	-
HEPATITIS A	4	30	1	-	1	1	2
HEPATITIS B	-	-	1	-	-	1	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	1	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	3	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	3	-	2	-	-	2	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	1	-	-	-	-	-	-
LYME DISEASE	1	-	-	-	-	1	-
MALARIA	-	-	-	-	-	-	-
MEASLES, IMPORTED	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	38	4	2	-	2	11	-
MENINGITIS, OTHER BACTERIAL	-	-	1	-	-	1	-
MENINGOCOCCAL DISEASE	2	-	1	-	2	-	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	2	-	3	-	-	1	-
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	1	-	2	-	-	-	-
RABIES, ANIMAL*	2	-	1	1	-	1	2
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	18	8	14	-	8	15	1
SHIGELLOSIS	20	1	2	-	1	1	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	4	1	-	-	-	2	1
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	-	-	1	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	1	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	3	-
SUB-TOTAL	128	59	63	3	48	68	7

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	27	3	12	1	3	10	-
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	67	4	22	3	3	6	1
SUB-TOTAL	94	7	34	4	6	16	1

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	16	2	1	-	-	3	1
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	19	-	3	-	-	4	-
SUB-TOTAL	35	2	4	0	0	7	1

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	633	107	87	25	20	128	11
GONORRHEA, TOTAL	447	17	8	2	2	49	2
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	-
SYPHILIS, ALL OTHER STAGES*	1	-	-	-	-	2	-
SUB-TOTAL	1081	124	95	27	22	179	13

TUBERCULOSIS

TUBERCULOSIS	3	-	2	1	-	-	-
--------------	---	---	---	---	---	---	---

TOTAL	1341	192	198	35	76	270	22
--------------	-------------	------------	------------	-----------	-----------	------------	-----------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	MONTGOMERY	MORGAN	MORROW	MUSKINGUM	NOBLE	OTTAWA	PAULDING
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	1	-	-	-	-
CAMPYLOBACTERIOSIS	44	-	3	16	-	6	-
CHICKENPOX*	-	-	-	-	-	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	3	-	-	-	-	1	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	2	-	-	-	-	-	-
E COLI O157:H7	5	-	-	2	-	-	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	-	-	-	-	-
EHRlichIOSIS, HUMAN GRANULOCYtic (HGE)	-	-	-	-	-	-	-
EHRlichIOSIS, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	1	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	1	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	1	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	2	-	-	-	-	-	-
GIARDIASIS	40	1	3	5	1	4	4
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	2	-	-	2	-	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	-	-	2	1	-	1	-
HEPATITIS B	5	-	-	-	-	-	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	1	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	6	-	1	3	-	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	1	-	-	-	1	-	-
LYME DISEASE	-	-	-	-	1	-	-
MALARIA	6	-	-	-	-	-	-
MEASLES, IMPORTED	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	87	-	1	8	3	-	2
MENINGITIS, OTHER BACTERIAL	8	-	2	-	-	-	-
MENINGOCOCCAL DISEASE	5	-	-	-	-	-	-
MUMPS	1	-	-	-	-	-	-
OUTBREAK, FOODBORNE	3	-	-	-	-	1	-
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	11	-	1	1	-	-	-
RABIES, ANIMAL*	-	-	-	1	-	-	-
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	1	-	-	-	-	-	-
SALMONELLOSIS	48	-	7	19	1	5	2
SHIGELLOSIS	106	-	-	4	-	-	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	13	-	-	1	1	-	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	5	-	-	1	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	2	-	-	2	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	1	-	-	-	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	9	-	-	-	-	-	-
SUB-TOTAL	420	1	21	66	8	18	8

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	80	-	4	19	-	1	1
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	174	1	1	29	-	5	2
SUB-TOTAL	254	1	5	48	0	6	3

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	29	-	-	-	2	-	-
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	47	-	1	3	-	-	1
SUB-TOTAL	76	0	1	3	2	0	1

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	2786	7	22	190	1	39	20
GONORRHEA, TOTAL	1805	-	2	115	-	12	1
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	2	-	-	-	-	-	-
SYPHILIS, ALL OTHER STAGES*	17	-	-	-	-	-	-
SUB-TOTAL	4610	7	24	305	1	51	21

TUBERCULOSIS

TUBERCULOSIS	14	-	-	-	-	1	-
--------------	----	---	---	---	---	---	---

TOTAL	5374	9	51	422	11	76	33
--------------	-------------	----------	-----------	------------	-----------	-----------	-----------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	PERRY	PICKAWAY	PIKE	PORTAGE	PREBLE	PUTNAM	RICHLAND
AMEBIASIS	-	-	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	3	5	5	21	-	-	11
CHICKENPOX*	-	1	-	-	-	-	5
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	4	2	-	-	1
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	2	1	-	3	1	2	5
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	-	-	-	-	-
EHRlichIOSIS, HUMAN GRANULOCYtic (HGE)	-	-	-	-	-	-	-
EHRlichIOSIS, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	1	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	2	-	-	2	1
GIARDIASIS	4	7	3	13	-	5	3
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	1	-	-	-	-	1
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	1
HEPATITIS A	2	1	-	3	-	1	1
HEPATITIS B	-	-	-	1	-	-	3
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	1	-	-	-	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	-	-	-	4	-	-	2
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	-	-	1	-	-	-
LYME DISEASE	-	1	-	-	1	-	1
MALARIA	-	-	-	-	-	-	-
MEASLES, IMPORTED	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	4	7	4	32	4	4	3
MENINGITIS, OTHER BACTERIAL	-	-	-	-	-	1	-
MENINGOCOCCAL DISEASE	-	-	1	2	-	1	-
MUMPS	-	-	-	-	-	-	-
OUTBREAK, FOODBORNE	-	-	-	2	-	-	3
OUTBREAK, UNSPECIFIED	-	-	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	-	2	2	4	1	-	5
RABIES, ANIMAL*	-	3	-	1	-	-	1
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	2	1	5	76	-	2	14
SHIGELLOSIS	-	-	-	4	-	-	8
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	1	-	-	-	-	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	1	1	-	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	1
YERSINIOSIS	-	-	1	-	-	-	-
SUB-TOTAL	18	32	29	169	7	19	70

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	2	4	6	1	7	4	16
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	10	9	5	5	5	12	12
SUB-TOTAL	12	13	11	6	12	16	28

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	-	2	2	2	-	-	5
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	-	-	-	1	-	-	5
SUB-TOTAL	0	2	2	3	0	0	10

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	34	128	38	205	22	36	339
GONORRHEA, TOTAL	9	46	3	32	1	2	212
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	1
SYPHILIS, ALL OTHER STAGES*	-	1	-	1	2	-	-
SUB-TOTAL	43	175	41	238	25	38	552

TUBERCULOSIS

TUBERCULOSIS	-	2	1	2	-	1	-
--------------	---	---	---	---	---	---	---

TOTAL	73	224	84	418	44	74	660
--------------	-----------	------------	-----------	------------	-----------	-----------	------------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	ROSS	SANDUSKY	SCIOTO	SENECA	SHELBY	STARK	SUMMIT
AMEBIASIS	-	-	-	-	-	-	1
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	7	12	1	9	2	47	51
CHICKENPOX*	5	-	-	1	-	-	56
CREUTZFELDT-JAKOB DISEASE (CJD)	1	-	-	-	-	-	1
CRYPTOSPORIDIOSIS	6	-	-	-	-	7	14
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	1
E COLI O157:H7	-	3	3	3	1	4	5
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	1
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	-	-	-	-	-
EHRlichiosis, HUMAN GRANULOCYTTIC (HGE)	-	-	-	-	-	-	-
EHRlichiosis, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	2	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	1
ENCEPHALITIS, PRIMARY	1	-	2	-	-	2	2
GIARDIASIS	7	3	3	5	17	57	61
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	-	-	1	1	-	3	5
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	-	-
HEPATITIS A	-	-	5	-	1	10	10
HEPATITIS B	-	-	1	-	-	3	10
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	-	-	-	-	-	4
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	1	-	2	-	1	6	6
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	-	1	-	-	-	1	1
LYME DISEASE	-	-	-	-	-	4	1
MALARIA	-	-	-	-	-	1	5
MEASLES, IMPORTED	-	-	-	-	-	-	-
MENINGITIS, ASEPTIC	16	9	32	6	2	65	72
MENINGITIS, OTHER BACTERIAL	-	-	1	-	1	2	9
MENINGOCOCCAL DISEASE	1	1	4	2	-	3	5
MUMPS	-	-	-	1	-	-	1
OUTBREAK, FOODBORNE	-	2	-	-	-	1	3
OUTBREAK, UNSPECIFIED	-	1	-	-	-	-	3
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	1	1	-	1	-	6	5
RABIES, ANIMAL*	2	1	-	-	-	4	1
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	7	9	6	6	17	45	85
SHIGELLOSIS	-	10	2	1	-	5	98
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	-	2	2	2	2	4	12
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	-	2	2	1
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	3
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	1	2
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	1	4
SUB-TOTAL	55	55	65	38	46	286	540

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	8	8	9	9	9	56	96
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	4	14	27	9	4	131	116
SUB-TOTAL	12	22	36	18	13	187	212

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	3	2	1	1	2	7	24
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	-	1	-	-	1	15	53
SUB-TOTAL	3	3	1	1	3	22	77

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	152	174	252	86	85	959	1333
GONORRHEA, TOTAL	10	54	89	12	17	580	988
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	-	-	1
SYPHILIS, ALL OTHER STAGES*	1	-	1	-	-	1	3
SUB-TOTAL	163	228	342	98	102	1540	2325

TUBERCULOSIS

TUBERCULOSIS	2	-	1	2	1	4	17
--------------	---	---	---	---	---	---	----

TOTAL	235	308	445	157	165	2039	3171
--------------	------------	------------	------------	------------	------------	-------------	-------------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	TRUMBULL	TUSCARAWAS	UNION	VAN WERT	VINTON	WARREN	WASHINGTON
AMEBIASIS	-	-	-	-	-	2	-
BOTULISM, INFANT	-	-	-	-	-	-	-
CAMPYLOBACTERIOSIS	17	12	6	-	1	23	11
CHICKENPOX*	-	-	-	-	-	-	-
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-	-	-
CRYPTOSPORIDIOSIS	1	-	-	-	1	-	1
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-	-	-
E COLI O157:H7	1	-	-	-	-	7	1
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	-	-	-	-	-
EHRlichiosis, HUMAN GRANULOCYtic (HGE)	-	-	-	-	-	-	-
EHRlichiosis, OTHER OR UNSPECIFIED	-	-	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-	-	-
ENCEPHALITIS, PRIMARY	1	-	1	-	-	1	-
GIARDIASIS	5	10	3	2	-	14	3
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	1	1	-	-	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	-	-	1	-
HEPATITIS A	2	5	3	-	-	-	3
HEPATITIS B	4	-	-	-	-	2	4
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	1	-	-	-	1
HERPES, CONGENITAL	-	-	-	-	-	-	-
KAWASAKI DISEASE	-	1	-	-	-	1	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	1	-	1	-	-	2	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-	-	-
LISTERIOSIS	1	1	-	-	-	1	-
LYME DISEASE	3	-	1	-	-	1	2
MALARIA	1	-	-	-	-	-	-
MEASLES, IMPORTED	-	-	-	-	-	1	-
MENINGITIS, ASEPTIC	6	1	3	4	1	30	4
MENINGITIS, OTHER BACTERIAL	1	1	-	-	-	1	1
MENINGOCOCCAL DISEASE	-	-	1	-	-	-	-
MUMPS	2	-	-	-	-	-	1
OUTBREAK, FOODBORNE	-	1	1	-	-	-	-
OUTBREAK, UNSPECIFIED	-	1	-	-	-	-	-
OUTBREAK, WATERBORNE	-	-	-	-	-	-	-
PERTUSSIS	2	1	-	-	2	14	-
RABIES, ANIMAL*	1	-	-	-	-	-	3
RHEUMATIC FEVER	-	-	-	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	-	-	-	-	-
RUBELLA, CONGENITAL	-	-	-	-	-	-	-
SALMONELLOSIS	26	13	-	1	-	8	11
SHIGELLOSIS	-	-	-	-	-	21	1
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	2	-	3	-	1	8	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	-	-	-	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-	-	-
TULAREMIA	-	-	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-	-	-
VIBRIOSIS	-	-	-	-	-	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-	-	-
YERSINIOSIS	-	-	-	-	-	-	-
SUB-TOTAL	78	48	25	7	6	138	47

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	23	1	2	1	-	22	4
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	58	4	3	4	-	14	6
SUB-TOTAL	81	5	5	5	0	36	10

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	1	-	1	-	-	3	2
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	6	-	2	-	1	3	1
SUB-TOTAL	7	0	3	0	1	6	3

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	303	127	86	39	9	132	83
GONORRHEA, TOTAL	233	33	35	9	2	22	4
SYPHILIS, CONGENITAL	-	-	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	1	-	-	-	-	-	-
SYPHILIS, ALL OTHER STAGES*	-	-	-	-	-	-	-
SUB-TOTAL	537	160	121	48	11	154	87

TUBERCULOSIS

TUBERCULOSIS	6	1	-	-	-	-	1
--------------	---	---	---	---	---	---	---

TOTAL	709	214	154	60	18	334	148
--------------	------------	------------	------------	-----------	-----------	------------	------------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

REPORTED CASES OF NOTIFIABLE DISEASES BY COUNTY OF RESIDENCE, OHIO, 2001

	WAYNE	WILLIAMS	WOOD	WYANDOT	UNKNOWN
AMEBIASIS	-	-	-	-	-
BOTULISM, INFANT	-	-	-	-	-
CAMPYLOBACTERIOSIS	17	5	16	4	-
CHICKENPOX*	-	-	8	7	1319
CREUTZFELDT-JAKOB DISEASE (CJD)	-	-	-	-	-
CRYPTOSPORIDIOSIS	-	-	6	-	-
CYTOMEGALOVIRUS (CMV), CONGENITAL	-	-	-	-	-
E COLI O157:H7	1	1	1	37	-
E COLI SHIGA TOXIN PRODUCING (NOT O157:H7)	-	-	-	-	-
E COLI SHIGA TOXIN PRODUCING, SEROTYPE UNKNOWN	-	-	-	-	-
EHRlichiosis, HUMAN GRANULOCYtic (HGE)	-	-	-	-	-
EHRlichiosis, OTHER OR UNSPECIFIED	-	-	-	-	-
ENCEPHALITIS, LACROSSE	-	-	-	-	-
ENCEPHALITIS, POST CHICKEPOX	-	-	-	-	-
ENCEPHALITIS, POST OTHER	-	-	-	-	-
ENCEPHALITIS, PRIMARY	-	-	1	-	-
GIARDIASIS	7	4	5	2	-
HAEMOPHILUS INFLUENZAE (INVASIVE DISEASE)	1	-	1	-	-
HEMOLYTIC UREMIC SYNDROME (HUS)	-	-	-	1	-
HEPATITIS A	1	-	-	1	-
HEPATITIS B	2	-	-	-	-
HEPATITIS, NON A-NON B (INCLUDES HEPATITIS C)	-	-	-	-	-
HERPES, CONGENITAL	-	-	-	-	-
KAWASAKI DISEASE	1	-	-	1	-
LEGIONELLOSIS (LEGIONNAIRES' DISEASE)	2	-	1	-	-
LEPROSY (HANSEN'S DISEASE)	-	-	-	-	-
LEPTOSPIROSIS	-	-	-	-	-
LISTERIOSIS	-	-	1	-	-
LYME DISEASE	1	-	-	-	-
MALARIA	-	-	-	-	-
MEASLES, IMPORTED	-	-	-	-	-
MENINGITIS, ASEPTIC	10	-	10	1	-
MENINGITIS, OTHER BACTERIAL	-	1	1	-	-
MENINGOCOCCAL DISEASE	1	-	1	1	-
MUMPS	-	-	-	-	-
OUTBREAK, FOODBORNE	1	-	3	-	-
OUTBREAK, UNSPECIFIED	1	-	-	2	-
OUTBREAK, WATERBORNE	-	-	1	-	-
PERTUSSIS	5	-	1	-	-
RABIES, ANIMAL*	-	-	2	-	-
RHEUMATIC FEVER	1	-	-	-	-
ROCKY MOUNTAIN SPOTTED FEVER (RMSF)	-	-	1	-	-
RUBELLA, CONGENITAL	-	-	-	-	-
SALMONELLOSIS	20	2	10	3	-
SHIGELLOSIS	3	3	3	-	-
STREPTOCOCCAL DISEASE, GROUP A, INVASIVE	1	-	3	-	-
STREPTOCOCCAL DISEASE, GROUP B, IN NEWBORN	-	-	1	-	-
STREPTOCOCCAL TOXIC SHOCK SYNDROME (STSS)	-	-	-	-	-
TOXIC SHOCK SYNDROME (TSS)	-	-	-	-	-
TULAREMIA	-	-	-	-	-
TYPHOID FEVER	-	-	-	-	-
TYPHUS FEVER, MURINE*	-	-	-	-	-
VIBRIOSIS	-	-	1	-	-
VIBRIOSIS, PARAHAEMOLYTIC	-	-	-	-	-
YERSINIOSIS	1	-	1	-	-
SUB-TOTAL	77	16	79	60	1319

LABORATORY-BASED SURVEILLANCE*

STREPTOCOCCUS PNEUMONIAE, INVASIVE DISEASE (ISP)	3	-	7	-	-
VANCOMYCIN-RESISTANT ENTEROCOCCAL DISEASE (VRE)	13	-	11	2	-
SUB-TOTAL	16	0	18	2	0

HIV/AIDS

AIDS (ACQUIRED IMMUNODEFICIENCY SYNDROME)	1	-	5	-	2
HIV (HUMAN IMMUNODEFICIENCY VIRUS)	1	1	2	-	72
SUB-TOTAL	2	1	7	0	74

SEXUALLY TRANSMITTED DISEASES

CHLAMYDIA, TOTAL	123	20	173	19	3233
GONORRHEA, TOTAL	58	3	36	2	1166
SYPHILIS, CONGENITAL	-	-	-	-	-
SYPHILIS, PRIMARY AND SECONDARY	-	-	-	-	1
SYPHILIS, ALL OTHER STAGES*	-	-	-	-	2
SUB-TOTAL	181	23	209	21	4402

TUBERCULOSIS

TUBERCULOSIS	-	-	-	-	-
--------------	---	---	---	---	---

TOTAL	276	40	313	83	5795
--------------	------------	-----------	------------	-----------	-------------

(-) indicates zero cases reported.

*Please see Technical Notes for explanation.

**SALMONELLA SEROTYPES, BY YEAR OF REPORT
OHIO, 1997 - 2001**

SEROTYPE NAME	2001	2000	1999	1998	1997
ABAETETUBA	-	1	2	-	-
ADELAIDE	2	1	17	2	3
AGBENI	4	-	-	-	-
AGONA	12	8	9	64	11
AHUZA	1	-	-	-	-
ALACHUA	-	3	-	-	-
ALBANY	-	-	1	1	-
ALTONA	1	-	-	-	-
AMSTERDAM	-	-	-	1	-
ANATUM	6	2	6	4	13
ANECHO	-	-	-	-	1
ANTSALOVA	-	1	-	-	-
ARIZONA	1	3	1	1	-
ARKANSAS	-	-	-	1	-
AUGUSTENBORG	-	-	-	1	-
BAILDON	-	-	-	2	-
BAREILLY	2	1	1	-	2
BERTA	3	9	2	3	5
BLOCKLEY	1	1	1	2	1
BOVIS-MORBIFICANS	5	3	1	-	3
BRAENDERUP	18	29	14	6	10
BRANDENBURG	2	2	4	4	4
BREDENY	-	-	-	1	-
BUKAVU	-	1	-	-	-
CARRAU	-	-	1	-	-
CERRO	-	-	2	2	-
CHAMELEON	3	1	-	1	-
CHESTER	-	-	1	3	-
CHOLERAE-SUIS	-	-	1	-	-
CUBANA	-	-	1	3	3
DERBY	3	6	5	5	2
DJUGU	-	-	-	-	1
DUBLIN	-	-	2	1	-
DURBAN	-	-	-	-	1
EALING	2	-	-	-	-
EASTBORNE	-	1	-	-	-
ELMRANE	-	-	1	-	-
ENTERITIDIS	276	240	127	249	349
ERLANGEN	-	-	1	-	-
FARMSEN	-	-	1	-	-
FISCHERSTRASSE	-	1	-	-	-
FLINT	2	2	1	-	1
GIVE	1	2	1	1	4
GLOSTRUP	1	-	1	-	-
GOLDCOAST	-	-	1	-	-
HADAR	6	8	12	8	9
HAGENBECK	-	-	1	-	-
HARTFORD	15	4	10	13	1
HAVANA	2	1	-	-	-
HEIDELBERG	73	43	60	57	25
HEILBRON	-	-	1	1	-

(continued)

**SALMONELLA SEROTYPES, BY YEAR OF REPORT
OHIO, 1997 - 2001**

(Continued)

SEROTYPE NAME	2001	2000	1999	1998	1997
HIDALGO	-	1	-	-	-
HOLCOMB	-	-	-	-	1
HVITTINGFOSS	2	5	4	-	2
IBADAN	-	-	-	1	-
INFANTIS	15	23	21	7	2
ISANGI	-	-	-	1	-
JANWANI	-	-	1	-	-
JAVIANA	12	10	12	34	31
JOHANNESBURG	3	1	2	-	1
KENTUCKY	1	-	4	1	1
KINSHASA	-	1	-	-	-
KINTAMBO	-	-	-	-	2
KOTTBUS	1	-	1	-	-
KRALENDYK	1	1	1	-	-
KUA	-	-	1	-	-
LITCHFIELD	5	6	4	4	-
LIVINGSTONE	1	-	-	-	-
LONDON	-	-	1	-	1
LOMA-LINDA	-	-	-	1	-
LUCIANA	-	-	-	1	-
MAGWA	-	-	-	1	-
MANHATTAN	2	2	2	1	1
MARINA	6	6	3	9	2
MATADI	2	-	-	-	-
MBANDAKA	4	1	4	5	4
MELEAGRIDIS	1	1	-	-	-
MIAMI	1	1	-	1	22
MISSISSIPPI	-	-	1	-	-
MONSCHAUI	-	-	1	1	-
MONTEVIDEO	12	23	24	17	8
MUENCHEN	14	5	14	12	5
MUENSTER	2	2	1	3	1
NEWPORT	67	129	61	37	13
NEWYORK	-	-	-	-	1
NIMA	1	-	-	-	-
NORWICH	-	-	-	1	-
OHIO	1	2	3	1	5
ORANIENBURG	33	-	20	52	21
ORION	2	-	-	-	-
OSLO	3	-	-	-	1
OTHMARSCHEN	-	-	-	1	-
OVERCHIE	-	-	-	-	1
PANAMA	6	1	3	1	1
PARATYPHI A	3	2	-	1	1
PARATYPHI B	6	12	22	5	-
PARATYPHI B VAR JAVA	32	8	22	21	22

(continued)

**SALMONELLA SEROTYPES, BY YEAR OF REPORT
OHIO, 1997 - 2001**

(Continued)

SEROTYPE NAME	2001	2000	1999	1998	1997
POANA	1	-	-	-	1
POMONA	4	-	-	-	-
POONA	7	10	5	11	8
POTSDAM	4	-	-	-	-
RAUS	-	-	4	-	-
READING	2	2	2	2	1
RICHMOND	1	1	-	-	-
RISSEN	-	1	-	-	-
RUBISLAW	1	-	2	2	4
SAINT PAUL	18	6	14	12	9
SAN DIEGO	5	8	1	2	4
SAN-JUAN	-	-	1	-	-
SCHWARTZENGRUND	7	6	4	5	-
SENFTEMBERG	-	4	1	1	3
SHUBRA	2	1	1	-	-
SINSTORF	-	-	-	-	1
STANLEY	6	13	12	6	4
STELLINGEN	-	-	-	-	1
SUNDSVALL	-	-	-	-	1
TELELKEBIR	-	1	1	-	-
TENNESSEE	-	1	1	-	1
THOMPSON	26	4	13	10	8
TYPHIMURIUM	325	211	323	319	231
UGANDA	-	-	-	1	-
URBANA	4	2	1	4	3
VIRCHOW	5	3	-	6	2
WASSENAAR	-	-	1	1	2
WANDSWORTH	1	-	1	-	-
WELTEVRENDEN	2	-	1	-	-
WORTHINGTON	1	-	1	-	2
SUB-TOTAL	1103	891	913	1039	885

SEROGROUP (UNKNOWN SEROTYPE)	2001	2000	1999	1998	1997
GROUP A	-	3	-	1	-
GROUP B	12	157	81	105	143
GROUP C	9	82	39	50	46
GROUP D	14	223	33	50	110
GROUP E	2	9	2	2	3
GROUP F	-	-	-	2	1
GROUP G	2	-	-	1	1
GROUP H	-	1	-	-	-
GROUP I	-	3	-	1	-
GROUP J	-	-	-	-	-
GROUP W	-	-	-	-	-
SUB-TOTAL	39	478	155	212	304

UNGROUPED, UNTYPED SALMONELLA	210	233	245	255	356
--	-----	-----	-----	-----	-----

GRAND TOTAL	1,352	1,602	1,313	1,506	1,545
--------------------	--------------	--------------	--------------	--------------	--------------

**MENINGOCOCCAL DISEASE SEROGROUPS
BY YEAR OF REPORT
OHIO, 1997-2001**

SEROGROUP	2001	2000	1999	1998	1997
GROUP A	-	1	1	-	2
GROUP B	22	12	24	24	12
GROUP C	14	21	29	29	32
GROUP Y	22	23	36	29	18
GROUP W135	1	-	-	2	1
NOT GROUPABLE	1	1	2	1	-
OTHER	-	2	3	1	1
UNKNOWN	31	34	39	57	98
TOTAL	91	94	134	143	164

TECHNICAL NOTES: 1997 - 2001 OHIO REPORTABLE DISEASES

1) Explanation of tables:

Data reflect disease incidence for Ohio residents only, but include diseases (malaria, for example) acquired by Ohio residents while traveling out-of-state or overseas.

With the exception of AIDS, HIV infection, STDs, TB, ISP and VRE, data are presented by date of report. AIDS, HIV infection, and STD data are by date of diagnosis. ISP and VRE data are by date of onset and TB data are presented by date of verification. For TB, verification date is defined as the date the case is determined to meet the CDC Surveillance Case Definition. STD data include cases by year of diagnosis reported through April 7, 2003. AIDS data include cases by year of AIDS diagnosis reported through March 31, 2003. HIV infection data include cases by year of HIV (non-AIDS) diagnosis reported through March 31, 2003. The totals listed for these diseases are subject to change, as the Ohio Department of Health continues to receive late reports of AIDS, HIV infection, and STD cases diagnosed in 2001. Annual summaries of 1992-2001 differ from pre-1992 summaries, in which most infectious diseases were reported by date of disease diagnosis or onset.

“Age” refers to the patient’s age at the earliest known date associated with the disease. “Month” refers to the month the report was transmitted to the Centers for Disease Control and Prevention (CDC), except as noted above for AIDS, STD, TB. “County” refers to the patient’s county of residence. If county of residence is unknown, then county in which the hospital, physician or local health department is located is used.

In the “By Year of Report” table the mean and median are calculated only when five years of data are available.

2) Case criteria:

For AIDS and HIV cases, the case criteria are those provided in: “1993 Revised Classification System for HIV Infection and Expanded Surveillance Case Definition for AIDS Among Adolescents and Adults,” MMWR (Morbidity and Mortality Weekly Report) 1992; 41 (No. RR-17).

For all other diseases, the case criteria used are those provided in: “Case Definitions for Infectious Conditions Under Public Health Surveillance,” MMWR (Morbidity and Mortality Weekly Report) 1997; 46 (No. RR-10), and the Ohio Department of Health Infectious Disease Control Manual. This summary includes confirmed, probable and suspect cases.

3) Notes on specific diseases:

AIDS: Cases whose residence at diagnosis was a correctional facility are excluded from the county statistics, but are included in Ohio totals.

Chickenpox (a Class B disease): Only the number of cases by month and county are reported.

Creutzfeldt-Jakob Disease: became a reportable disease in Ohio in July 1998.

Cyclosporiasis: became a reportable disease in Ohio in July 1998.

Encephalitis, post-other viral: includes encephalitis following a non-central nervous system viral illness, or after vaccine is administered.

E. coli Shiga Toxin Producing (Not O157:H7): became a reportable disease in Ohio in February 2001. Cases listed in the year 2000 Annual Summary were received at ODH prior to becoming a reportable condition in Ohio.

Ehrlichiosis: became a reportable disease in Ohio in February 2001.

Hepatitis: Chronic cases were not reportable in 2001 therefore counts include acute cases only.

HIV infection: Cases whose residence at diagnosis was a correctional facility are excluded from the county statistics, but are included in Ohio totals.

Kawasaki disease: also known as mucocutaneous lymph node syndrome.

Meningitis, other bacterial: cases of bacterial meningitis for which the agent was specified (excluding Group A streptococcus and *Neisseria meningitidis*).

Outbreaks (foodborne, unspecified and waterborne): numbers in tables indicate the number of outbreaks reported and do not reflect the number of cases involved.

Rabies, animal: refers only to cases among animal species. The last reported case of human rabies in Ohio occurred in 1971.

Syphilis, all other stages: includes Early Latent, Latent of Unknown Duration, Late Latent, and Neurosyphilis

Typhus fever, murine: a form of typhus fever.

4) Diseases not included in tables:

There were no known cases in Ohio of the following Class A reportable diseases during at least the past five years. Therefore, they are not included in the 1997-2001 disease tables: anthrax, botulism-other, chancroid, cholera, diphtheria, encephalitis (post mumps and St. Louis), granuloma inguinale, hantavirus, human rabies, measles(indigenous), plague, poliomyelitis, Q fever, Reye syndrome, rubella (not congenital)*, typhus fever (louse-borne), and yellow fever.

Diseases not included in the "County of Residence", "Age in Years", and "Month of Report" tables had no known cases reported in 2001.

5) Special note on *Salmonella* serotypes and Meningococcal disease serogroups:

The Bacteriology Laboratory of the Ohio Department of Health performs serotyping of *Salmonella* isolates and serogrouping of *Neisseria meningitidis* isolates. Hospital laboratories and other clinical labs are encouraged to send *Salmonella* isolates and *Neisseria meningitidis* isolates to the ODH Lab for serotyping and serogrouping. For further information on the submission of isolates, please contact the Bacteriology Laboratory at (614) 466-2278.

Questions or comments regarding this summary may be directed to the Ohio Department of Health Infectious Disease Surveillance Section at (614) 466-1388.

Ohio County Outline Map

