

Temporary Food Service Operation and Retail Food Establishment Guidance

What is a Temporary?

A temporary food service operation (TFSO) or a temporary retail food establishment (TRFE) must obtain a license from Geauga Public Health prior to the event at which the TFSO or TRFE is to be operated. A TFSO or TRFE is a site where food is prepared or served for a charge or required donation and is operated at an event for <u>no more than five consecutive days.</u>

- You must submit the completed Temporary Food Application packet at least ten (10) business days prior to the event.
- Temporary Food Service License will be issued at the time of inspection.
- No refunds will be granted.
- Temporary Food Service Licenses are valid for the duration the event, but no longer than 5 consecutive days.
- There is a maximum of 10 temporary licenses permitted during a licensing year. From February 28th to March 1st of the following year.
- ♦ A Person-In-Charge must be available during all times of operation.
- All food must be prepared on site on the day of the event. NO FOOD PREP AT HOME!
- All food must come from an approved source (i.e. grocery stores)
- No cooking or cooling of food prior to event is permitted
- No eating, drinking, or using tobacco in the temporary.
- You must be ready for inspection prior to the beginning of the event
- ✤ If you have any questions prior to the event, contact Geauga Public Health at 440-279-1914.

Geauga Public Health reserves the right to refuse licensing of your temporary facility if safe handling requirements are not met at the time of inspection.




Revised 8/24/2020

Geauga Public Health 12611 Ravenwood Dr., Suite 300, Chardon OH 440-279-1900 www.gphohio.org

Sanitation

Hand washing

The hand washing station must be set up before food perpetration begins. See the example below.



Dishwashing and Sanitizing

- Plain unscented bleach can be used as your sanitizer
 - Chlorine test strips must be used to ensure sanitizer strength of 50-100 ppm



- Quat Ammonia (Sanitabs or liquid) can be used as your sanitizer.
 - Quat test strips must be used to ensure sanitizer strength of 200-400 ppm



Revised 8/24/2020

Geauga Public Health 12611 Ravenwood Dr., Suite 300, Chardon OH 440-279-1900 www.gphohio.org

Example of a dishwashing station



(Wash)

(Rinse)

(Sanitize)

Food Safety

Hair Cover

Persons working at the temporary event must have proper hair cover such as:

- ✤ Hats
- Hair nets
- Beard nets

Food Handling

There is absolutely no bare hand contacting any ready to eat food. Facilities must use either or a combination of:

- ✤ Gloves
- ✤ Utensils
- Deli tissues

Cold Holding

- ✤ Cold foods must be 41°F or less at all times.
- Refrigerators or coolers must be used to store cold foods.
- ✤ You must provide an adequate number of coolers to store raw beef, chicken, and fish <u>EACH IN</u> <u>SEPARATE COOLERS.</u>
- Ready to eat foods (i.e. cooked food, pasta salad, cole slaw, sliced melon, sliced tomato, etc.) must be stored in iced coolers <u>SEPARATE FROM RAW MEATS</u>.
- You must provide an adequate amount of ice to completely cover food items while stored in coolers.
- Cold foods must be stored in sealed containers or wrapped to prevent contact with ice.
- Home-prepared cold foods are not permitted! All cold foods must be prepared on-site or come from an approved source, and transported properly.

Hot Holding

- ♦ Hot foods must be held at 135°F or higher after they are cooked to the appropriate temperature.
- ◆ Use electric hot holding equipment when electricity is available for hot holding.
- Grills must have covers/lids to prevent contamination.
- Home-prepared hot foods are not permitted! All hot foods must be cooked on-site or come from an approved source, and transported properly.

Revised 8/24/2020

Geauga Public Health 12611 Ravenwood Dr., Suite 300, Chardon OH 440-279-1900 <u>www.gphohio.org</u>

Minimal internal cooking temperatures:

Ready to eat foods (cooked foods, deli meats)	Cold hold 41F or hot hold at 135F or above	
Raw Fish, Shellfish, Veal, Pork, Eggs	Cook to 145°F for 15 seconds	
Raw Bee f or Pork Roasts	Cook to 145°F for 4 minutes	
Raw Ground Meats (Beef or Pork)	Cook to 155°F for 15 seconds	
Raw Chicken, Raw Turkey, Casseroles (Turkey and Chicken), Stuffed Food products	Cook to 165°F for 15 seconds	

Checklist of items needed:

 Hair cover (hats, hair nets, beard nets) 	 Hand washing station container with a free flowing spout at bottom 	 Containers large enough for dish and utensil washing, rinsing, sanitizing
Disposable gloves.(No latex)	Paper towels	 1 Container for dirty water at hand washing station
□ Metal stem thermometer	□ Soap	 Sanitizer (Chlorine or Quat)
 Tent cover if not provided at event 	 Clean water supply from an approved source 	□ Sanitizer test strips
☐ Floor cover if not on an impervious surface	 Crates or tables to keep food & utensils 6" off of ground 	Dish soap
Adequate number of iced coolers or refrigerators	 Adequate hot holding units 	Food grade hose if needed
 Backflow preventer if needed 	 Facility to properly dispose of wastewater 	 Paperwork submitted to the Health Dept.

Revised 8/24/2020